

SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

1.1. Company Information	KALO, Inc., 13200 Metcalf Ave., Ste. 250, Overland Park, KS 66213
1.2. Phone Numbers	800-255-5196 / 913-491-9146 FAX
1.3. Website	www.kalo.com
1.4. Product Identity	REGULAIID
1.5. Reference/Item Number	RG01, RG02, RG30, RG55, RG265
1.6. Intended Use	Refer to package label.
1.7. Application Method	Refer to package label.
1.8. 24 HOUR EMERGENCY NUMBER/CHEMTREC (USA)	1-800-424-9300
1.9. POISON CONTROL CENTER (USA)	1-800-222-1212

SECTION 2: HAZARDS IDENTIFICATION

2.1. HAZARD COMMUNICATION STANDARD (HCS) PICTOGRAM(S) AND SIGNAL WORD(S)



2.2. Flam. Liq. 4:	H227: Combustible liquid.
2.3. Acute Tox 5:	H303: May be harmful if swallowed. H313: May be harmful in contact with skin.
2.4. Acute Tox 4:	H332: Harmful if inhaled.
2.5. Skin Irrit. 2:	H315: Causes skin irritation.
2.6. Eye Irrit. 2:	H319: Causes serious eye irritation.
2.7. Prevention:	P210: Keep away from heat, sparks, open flames, and other ignition sources. No smoking. P261: Avoid breathing dust, fume, gas, mist, vapors and spray. P280: Wear protective gloves and eye/face protection. P264: Wash thoroughly after handling. P271: Use only outdoors or in a well-ventilated area.
2.8. Response:	P312: IF YOU FEEL UNWELL: Call a poison center or doctor/physician P321: SPECIFIC TREATMENT: See information on this SDS. P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. P337+313: If eye irritation persists, get medical advice/attention. P302+352: IF ON SKIN: Wash with plenty of soap and water. P332+313: If skin irritation occurs, get medical advice/attention. P362: Take off contaminated clothing and wash before reuse. P370+378: IN CASE OF FIRE: Use alcohol resistant foam, CO ₂ , powder, water spray for extinction. Do not use water jet.
2.9. Storage:	P403: Store in a well-ventilated place.
2.8. Disposal:	P501: Dispose of contents/container in accordance with local/national regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend and the ingredients and mixture percentages are being withheld as a trade secret.

3.1. Ingredient/Chemical Designations:	Proprietary surfactant
CAS No.:	Proprietary
Weight %:	25 - 50
Notes:	Substance classified with a health or environmental hazard.
3.2. Ingredient/Chemical Designations:	Proprietary solvent
CAS No.:	Proprietary
Weight %:	25 - 50
Notes:	Substance classified with a health or environmental hazard. Substance with a workplace exposure limit.

SECTION 4: FIRST AID MEASURES

DESCRIPTIONS

4.1. General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
4.2. Inhalation:	Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
4.3. Eyes:	Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.
4.4. Skin:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.
4.5. Ingestion:	If accidentally swallowed, obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

4.6. Inhalation:	Harmful if inhaled.
4.7. Eyes:	Causes serious eye irritation.
4.8. Skin:	May be harmful in contact with skin. Causes skin irritation.
4.9. Ingestion:	May be harmful if swallowed. (Not adopted by US OSHA.)

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media:	Alcohol resistant foam, CO ₂ , powder, or water spray. Do not use water jet.
5.2. Special Hazards Arising From the Substance/Mixture:	Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed. Keep away from heat, sparks, open flames, and other ignition sources. No smoking! Never use welding or cutting torches on or near container, even if empty.
5.3. Advice For Firefighters:	Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire-exposed surfaces and personnel.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Precautions/Procedures:	Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels.
6.2. Environmental Precautions:	Do not allow spills to enter drains or water courses.
6.3. Methods and Material For Containment and Cleaning Up:	Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside buildings and dispose of according to the Waste Regulations (see Section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams, or lakes, the Environmental Protection Agency should also be informed.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions For Safe Handling:	Do not get in eyes, on skin, or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and wash before reuse. Destroy contaminated belts and shoes and other items that cannot be decontaminated. Have eyewash accessible to use in handling area. See Section 2 for further details.
7.2. Conditions For Safe Storage:	Store in tightly closed containers in dry, well-ventilated area, away from excessive heat and incompatibles. See Section 2 for further details.
7.3. Incompatible Materials:	Oxidizing agents.
7.4. Specific End Use(s):	See product label.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Exposure Data:

CAS No.	Ingredient	Source	Value
Proprietary	Proprietary Surfactant	OSHA	TWA: 50 ppm (240mg/m ³) [skin]
		ACGIH	TWA: 20 ppm
		NIOSH	TWA: 5 ppm (24mg/m ³) [skin]
CAS No.	Ingredient	Source	Value
Proprietary	Proprietary Solvent	OSHA	No Established Limit
		ACGIH	TWA: Aerosol (10mg/m ³)
		NIOSH	No Established Limit

8.2. Carcinogen Data:

CAS No.	Ingredient	Source	Value
Proprietary	Proprietary Surfactant	OSHA	Select Carcinogen: No
		NTP	Known: No / Suspected: No
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No
CAS No.	Ingredient	Source	Value
Proprietary	Proprietary Solvent	OSHA	Select Carcinogen: No
		NTP	Known: No / Suspected: No
		IARC	Group 1: No / Group 2a: No / Group 2b: No / Group 3: No / Group 4: No

EXPOSURE CONTROLS

8.3. Respiratory:	If workers are exposed to concentrations above the exposure limit, they must use the appropriate certified respirators.
8.4. Eyes:	Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of liquids.
8.5. Skin:	Overalls, which cover the body, arms, and legs, should be worn. Skin should not be exposed. All parts of the body should be washed after contact.
8.6. Engineering Controls:	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates, and any vapor below occupational exposure limits, suitable respiratory protection must be worn.
8.7. Other Work Practices:	See product label.

SAFETY DATA SHEET



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Liquid	Initial Boiling Point/Range:	Not Measured
Odor:	Mild Solvent	Melting Point/Range:	Not Measured
Odor Threshold:	Not Measured	Flammability (Solid, Gas):	Not Measured
pH:	6.0 - 7.0	Upper Flammability/Explosive Limits:	Not Measured
Specific Gravity:	0.94 - 1.04	Lower Flammability/Explosive Limits:	Not Measured
Flashpoint and Method:	142°F (61°C)	Decomposition Temperature:	Not Measured
Solubility in Water:	Soluble	Auto-Ignition Temperature:	Not Measured
Viscosity (dynamic):	Not Measured	Volatility:	Not Measured
Viscosity (kinematic):	Not Measured	Molecular Weight:	Not Measured
VOC%:	Not Measured	Oxidizing Properties:	Not Measured
Vapor Pressure (Pa):	Not Measured	Partition Co-Efficient n-octanol/water (Log Pow):	Not Measured
Vapor Density (air=1):	Not Measured	Evaporation Rate (Butyl Acetate=1):	Not Measured
Density (water=1):	Not Measured	Surface Tension:	Not Measured
Density (liquid):	Not Measured	Particle Size:	Not Measured
Freezing Point:	Not Measured	Other:	No other relevant information.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:	Not chemically reactive.
10.2. Chemical Stability:	Stable under normal ambient and anticipated conditions of use.
10.3. Hazardous Reactions:	Hazardous reactions not anticipated.
10.4. Conditions To Avoid:	Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.
10.5. Incompatible Materials:	Oxidizing agents.
10.6. Hazardous Decomposition Products:	Not anticipated under normal conditions of use.

SAFETY DATA SHEET



SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY ESTIMATE

11.1. Ingredients:	Proprietary Surfactant and Solvent
11.2. Oral, LD50mg/kg:	>2,000.00
11.3. Skin, LD50mg/kg:	>2,000.00
11.4. Inhalation Vapor, LC50, mg/L/4hr:	>11.00
11.5. Inhalation Dust/Mist, LC50, mg/L/4hr:	No Data Available
11.6. Inhalation Gas, LC50, ppm	No Data Available

ITEM	HAZARD	CATEGORY
Acute Toxicity (mouth):	May be harmful if swallowed.	5
Acute Toxicity (skin):	May be harmful in contact with skin.	5
Acute Toxicity (inhalation):	Harmful if inhaled.	4
Skin Corrosion/Irritation:	Causes skin irritation.	2
Eye Damage/Irritation:	Causes serious eye irritation.	2
Sensitization (respiratory):	Not Applicable	--
Sensitization (skin):	Not Applicable	--
Germ Toxicity:	Not Applicable	--
Carcinogenicity:	Not Applicable	--
Reproductive Toxicity:	Not Applicable	--
Specific Target Organ Systemic Toxicity-Single Exposure:	Not Applicable	--
Specific Target Organ Systemic Toxicity-Repeated Exposure:	Not Applicable	--
Aspiration Hazard:	Not Applicable	--

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity:	No additional information provided for this product.
12.2. Persistence and Degradability:	There is no data available on the preparation itself.
12.3. Bioaccumulative Potential:	Not measured.
12.4. Mobility In Soil:	No data available.
12.5. Results of PBT and vPvB Assess:	This product contains no PBT/vPvB chemicals.
12.6. Other Adverse Effects:	No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods:	Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.
--------------------------------	--

SECTION 14: TRANSPORT INFORMATION

Non-Bulk Domestic Ground: This material is not regulated for domestic ground shipments by the U.S. Department of Transportation (DOT) when transported in non-bulk (a packaging which has a maximum capacity of 119 gallons or less as a receptacle for a liquid). Reference 49 CFR 173.120 (b) (2) and 173.150 (f) (1).

14.1. DOT Proper Shipping Name (containers <119 gallons):	Not Regulated
14.2. DOT Hazard Class (containers <119 gallons):	Not Applicable
14.3. DOT Packing Group (containers <119 gallons):	Not Applicable
14.4. DOT Label (containers <119 gallons):	None

Bulk Domestic Ground: If this material is offered for domestic ground shipment in bulk (a packaging which has a maximum capacity greater than 119 gallons as a receptacle for a liquid), then the material is regulated. Reference 49 CFR 173.120 (b) (2) and 173.150 (f) (2).

14.5. DOT Proper Shipping Name (containers >119 gallons):	NA1993, Combustible Liquid, N.O.S. (ethylene glycol monobutyl ether), 3, PG III
14.6. DOT Hazard Class (containers >119 gallons):	NA1993
14.7. DOT Packing Group (containers >119 gallons):	III
14.8. DOT Label (containers >119 gallons):	3
14.9. IMO/IMDG Proper Shipping Name:	Not Regulated
14.10. IMO/IMDG Hazard Class:	Not Applicable
14.11. IMO/IMDG Packing Group:	Not Applicable
14.12. IMO/IMDG Marine Pollutant:	No
14.13. ICAO/IATA:	See 14.14. below and Bill of Lading.

14.14. Special Precautions for User:

The domestic provisions provided for in non-bulk and bulk ground shipments are not valid for transportation by aircraft or vessel and they are not valid for international shipments. Please follow the appropriate DOT regulations in 49 CFR and the information referenced where appropriate in the IATA Dangerous Goods Transportation Regulation, the International Maritime Organization (IMO), the International Civil Aviation Organization (ICAO) and our NFTA partner hazardous material regulation requirements.

SECTION 15: REGULATORY INFORMATION

15.1. Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
15.2. Toxic Substance Control Act (TSCA):	All ingredients of this product are listed on the TSCA inventory, or are not required to be listed on the TSCA inventory.
15.3. National Fire Protection Association (NFPA):	Health Hazards: 2 Flammability: 2 Instability: 0 Special Hazards: ND
15.4. EPCRA 302–Extremely Hazardous (>0.1%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
15.5. EPCRA 311/312–Chemicals and RQs (>0.1%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
15.6. EPCRA 313–Toxic Chemicals (>0.1%):	2-Butoxy-ethanol
15.7. Proposition 65–Carcinogens (>0.0%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
15.8. Proposition 65–Developmental Toxins (>0.0%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
15.9. Proposition 65–Female Repro Toxins (>0.0%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
15.10. Proposition 65–Male Repro Toxins (>0.0%):	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
15.11. N.J. RTK Substances (>1%):	2-Butoxy-ethanol/ 1,2-Propanediol
15.12. PENN RTK Substances (>1%):	2-Butoxy-ethanol

SECTION 16: OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Company accepts no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.