

# FIFRA Sec. 24(c) Special Local Need Label

|                      |       |    |           |
|----------------------|-------|----|-----------|
| Glufosinate-ammonium | Group | 10 | Herbicide |
|----------------------|-------|----|-----------|

For distribution and use only  
in the State of Oregon

# Rely<sup>®</sup> 280

## Herbicide

EPA Reg. No. 7969-448

EPA SLN No. OR-200001

For weed control in grass grown for seed production only

This label is valid until December 31, 2025, or until otherwise amended, withdrawn, canceled, or suspended.

**Active Ingredient\*:**

glufosinate-ammonium ..... 24.5%

**Other Ingredients:** ..... 75.5%

**Total:** ..... 100.0%

\*Equivalent to 2.34 pounds of active ingredient per U.S. gallon.

### KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

#### Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**Refer to the Rely<sup>®</sup> 280 herbicide main label, EPA Reg. No. 7969-448, for complete Directions For Use and all applicable restrictions and precautions. When following the instructions on this Special Local Need (SLN) label, the user must have this SLN label and the entire Rely 280 container label in possession at the time of pesticide application.**

BASF Corporation intends that pursuant to this FIFRA section 24(c) label, this product be distributed only to those end users who agree in writing in advance of use to the terms and conditions of BASF Corporation relating to the use of **Rely 280** for this end use. Such terms and conditions include a waiver and release from all liability and indemnification of BASF Corporation by the user and/or grower for failure to perform and/or crop damage from the use of **Rely 280** on grass grown for seed production only.

If the preceding terms and conditions are unacceptable, do not open this product. Return the unopened container immediately.

When used on grass grown for seed production, this product may lead to crop injury, loss, or damage. Because of the risk of failure to perform or crop damage, all such use is at the user and/or grower's risk. BASF recommends that the user and/or grower test this product in order to determine its suitability for such intended use. BASF makes this product available to the end user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower, outweigh the potential injury associated with the use of this product. The decision to use or not to use this herbicide must be made by each individual user and/or grower on the basis of possible crop injury from this product, the severity and type of weed infestation, the cost of alternative weed controls, and other factors. BASF will not be responsible for crop injury from tank mixtures of **Rely 280** with other herbicides or adjuvants to grasses grown for seed production.

Do not use this product until you have read the entire label. **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### Environmental Hazards

**DO NOT** apply directly to water, or to areas where surface water is present. **DO NOT** apply to intertidal areas below the mean high water mark. **DO NOT** contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is toxic to vascular plants and should be used strictly in accordance with the drift and run-off precautions on this SLN label and the EPA-registered label in order to minimize off-site exposures.

Under some conditions, this product may have a potential to run off to surface water or adjacent land. Where possible, use methods which reduce soil erosion, such as no till, limited till and contour plowing; these methods also reduce pesticide runoff. Use of vegetation filter strips along rivers, creeks, streams, wetlands, etc. or on the downhill side of fields where runoff could occur to minimize water runoff is recommended.

---

### Product Information

---

For use on grasses grown for seed production, such as perennial ryegrass, tall fescue, or bentgrass.

Tolerance of grasses to **Rely® 280 herbicide** is species dependent. Species tolerance in descending order is: 1) perennial ryegrass; 2) tall fescue; 3) bentgrass; 4) fine fescue; and 5) *Poa* species. For example, perennial ryegrass tends to be more tolerant to **Rely 280** than the *Poa* species.

Direct shielded sprays are suggested in fine fescue species, orchardgrass, and *Poa* sp. grown for seed production. Broadcast applications made after the first node development can increase the potential for crop injury and yield loss.

- **DO NOT** apply **Rely 280** when grass grown for seed production is stressed due to drought, heat, frost, flooding, poor fertility, diseases, insects, or other reason.
- Stunting of grass grown for seed production may occur following application and, in some instances, seed yields may be adversely affected.

**DO NOT** broadcast apply **Rely 280** on fine fescue, orchardgrass, or *Poa* species grown for seed.

### Weeds controlled or suppressed:

|                      |                                      |
|----------------------|--------------------------------------|
| <i>Poa annua</i>     | Manna grass                          |
| <i>Poa trivialis</i> | <i>Bromus</i> sp. (suppression only) |

---

### Application Rates and Timing

---

For best weed control and crop safety, apply when the grass seed crop is actively growing in the fall and/or spring to minimize potential for crop injury.

**Fall application – Broadcast only:** For severe weed pressure in newly established grass seedling fields, applications may occur after the first tiller of the crop is established, but **DO NOT** exceed the 10 fl ozs rate per acre. For established fields with a minimum of 4 tillers, **DO NOT** exceed a rate of 16.5 fl ozs per acre. **DO NOT** make applications after December 1st in either seedling or established grass seed stands. Use a minimum of 20 gallons per acre of water at 30 to 40 psi.

If additional control is required in the spring, one spring broadcast application may also be made.

**Spring application – Broadcast:** Apply **Rely 280** to actively growing grass seed fields in the 4 to 6 tiller growth stage at a rate of 16.5 to 20 fl ozs/acre. **DO NOT** make applications after April 1<sup>st</sup>, except when severe weed pressure necessitates control.

**Spring application – Hooded or Shielded Directed**

**Spray:** To avoid excessive crop phytotoxicity, use a hooded or shielded sprayer. Apply by directing spray between rows and using shielded directed sprayers to prevent spray contact with crop plants. Adjust shields to prevent spray from contacting the crop.

Apply 55 fl ozs/A with shielded directed spray when the weeds are less than 8 inches tall. Apply 82 fl ozs/A with shielded directed spray when the weeds are 8 inches or taller.

---

**Restrictions and Limitations**

---

- **DO NOT** graze in treated areas for one year (365 days) following application.
- If you make a hooded or shielded direct spray application, **DO NOT** also make a broadcast application.
- **DO NOT** make more than one hooded or shielded direct spray application per crop year.
- **DO NOT** make more than two broadcast applications per crop year (one in the fall and one in the spring).
- **DO NOT** apply this product aerially.
- **DO NOT** apply this product through any type of irrigation system.
- **DO NOT** allow product to drift from the intended field of grass grown for seed production. Drift control is the responsibility of the applicator. Refer to local state laws, regulations, and guidelines for proper application to avoid off-target movement.

## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

*Rely 280 is a registered trademark of BASF.*

© 2019 BASF Corporation  
All rights reserved.

007969-00448.20191212c.NVA 2019-04-598-0065

**24(c) registrant:**  
BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709



We create chemistry