



Bayer CropScience LP  
P.O. Box 12014  
2 T.W. Alexander Drive  
Research Triangle Park, NC 27709  
1-866-99BAYER (1-866-992-2937)

## REQUIEM EC®

Reduced application rates recommended for use on listed crop groups for suppression of select pests when used in a tank mix with another registered insecticide labeled for control of whitefly or thrips.

**EPA Reg. No. 264-1159**

# PRODUCT BULLETIN

### FOR DISTRIBUTION AND USE IN ARIZONA, CALIFORNIA AND HAWAII ONLY

**FIFRA Section 2(ee) Recommendation:** This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the U. S. Environmental Protection Agency.

**Reduced application rates recommended for use on listed crop groups for suppression of select pests when used in a tank mix with another registered insecticide labeled for control of whitefly or thrips.**

This FIFRA Section 2(ee) recommendation contains new or additional directions for use of this product, which may not appear on the package label. Read and carefully observe the applicable directions, restrictions and precautionary statements plus all the other information appearing on the EPA-registered product label.

## DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not use REQUIEM EC in tank mixes or in a program or in rotation with products containing captan (with REQUIEM EC either preceding or following captan applications) in any crop. Use of REQUIEM EC with captan-containing products may result in phytotoxicity.

Do not use REQUIEM EC in tank mixture combinations or in rotation with any product containing a label warning against using surfactants, methylated seed oils, oils or other adjuvants.

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information, Call 1-866-99BAYER (1-866-992-2937)

*As with any crop-protection product, always read and follow label directions.  
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*



Bayer CropScience LP  
 P.O. Box 12014  
 2 T.W. Alexander Drive  
 Research Triangle Park, NC 27709  
 1-866-99BAYER (1-866-992-2937)

## REQUIEM EC®

Reduced application rates recommended for use on listed crop groups for suppression of select pests when used in a tank mix with another registered insecticide labeled for control of whitefly or thrips.

**EPA Reg. No. 264-1159**

# PRODUCT BULLETIN

**Reduced application rates recommended for REQUIEM EC for suppression of the following pests on selected field crops when used in a tank mix with another registered insecticide labeled for control of whitefly or thrips:**

Crops	Pests	Rate qt/acre	Application Instructions
<b>Brassica (Cole) Leafy Vegetables</b> Broccoli Broccoli Raab Brussels Sprouts Cabbage Chinese Cabbage (Bok Choy and Napa) Cauliflower Cavalo Collards Kale Kohlrabi Mustard Greens Rape Greens And all other Brassica leafy vegetable crops	<b>Whitefly</b> Silverleaf whitefly	0.5 - 1	Apply before pests reach damaging levels. Repeat applications as needed to maintain control. Do not wait until heavy populations have become established.
<b>Bulb Vegetables</b> Garlic Leek Onion (dry bulb, green, and Welch) Shallot Other bulb vegetable crops	<b>Thrips</b> Onion Thrips Western Flower Thrips	0.5 - 1	Begin applications as soon as thrips are seen in the crop. Continue applications as needed. Thrips will seek shelter hard-to-reach parts of the plant. Use insecticide nozzles with sufficient water volume and spray pressure for thorough coverage.

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577

For **PRODUCT USE** Information, Call 1-866-99BAYER (1-866-992-2937)

*As with any crop-protection product, always read and follow label directions.  
 For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*



**Bayer CropScience LP**  
**P.O. Box 12014**  
**2 T.W. Alexander Drive**  
**Research Triangle Park, NC 27709**  
**1-866-99BAYER (1-866-992-2937)**

## REQUIEM EC®

Reduced application rates recommended for use on listed crop groups for suppression of select pests when used in a tank mix with another registered insecticide labeled for control of whitefly or thrips.

**EPA Reg. No. 264-1159**

## PRODUCT BULLETIN

Crops	Pests	Rate qt/acre	Application Instructions
<b>Fruiting Vegetables</b> Eggplant Ground Cherry Pepino Pepper Tomatillo Tomato Other fruiting vegetable crops	<b>Thrips</b> Western Flower Thrips	<b>0.5 - 1</b>	Begin applications as soon as thrips are seen in the crop. Continue applications as needed. Thrips will seek shelter in hard-to-reach parts of the plant. Use appropriate nozzles with sufficient water volume and spray pressure for thorough coverage.
	<b>Whiteflies</b> Silverleaf whitefly		Apply before pests reach damaging levels. Repeat applications as needed to maintain control. Do not wait until heavy populations have become established.
<b>Leafy Vegetables</b> Lettuce Arugula Celery Spinach Parsley Radicchio Florence Fennel Romaine Swiss Chard And other leafy vegetable crops	<b>Thrips</b> Western Flower Thrips	<b>0.5 - 1</b>	Begin applications as soon as thrips are seen in the crop. Continue applications as needed. Thrips will seek shelter in hard-to-reach parts of the plant. Use appropriate nozzles with sufficient water volume and spray pressure for thorough coverage.

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day **1-800-334-7577**

For **PRODUCT USE** Information, Call **1-866-99BAYER (1-866-992-2937)**

*As with any crop-protection product, always read and follow label directions.*

*For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*