

PEEL HERE  
TO OPEN

# RhizoPhos<sup>®</sup>

NUTRITIONAL FORMULATION  
**0-26-5**

**GUARANTEED ANALYSIS**

Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	26%
Soluble Potash (K <sub>2</sub> O) .....	5%

Derived from: Phosphoric acid, Monopotassium phosphate, Kelp extract

**KEEP OUT OF REACH OF CHILDREN**

For Product Use Information: 1-866-761-9397  
SDS is available at [www.arysta-na.com](http://www.arysta-na.com)

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>

**Produced by:**

Arysta Lifescience North America, LLC  
15401 Weston Parkway, Suite 150  
Cary, NC 27513

F-1721

AD102015V2  
103716-B



**Danger**

May be corrosive to metals. Causes severe skin burns and eye damage.

Keep only in original container.

Do not breathe mist, vapours.

Wash hands thoroughly after handling. Wear eye protection, protective gloves, face shield, protective clothing

If swallowed: rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.

Specific treatment (see First aid measures on this label)

Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**NET WEIGHT:** 25.82 POUNDS (11.7 KILOGRAMS)  
**NET CONTENTS:** 2.5 GALLONS (9.46 LITERS)  
**WEIGHT PER GALLON:** 10.33 POUNDS (4.68 KILOGRAMS) @ 68° F

 **Arysta**  
LifeScience

## INFORMATION

**RHIZOPHOS®** is a liquid fertilizer formulation of available phosphate & potassium. **RHIZOPHOS** is formulated to provide the plant with P & K. Optimum levels of these nutrients provide the opportunity for vigorous plant growth and fruit development.

## DIRECTIONS FOR USE

Shake container well before pouring. Add **RHIZOPHOS** to partially filled spray tank. All other spray materials should be added prior to **RHIZOPHOS**.

## COMPATIBILITY

**RHIZOPHOS** is compatible with most fungicides and insecticides provided they are used in accordance with the registered label directions. Some compatibility problems may occur with alkaline mixtures (lime sulphur) and with spreader stickers containing ethanol or liquid fertilizers containing orthophosphates. In unfamiliar mixings, proceed to the usual jar compatibility test prior to tank mixing in the following manner. Add 30 fl oz (20 parts) water to a glass jar with at least one quart capacity, then add 1.5 fl oz (1 part) **RHIZOPHOS** and 0.5 fl oz (1/3 part) of the product to be tank mixed. Shake well and allow to stand for at least 5 minutes. Observe to determine if any flocculation, precipitation or unusual settling occurs.

## CROP RECOMMENDATIONS FOR APPLICATION THROUGH DRIP IRRIGATION SYSTEM OR SIDE DRESS APPLICATION:

### Table and Wine grapes, stone fruit, almonds, pistachios and other tree crops:

Add **RHIZOPHOS** to the irrigation water at a rate of 1 quart/acre per week (or 2 quarts every 2 weeks) for a total of one gallon. Begin as soon after harvest as possible. Apply the **RHIZOPHOS** in the final 25% of the irrigation cycle.

### Citrus:

Add **RHIZOPHOS** to the irrigation water at a rate of 1 quart/acre per week (or 2 quarts every 2 weeks) for a total of one gallon. Begin in early September.

### Non-bearing Trees & Vines:

Apply **RHIZOPHOS** at a rate of one quart/acre per month beginning after spring flush. Repeat three times over the growing season for a total of one gallon.

### Vegetables:

Start the applications at very early growth stage (4 true leaves). Apply 1 quart/acre every week, 5/6 applications. Apply at the end of each irrigation cycle. For side dress applications, apply a minimum of 2 quarts per acre per application.

### Strawberries:

Start the applications at very early growth stage or 14 to 21 days after transplanting. Apply 1 quart/acre every 2 weeks, 6-10 applications. Apply at the end of each irrigation cycle.

### **Warranty and Disclaimer Statement**

The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Such risks may arise from weather conditions, soil factors, off-target movement, unconventional farming techniques, the presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of Arysta LifeScience North America, LLC ("Arysta"), and can cause crop injury, injury to non-target crops or plants, ineffectiveness of the product, or other unintended consequences. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

Arysta warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. This warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to Arysta, and is subject to the inherent risks described above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ARYSTA, MANUFACTURER, OR THE SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE, OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES, AND THE BUYER AND THE USER WAIVE ANY RIGHT THAT THEY MAY HAVE TO SUCH DAMAGES. NO AGENT, REPRESENTATIVE OR EMPLOYEE OF ARYSTA IS AUTHORIZED TO MAKE ANY WARRANTY, GUARANTEE OR REPRESENTATION BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER OR USER'S EXCLUSIVE REMEDY, AND ARYSTA'S, THE MANUFACTURER'S, OR THE SELLER'S TOTAL LIABILITY SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT, OR AT ARYSTA'S ELECTION, THE REPLACEMENT OF THE PRODUCT.**

Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation.

RHIZOPHOS is a registered trademark of Laboratoires Goëmar.

© 2016 Arysta LifeScience North America, LLC

**This page was intentionally left blank.**

# RhizoPhos<sup>®</sup>

NUTRITIONAL FORMULATION

**0-26-5**

**GUARANTEED ANALYSIS**

Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	26%
Soluble Potash (K <sub>2</sub> O) .....	5%

Derived from: Phosphoric acid, Monopotassium phosphate, Kelp extract

**KEEP OUT OF REACH OF CHILDREN**

For Product Use Information: 1-866-761-9397

SDS is available at [www.arysta-na.com](http://www.arysta-na.com)

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>

**Produced by:**

Arysta Lifescience North America, LLC  
15401 Weston Parkway, Suite 150  
Cary, NC 27513

F-1721

AD102015V2  
103716-B



**Danger**

May be corrosive to metals. Causes severe skin burns and eye damage.

Keep only in original container.

Do not breathe mist, vapours.

Wash hands thoroughly after handling. Wear eye protection, protective gloves, face shield, protective clothing

If swallowed: rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.

Specific treatment (see First aid measures on this label)

Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Arysta LifeScience and the Arysta LifeScience logo are registered trademarks of Arysta LifeScience Corporation.  
RHIZOPHOS is a registered trademark of Laboratoires Goëmar.

**NET WEIGHT: 25.82 POUNDS (11.7 KILOGRAMS)**  
**NET CONTENTS: 2.5 GALLONS (9.46 LITERS)**  
**WEIGHT PER GALLON: 10.33 POUNDS (4.68 KILOGRAMS) @ 68°F**

