

FIFRA 2(ee) Recommendation

EPA Reg. No. 279-3588

FOR DISTRIBUTION AND USE ONLY IN THE FOLLOWING STATES: TX

THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA.

This recommendation for Rhyme ™ Fungicide is valid until December 31, 2027, or until withdrawn, canceled or suspended.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED.

THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

FOR USE OF RHYME™ FUNGICIDE IN PECANS AS A SOIL DRENCH, DRIP, OR MICRO IRRIGATION SYSTEMS APPLICATION FOR CONTROL OF COTTON ROOT ROT (PHYMATOTRICHOPSIS OMNIVORA)

Directions For Use

Read the label affixed to the container for Rhyme™ fungicide before applying

Crop	Disease	Rate	Application Directions	Retreatment interval
Pecans (Carya illinoinensis)	Cotton Root Rot caused by (Phymatotrichopsis omnivora)	7 fl oz/acre (0.114 lbs ai/acre)	Soil Drench: To be made after the tree is planted. When Rhyme™ fungicide is applied as a soil drench, the application should be made from 2-3 feet around the base of the tree at concentrations not to exceed 7 fl oz/acre per application. The amount of fungicide to use per tree is based on tree and row spacing.	Minimum of 7 days
Pecans (Carya illinoinensis)	Cotton Root Rot caused by (Phymatotrichopsis omnivora)	7 fl oz/acre (0.114 lbs ai/acre)	Drip or Micro-chemigation: Rhyme™ fungicide may be applied through drip or micro chemigation systems where irrigation water configures around the trunk and root zone. The chemigation application can be made anytime after planting.	Minimum of 7 days

Restrictions

- •No single application may exceed 7 fl. oz of product/acre
- •Do not apply more than 4 applications per year
- •Do not apply more than 28 fl. oz of product/acre per year
- •Do not apply more than 0.455 lb. ai of flutriafol/acre per year
- •Restricted Entry Interval (REI) is 12 hours

Do not apply within 7 days of harvest

R-4712 042722

