



| |
|---|
| FIFRA 2(ee) Recommendation |
| EPA Reg. No. 279-3588 |
| FOR DISTRIBUTION AND USE IN ARKANSAS, CONNECTICUT, DELAWARE, FLORIDA, GEORGIA, KENTUCKY, ILLINOIS, INDIANA, MAINE, OHIO, MARYLAND, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, SOUTH CAROLINA, MASSACHUSETTS, MICHIGAN, NORTH CAROLINA, PENNSYLVANIA, RHODE ISLAND, TENNESSEE, VERMONT, VIRGINIA, WEST VIRGINIA |
| THIS RECOMMENDATION, WHICH CONTAINS ADDITIONAL DIRECTIONS FOR USE, IS MADE AS PERMITTED UNDER FIFRA SECTION 2(ee) AND HAS NOT BEEN SUBMITTED TO OR APPROVED BY THE US EPA. |

This recommendation for Rhyme™ fungicide is valid until March 31, 2025, or until withdrawn, canceled or suspended.

Use of this product according to this bulletin has not been reviewed or endorsed by the Office of the Indiana State Chemist

| |
|---|
| IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL MUST BE FOLLOWED. |
| THESE USE DIRECTIONS MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. |

FOR SUPPRESSION OF FUSARIUM SP. VIA CHEMIGATION IN TOMATOES

Directions for Use

Rhyme fungicide will provide suppression of listed diseases.

Apply preventatively or when conditions are favorable for disease development. Repeat as necessary if conditions are favorable for disease development. Best results for soilborne pathogens has been obtained when Rhyme fungicide is applied preventively, shortly after transplanting, followed by subsequent applications at 14 day intervals to provide protection of the roots from soilborne pathogens.



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104

| Crop | Pest | Rate (fl oz/A) | PHI | Retreatment Interval (Days) | Restrictions |
|---|--|-------------------|----------|--------------------------------|--|
| <p>Tomatoes (see label for listed crops)</p> | <p>Fusarium sp.(Suppression) (<i>Fusarium oxysporum</i>)</p> | <p>7</p> | <p>0</p> | <p>14</p> | <ul style="list-style-type: none"> • Do not apply more than 7.0 fl. oz. (0.114 lb ai) product/A/ application. • Do not apply more than 28 fl. oz. of product/A/year. • Do not make more than 4 applications/ year. • Do not apply more than 0.455 lb. ai of flutriafol or flutriafol containing products/A/year. |

R-4411 032520



FMC Corporation
2929 Walnut St.
Philadelphia, PA 19104