



PRODUCT INFORMATION

HELM AGRO US, INC.

**REGISTRATION FOR SPECIAL LOCAL NEED
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MICHIGAN**

RO-NEET® 6-E

EPA Reg. No. 73637-5-74530

EPA SLN No. MI-050005

This label valid until May 20, 2010 or until otherwise amended, withdrawn, canceled, or suspended.

SPECIAL CONDITIONS AND DISCLAIMER FOR USE OF RO-NEET ON SPINACH.

Helm Agro intends that this Section 24(c) label be distributed only to end users and/or growers (and/or applicators acting on behalf of growers) who agree to the terms and conditions below, and agree to the terms and conditions required and release Helm Agro from all liability and indemnification by the user and/or grower of Helm Agro and others for failure to perform and crop damage from the use of RO-NEET 6-E on spinach grown for canning. If such terms and conditions are unacceptable, return RO-NEET 6-E at once unopened.

This product when used on spinach grown for canning may lead to crop injury, loss, or damage. Helm Agro recommends that the user and/or grower test this product in order to determine its suitability for such intended use. Helm Agro makes this product available to the user and/or grower solely to the extent the benefit and utility, in the sole opinion of the user and/or grower, outweigh, the extent of potential injury associated with the use of this product. The decision to use or not to use this product must be made by each individual user and/or grower on the basis of possible crop injury from RO-NEET 6-E, the severity of weed infestation, the cost of alternative weed controls, and other factors. Because of the risk of failure to perform or crop damage, all such use is at the user's and/or grower's risk.

FOR USE IN SPINACH

ACTIVE INGREDIENT:	
S-ethyl cyclohexylethylthiocarbamate	73.9%
INERT INGREDIENTS:	26.1%
TOTAL.....	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
This product contains hydrocarbon solvent.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HARMFUL IF SWALLOWED. Avoid contact with skin, eyes, and clothing. Avoid contamination of feed or food.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber, or viton. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Engineering controls are required for all mixers, loaders and applicators (see Engineering Controls for additional requirements).

All mixers, loaders, applicators, and other handlers must wear at a minimum:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves and chemical-resistant apron when mixing and loading.

Handlers performing tasks, such as spill clean-up or cleaning equipment, for which engineering controls are not feasible must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves
- Chemical-resistant apron, and
- A NIOSH-approved respirator with
 - an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approved number prefix TC-23C), or
 - a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G0, or
 - an organic-vapor cartridge with any N², R or P or He prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Engineering Controls

Mixers and loaders must use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticide [40 CFR 170.240(d)(4)] for dermal protection, and must:

- Wear the personal protective equipment in the PPE section of this labeling for mixers and loaders,
- Wear protective eyewear, if the system operates under pressure,
- *Either* use a closed system that also meets the requirements in the WPS for inhalation protection *or* wear the type of respirator specified in the personal protective equipment sections of the labeling, and
- Be provided and have immediately available for use in an emergency, such as a spill or equipment breakdown: chemical-resistant footwear, and, if using a closed system cab that provides respiratory protection, a respirator of the type specified in the PPE section of this labeling.

Applicators must use motorized ground equipment with an enclosed cab that meets the definition in the Worker Protection Standard for Agricultural Pesticide [40 CFR 170.240(d)(5)] for dermal protection. In addition, applicators must:

- Wear the personal protective equipment required in the PPE section of this labeling for applicators,
- *Either* wear the type of respirator specified in the PPE section of this labeling *or* use an enclosed cab with a properly functioning ventilation system that is used and maintained according to the manufacturer's written operating instructions and that is declared in writing by the manufacturer or by a government agency to provide at least as much respiratory protection as the type of respirator specified in the PPE section of this labeling,
- Be provided and have immediately available for use in an emergency for when they must exit the cab in the treated area: chemical-resistant gloves, and, if using an enclosed cab that provides respiratory protection, a respirator of the type specified in the PPE section of this labeling,
- Take off any PPE that was worn in the treated area before reentering the cab, and
- Store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target area. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Entry (including early entry that would otherwise be permitted under the WPS) by any person – other than a correctly trained and equipped handler who is performing a handling task permitted by the WPS – is PROHIBITED for 48 hours following application. Do not allow entry by unprotected persons into the treated area until 48-hour period is expired and the warning signs are removed.

Special Early Entry Exception: Workers may enter the treated area during the first 48 hours following application to plant crops, provided all of the following conditions are met:

1) The special early entry workers must use motorized ground equipment with an enclosed cab that meets the definition in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240(d)(5)] for dermal protection. In addition, these workers must:

- Wear the personal protective equipment required in the PPE section of this labeling for applicators,
- *Either* wear the type of respirator specified in the PPE section of this labeling *or* use an enclosed cab with a properly functioning ventilation system that is used and maintained according to the manufacturer's written operating instructions and that is declared in writing by the manufacturer or by a government agency to provide at least as much respiratory protection as the type of respirator specified in the PPE section of this labeling.
- Be provided and have immediately available for use in an emergency when they must exit the cab in the treated area: chemical-resistant gloves, and, if using an enclosed cab that provides respiratory protection, a respirator of the type specified in the PPE section of this labeling.
- Take off any PPE that was worn in the treated area before reentering the cab, and
- Store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

2) Employers of the special early entry workers must make sure that these workers:

- Have received training equivalent to WPS pesticide handler training before entering the treated area,
- Are provided with the specified type of respirator, and the respirator fits them correctly and is maintained as required in the WPS for handlers, and

Are provided all of the WPS protections for early entry workers, including PPE instructions, labeling information and instructions, decontamination sites, and duties related to providing, cleaning, and maintaining the PPE for early-entry workers.

NOTIFICATION: Before the start of the application, notify workers of the application by warning them orally and by posting warning signs at entrances to the treated area. The signs must bear the skull and crossbones symbol and state: (1) "DANGER/PELIGRO," (2) "DO NOT ENTER/NO ENTRE," (3) the date and time of treatment, (4) "RO-NEET 6-E in use," and (5) name, address, and telephone number of the applicator. Post the warning sign instead of the WPS sign for this application, but follow all WPS requirements pertaining to location, legibility, size, and timing of posting and removal.

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

RESTRICTIONS:

Chemigation is prohibited.

This labeling must be in the possession of the user at the time of pesticide application.

Follow all applicable directions, restrictions and precautions on the EPA-registered label.

Do NOT harvest spinach for 45 days following application of this product.

WEEDS CONTROLLED: For List of Weeds Controlled See EPA-registered RO-NEET 6-E Label.

SPINACH: Apply a surface broadcast application with ground application equipment prior to planting. Apply 0.34 to 0.50 gallons RO-NEET 6-E (2-3 lbs. ai) per acre on sandy mineral soils only in a minimum of 20 gallons of water. Immediately (within minutes) after application thoroughly mix RO-NEET 6-E into the soil to a depth of 2 to 3 inches using a finishing disk, harrow, rolling cultivator or similar implement capable of providing uniform incorporation.

**CONDITIONS OF SALE
AND LIMITATION OF WARRANTY AND LIABILITY**

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Helm Agro US, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Helm Agro US, Inc. and Seller harmless for any claims relating to such factors.

Helm Agro US, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Helm Agro, and Buyer and User assume the risk of any such use. Helm Agro MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall Helm Agro or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF HELM AGRO AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF HELM AGRO OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Helm Agro and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Helm Agro.

RO-NEET 6-E is a trademark of Helm Agro US, Inc.
24(c) Registrant:

Helm Agro US, Inc.
8295 Tournament Drive, Suite 310
Memphis, Tennessee 38125

EPA SLN NO: MI-050005

Label Date 4/24/07