

DIRECTIONS FOR USE

To be used only in conjunction w Stoller's ROOT FEED™ products. Apply 1 pint per acre of ROOT FEED SUPPLEMENT with 5 to 10 gallons of ROOT FEED per acre (50 to 100 liters per hectare) every 7 to 14 days through irrigation water. Treatment should be applied during the later stages of the watering cycle. Once applications have begun, treatments must be maintained on a 7 to 14 day schedule until harvest for full benefits to be realized. When ROOT FEED has been applied to a crop, do not stop its use until harvest is over. Any stop in use may adversely affect the crop.

1. DECIDUOUS TREES, BERRIES AND VINES: begin applications before green tissue appears. Continue applications until 2 weeks after harvest.
2. TROPICAL TREES: begin 3 weeks before flower buds appear and continue applications until 3 weeks after harvest or desired maturity.
3. ANNUAL CROPS: begin after seeding or transplanting when plants are well established and continue until harvest is completed.

Mixing Instructions

Do not mix with fertilizers containing phosphorus or sulfur. Many pesticides may be mixed and applied with any solution containing ROOT FEED . Mixing sequence: 1. Water, 2. ROOT FEED , 3. Pesticide or other fertilizer Always conduct a "jar test" utilizing all products to be mixed in proper proportion in order to establish compatibility.

Precautionary Statement

May be harmful is absorbed through skin. May cause eye irritation. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment: Applicators and other handlers must wear long-sleeved shirt and long pants. waterproof gloves and shoes plus socks. Follow manufacturer instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gun, using tobacco or using the toilet. Remove clothing immediately if it gets inside. Then wash thoroughly and put on clean clothing. Environmental Hazards: Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water.

Notice: The information contained herein is true and accurate to the best of our knowledge and belief, but is presented without guarantee since field conditions and use are beyond our control. Neither the manufacturer nor the seller make any warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instruction. Read and follow the label directions carefully.

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make any warranty, guarantee of direction concerning this product. 2. Because of time, place, rate of application and other conditions of use are beyond sellers control, Sellers liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Root Feed Supplement

GUARANTEED ANALYSIS

Copper (Cu).....1.3%
1.3% Chelated Copper
Manganese (Mn).....1.3%
1.3% Chelated Manganese
Zinc (Zn).....1.3%
1.3% Chelated Zinc

Derived from Copper Sulfate, Manganese Oxide and Zinc Oxide, chelated with Ethanol, 2-amino-2-hydroxy-1,2,3-propanetricarboxylate.
MAXIMUM Chloride (Cl) content is less than 0.1%

CAUTION

KEEP OUT OF REACH OF CHILDREN; MAY BE HARMFUL IF SWALLOWED, INHALED OR IN CONTACT WITH SKIN; MAY CAUSE EYE IRRITATION. MAY CAUSE DAMAGE THROUGH PROLONGED EXPOSURE.

PRECAUTIONS: Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in well-ventilated area. Avoid release to environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Keep cool and protected from sunlight.

If medical advice is needed, have product container or label at hand. For more details regarding the safe use/handling, storage and disposal of this product as well as additional hazards and first aid measures, please obtain the current Safety Data Sheet at www.stollerusa.com.

STORAGE AND DISPOSAL

We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40°F. Do not allow container to freeze. Store locked up. DISPOSE of contents/container at a permitted facility or as advised by your local regulatory authority. Do not contaminate water, food or feed by storage or disposal. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>



F2399

For Commercial Application Only
US Patent 6,086,923; Additional Patent Pending

NET CONTENTS:

- ☐ 2.5 gallons/25 lbs ☐ 10 liter/12 Kg
- ☐ 5.0 gallons/50 lbs ☐ 20 liter/24 Kg
- ☐ 275 gallons/2750 lbs
- ☐ BULK

Z- ROOTSUP
Rev: 20161014

Manufactured and Guaranteed by
Stoller Enterprises, Inc.
9090 Katy Freeway, Suite 400
Houston, Texas 77024
Phone: 1-800-539-5283 or 713-461-1493

