



# SBC Micro

## LIQUID FERTILIZER

### Guaranteed Analysis

Sulfur (S) .....	1.5%
Boron (B) .....	0.18%
Copper (Cu) .....	0.26%
Iron (Fe) .....	0.68%
Manganese (Mn) .....	0.62%
Zinc (Zn) .....	0.70%

**Derived from Boric Acid, Copper Sulfate, Ferrous Sulfate,  
Manganese Sulfate, and Zinc Sulfate**

Information regarding the contents and levels of metals in this product is available on the internet at:  
<http://www.aapfco.org/metals.htm>

**DIRECTIONS FOR USE:** APPLY AS A FOLIAR OR SOIL APPLIED FERTILIZER. APPLY AT A RATE OF 1 TO 8 PINTS PER ACRE AS A FOLIAR, OR 1 TO 2 GALLONS PER ACRE AS A SOIL APPLICATION. DON'T BUFFER BELOW THE pH OF 6.8.

**COMPATIBILITY:** **SBC MICRO** IS A LIQUID FERTILIZER. USER ASSUMES SOLE RESPONSIBILITY FOR NON-PHYTO-TOXIC COMPATIBILITY WITH SPECIFIC CROPS OR WITH OTHER MATERIALS WHEN SUCH USE OR HANDLING ARE CONTRARY TO LABEL INSTRUCTIONS.

**NOTICE TO BUYER:** SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE USE OF THIS PRODUCT OTHER THAN AS INDICATED ON THIS LABEL. BUYER ASSUMES ALL RISKS OF HANDLING THIS MATERIAL WHEN SUCH USE AND/OR HANDLING ARE CONTRARY TO LABEL INSTRUCTIONS.

**WARNING:** KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, DILUTE WITH WATER AND IMMEDIATELY CONTACT MEDICAL HELP. DO NOT INHALE FUMES OR VAPORS. EYE CONTACT, FLUSH EYES WITH WATER FOR 15 MINUTES AND CONTACT PHYSICIAN IMMEDIATELY. WHEN HANDLING, WEAR IMPERVIOUS GLOVES AND GOGGLES WITH FACE SHIELD. IF SPILLED, CONTAIN AND RECLAIM FOR LATER USE. AVOID FURTHER CONTACT.

**WARNING:** THIS PRODUCT CONTAINS BORON OF MORE THAN 0.1%. THE USE OF THIS MATERIAL ON ANY CROPS OTHER THAN THOSE RECOMMENDED MAY RESULT IN SERIOUS INJURY TO THE CROP(S)!

\_\_\_\_\_ Gallons / \_\_\_\_\_ Liters

**Density: 8.9 pounds per gallon at 68°F**