

DELIVERING INNOVATION



SBC™ N-PHASE K™

LIQUID FERTILIZER

12-0-5



GUARANTEED ANALYSIS

Total Nitrogen (N) 12%

1.3% Nitrate Nitrogen

0.04% Slowly Available Water Soluble Nitrogen

10.66% Urea Nitrogen

Soluble Potash (K₂O) 5%

Derived from: Bovine Protein Hydrolysate, Urea
and Potassium Nitrate

DIRECTIONS FOR USE

Foliar Application: 16-32 ounces per acre.

Soil Application: Up to 32 gallons/acre/season.

Specific crop and timing details: See back of label.

APPLICATION	RATE
Foliar	16 - 32 oz/acre
Soil	up to 32 gal/acre/season

COMPATIBILITY

SBC N-Phase K is a liquid fertilizer. User assumes sole responsibility for non-phytotoxic compatibility with specific crops or with other materials when such use or handling are contrary to label instructions.



WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

If swallowed, dilute with water and immediately contact medical help. Do not inhale fumes or vapors. Eye contact: Flush eyes with water for 15 minutes and contact physician immediately. When handling, wear impervious gloves and goggles with face shield. If spilled, contain and reclaim for water use. Avoid further contact.

NOTICE TO BUYER

Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on this label. Buyer assumes all risks of handling this material when such use and/or handling are contrary to label instructions.

Information regarding the contents and levels of metals in this product is available on the internet at:
<http://www.aapfco.org/metals.html>

AZ/CA/ID/NV/OR/UT/WA
2022

____ Gallons ____ Liters ____ Bulk
Density: 9.67 pounds per gallon at 68°F



Scan the QR code
for product and
safety information

GENERAL INFORMATION

SBC™ N-Phase K™ can be used in combination with water soluble plant nutritional products which are formulated for foliar, sidedress or drip irrigation application. May be applied alone or in tank mixes containing other materials. **SBC™ N-Phase K™** is believed to be compatible with most agricultural water-soluble plant nutritional products. If physical compatibility with another fertilizer product is unknown, use a jar compatibility test. When applying **SBC™ N-Phase K™** blend as a foliar spray, always use a spreader penetrant.

**ONCE PRODUCT IS DILUTED,
USE WITHIN 24 HOURS**

DIRECTIONS FOR USE

All Permanent Crops: Apply 16-32 oz/acre as a foliar near bloom. Apply as needed to promote crop vigor and help reduce crop stress.

All Strawberries, Caneberries and Blueberries: Apply 16-32 oz/acre as a foliar. Apply every two weeks, or as needed to help promote overall crop vigor and growth.

All Field Crops and Hops: Apply 16-32 oz/acre as a foliar beginning near bloom. Continue to apply every 2-4 weeks to help improve crop vigor.

All Vegetable Crops: Apply 16-32 oz/acre as foliar, beginning when plants have 2-3 true leaves. Continue with applications every 2-4 weeks to help maintain crop vigor.

Turf: Apply at 1-2 fluid ounces per 1000 sq ft. Weekly applications will work best to improve crop vigor. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to the target area.

Ornamental Tree, Shrubs and Flowering Plants: Apply at a dilution rate of 3 fluid ounces in 1 gallon of water. Spray to run off. Apply as needed at spray intervals of 14 days or more.

SHAKE WELL BEFORE USE

SOIL APPLICATION RECOMMENDATIONS

Apply **SBC™ N-Phase K™** up to 32 gallon/acre/season via any type of irrigation system (includes, but is not limited to side-roll, center pivot, drip/micro, flood and solid set). Make applications as early as bloom and right after fruit/nut/grain set on crops listed above. Make applications at 1/2 gallon/acre through the irrigation system and incorporate into the crop root zone. Apply 1/2 gallon/acre every two weeks during the crop sizing period until about 2 weeks prior to harvest.

For Hazardous Materials [or Dangerous Goods]
Incident Spill, Leak, Fire, Exposure, or Accident Call
CHEMTREC Day or Night 1-800-424-9300/ +1
703-527-3887 CCN816681.

STORAGE AND DISPOSAL

STORAGE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. **DISPOSAL:** Do not reuse container. Plastic: Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> for locations) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

HANDLING: Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of OMEX AGRIFLUIDS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of the product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of OMEX AGRIFLUIDS, INC. and the seller. The buyer or use of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, OMEX AGRIFLUIDS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in strict accordance with Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS", AND OMEX AGRIFLUIDS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT OMEX AGRIFLUIDS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: OMEX AGRIFLUIDS, INC., ATTENTION LAW DEPARTMENT, PO BOX 815, SELMA, CA 93662

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING, AT THE ELECTION OF OMEX AGRIFLUIDS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, OMEX AGRIFLUIDS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals under all use conditions.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>