



SBC Rootboost

Innovations in Plant Health Management

LIQUID FERTILIZER - SOIL APPLICATIONS ONLY 2-2-1

Guaranteed Analysis

Total Nitrogen (N)	2%
1.0%	Urea Nitrogen
0.65%	Ammoniacal Nitrogen
0.35%	Nitrate Nitrogen
Available Phosphate (P ₂ O ₅)	2%
Soluble Potash (K ₂ O)	1%

Derived from Urea Ammonium Nitrate, Anhydrous Ammonia, Phosphoric Acid, Monopotassium Phosphate, and Potassium Hydroxide

Information regarding the contents and levels of metals in this product is available on the internet at:

<http://www.aapfco.org/metals.htm>

DIRECTIONS FOR USE: ROOTBOOST CAN BE USED IN ALL SOIL TYPES. APPLY AS A DILUTE FERTILIZER AT THE RATE OF 2 TO 5 GALLONS PER ACRE. ROOTBOOST MAY BE APPLIED THREE TO FIVE TIMES DURING THE SEASON BY SHANKING, BANDING, SIDEDRESSING, RUNNING THROUGH FLOOD OR FURROW WATER OR INJECTED THROUGH DRIP, SPRINKLERS, OR MICRO-SPRINKLERS IN IRRIGATION WATER. APPLY ROOTBOOST FIRST AND WITH IRRIGATION WATER RUNNING, WAIT 30 MINUTES BEFORE CONTINUING TO APPLY COMPATIBLE MATERIALS OR PRODUCTS. WHEN APPLIED THROUGH DRIP, SPRINKLERS OR MICRO SPRINKLERS, CONTINUE TO IRRIGATE FOR 45 TO 60 MINUTES AFTER INJECTION IS COMPLETE TO PROPERLY DISTRIBUTE ROOTBOOST IN THE SOIL AND TO CLEAR THE LINES.

COMPATIBILITY: ROOTBOOST IS A LIQUID FERTILIZING AGENT AND IS COMPATIBLE WITH MOST FERTILIZERS. AVOID MIXING WITH CALCIUM-CONTAINING MATERIALS. CAUTION: WHEN COMPATIBILITY IS A CONCERN, PERFORM A FIELD JAR TEST AT APPLICATION RATES TO CHECK FOR REACTIVITY. USER ASSUMES SOLE RESPONSIBILITY FOR NON-PHYTOTOXIC COMPATIBILITY WITH SPECIFIC CROPS OR WITH OTHER MATERIALS. USER ASSUMES ALL RISK OF COMPATIBILITY WITH OTHER MATERIALS.

NOTICE TO BUYER: SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE USE OF THIS PRODUCT OTHER THAN AS INDICATED ON THIS LABEL. BUYER ASSUMES ALL RISKS OF HANDLING THIS MATERIAL WHEN SUCH USE AND/OR HANDLING ARE CONTRARY TO LABEL INSTRUCTIONS.

CAUTION: KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, DILUTE WITH WATER AND IMMEDIATELY CONTACT MEDICAL HELP. DO NOT INHALE FUMES OR VAPORS. EYE CONTACT, FLUSH EYES WITH WATER FOR 15 MINUTES AND CONTACT PHYSICIAN IMMEDIATELY. WHEN HANDLING, WEAR IMPERVIOUS GLOVES AND GOGGLES WITH FACE SHIELD. IF SPILLED, CONTAIN AND RECLAIM FOR LATER USE. AVOID FURTHER CONTACT.

_____ Gallons / _____ Liters

Density: 9.16 pounds per gallon at 68°F