







LIQUID MICROBIAL BIOSTIMULANT



DESCRIPTION

SSB is a microbial consortium based on beneficial bacteria and mycorrhizae which promotes vegetative and reproductive growth.



Active Ingredients:		
Glomus aggregatum	0.3	prop/ml
Glomus etunicatum	0.3	prop/ml
Glomus intraradices	0.3	prop/ml
Glomus mosseae	0.3	prop/ml
Enterobacter cloacae	1×10^6	CFU/ml
Pseudomonas fluorescens	5×10^6	CFU/ml
Pseudomonas aeruginosa	4×10^6	CFU/ml
Acinetobacter calcoaceticus	2×10^6	CFU/ml
Pseudomonas putida	3×10^6	CFU/ml
Bacillus subtilis	4×10^6	CFU/ml
Bacillus licheniformis	3×10^6	CFU/ml
Bacillus thuringiensis	2×10^6	CFU/ml
Saccharomyces cerevisiae	1×10^6	CFU/ml
99.4% Inert Ingredients - Water Total CFU per milliliter is 25 x 10 ⁶		



SPECIFICATIONS

SSB improves crops' water absorption and nutrient uptake. **SSB** not only improves germination and stress tolerance, as well as root growth, but also works as seed inoculant. **SSB** has shown in biological efficacy tests that it promotes crop growth and development with greater root and plant biomass achieving improved blooming and fruiting; yielding bigger and best-quality fruit, as well as increased shelf life.





COMPATIBILITY

Before mixing, water or base optimal range is pH 5.0 - 8.0. Do not mix the product with biocides and/or bactericides. Do not mix with or expose the product to fertilizers within the same tank or container. Exposure to direct sunlight should be avoided. The mix should be applied within the same day of its preparation.



RECOMMENDATIONS

Botanical families	Crops	Dose (oz. / acre)	Directions for use	
Rosaceae	Raspberry Strawberry Apple BlackBerry	14-21		
Rutaceae	Lemon Orange			
Ericaceae	Blueberry			
Juglandaceae	Walnuts			
Lauraceae	Avocado			
Malvaceae	Cotton			
Vitaceae	Grape			
Fabaceae	Alfalfa Dry Bean		It is recommended to apply once in short crops and twice in perennial crops at the time of root growth peaks. Apply at the beginning of the culture to achieve the maximum percentage of mycorrhizat colonization in 4 to 5 weeks. Apply to increase the capacity of the roots to absorb water and take nutrients. Apply to increase tolerance to abiotic stresses such as drought, salinity and extreme temperatures.	
Solanaceae	Potato Bell pepper Pepper Tomato			
Cucurbitaceae	Squash Melon Cucumber Watermelon			
Asteraceae	Lettuce			
Brassicaceae	Broccoli Cauliflower Cabbage			
Asparagaceae	Asparagus			
Liliaceae	Onion			
Poaceae	Sugarcane Corn Sorghum Wheat			
Turf Ornamentals				



Colorless liquid.



1 Gal • 2.5 Gal • 5 Gal • 55 Gal

CONTACT

12500 Network Boulevard, Suite 201 San Antonio, Texas 78249 Tel. (858)287-8093 info@liventia.net

