



Material Safety Data Sheet
SCALA™ BRAND SC FUNGICIDE

MSDS Number: 102000011440
 MSDS Version 2.0
 Revision Date: 09/15/2008

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name SCALA™ BRAND SC FUNGICIDE
MSDS Number 102000011440
EPA Registration No. 264-788

Bayer CropScience
 2 T.W. Alexander Drive
 Research Triangle PK, NC 27709
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-866-99BAYER (1-866-992-2937)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Pyrimethanil	53112-28-0	54.60
1,2-Propanediol	57-55-6	7.50

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

Physical State liquid suspension

Odor slight

Appearance off-white

Routes of Exposure Ingestion, Inhalation, Eye contact, Skin contact

Immediate Effects

Eye May cause slight irritation. Avoid contact with eyes.

Skin Avoid contact with skin and clothing.

Ingestion Harmful if swallowed. Do not take internally.

Inhalation Avoid breathing spray mist.



Material Safety Data Sheet
SCALA™ BRAND SC FUNGICIDE

MSDS Number: 102000011440
 MSDS Version 2.0

Chronic or Delayed Long-Term This product or its components may have target organ effects.

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point	No flash point - Determination conducted up to the boiling point.
Autoignition Temperature	The product is not self-ignitable.
Explosiveness	Not explosive.
Suitable Extinguishing Media	Dry powder, Carbon dioxide (CO2), Foam, Water spray
Fire Fighting Instructions	<p>Fight fire from upwind position. Keep out of smoke. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.</p> <p>Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.</p>



Material Safety Data Sheet
SCALA™ BRAND SC FUNGICIDE

MSDS Number: 102000011440
 MSDS Version 2.0

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

- Methods for Cleaning Up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

- Additional Advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7. HANDLING AND STORAGE

- Handling Procedures** Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.

- Storing Procedures** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

 Keep away from food, drink and animal feedingstuffs.

- Work/Hygienic Procedures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

 Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- General Protection** Follow all label instructions. Train employees in safe use of the product.

 Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

- Eye/Face Protection** Tightly fitting safety goggles

- Hand Protection** Chemical-resistant gloves made of waterproof material such as neoprene, butyl rubber, barrier laminate or nitrile rubber.



Material Safety Data Sheet
SCALA™ BRAND SC FUNGICIDE

MSDS Number: 102000011440
 MSDS Version 2.0

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Pyrimethanil	53112-28-0	OES BCS*		5.6 mg/m3
1,2-Propanediol	57-55-6	WEEL	TWA	10 mg/m3
		TX ESL	ST ESL	20 ug/m3
		TX ESL	ST ESL	500 ppm
		TX ESL	AN ESL	2 ug/m3
		TX ESL	AN ESL	50 ppm

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	off-white
Physical State	liquid suspension
Odor	slight
Density	1.10 g/cm ³ at 20 °C
Water solubility	dispersible
Viscosity	500 - 1,000 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Conditions to Avoid	Freezing
Incompatibility	Organic materials
Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the technical-grade active ingredient, pyrimethanil.



Material Safety Data Sheet
SCALA™ BRAND SC FUNGICIDE

MSDS Number: 102000011440
 MSDS Version 2.0

Acute Oral Toxicity	male rat: LD50: > 5,000 mg/kg female rat: LD50: 4,505 mg/kg
Acute Dermal Toxicity	rat: LD50: > 5,000 mg/kg
Acute Inhalation Toxicity	rat: LC50: > 4.41 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths rat: LC50: > 17.64 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Skin Irritation	rabbit: No skin irritation.
Eye Irritation	rabbit: Minimally irritating.
Sensitization	guinea pig: Non-sensitizing.
Chronic Toxicity	Pyrimethanil caused liver, urinary bladder and/or thyroid (secondary effect) effects in chronic dietary studies in rats, mice and dogs.

Assessment Carcinogenicity

Pyrimethanil was not carcinogenic in a chronic feeding study in mice. In a chronic feeding study, high-dose rats had increased incidence of benign thyroid tumors, secondary to disruption of thyroid-pituitary homeostasis. EPA classified pyrimethanil as a Group C (possible human carcinogen) chemical based on this well-known, threshold-mediated, non-genotoxic mechanism of carcinogenesis. The Agency used a non-linear methodology approach for determining the Margin of Exposure (MOE) for the estimation of human cancer risk because doses below this threshold did not result in thyroid tumors. Therefore, EPA has a reasonable certainty that no harm will result from exposure to residues of pyrimethanil.

- ACGIH**
None.
- NTP**
None.
- IARC**
None.
- OSHA**
None.

Reproductive & Developmental Toxicity	REPRODUCTION: Pyrimethanil was not a reproductive toxicant in a two-generation study in rats. DEVELOPMENTAL TOXICITY: Pyrimethanil was not a primary developmental toxicant in rats and rabbits. Developmental effects were observed but were
--	--



Material Safety Data Sheet
SCALA™ BRAND SC FUNGICIDE

MSDS Number: 102000011440
MSDS Version 2.0

considered secondary to maternal toxicity.

Neurotoxicity Pyrimethanil was not neurotoxic in acute (oral gavage) and subchronic (diet) neurotoxicity screening studies in rats. Transient neurobehavioral effects were observed in the acute study with no correlating morphological changes in the neural tissues.

Mutagenicity Pyrimethanil is not mutagenic or genotoxic based on in vitro and in vivo mutagenicity studies.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:
Not regulated for Domestic Surface Transportation

FREIGHT CLASSIFICATION:
Insecticides or Fungicides N.O.I.; other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 264-788

US Federal Regulations

TSCA list

1,2-Propanediol

57-55-6



Material Safety Data Sheet

SCALA™ BRAND SC FUNGICIDE

MSDS Number: 102000011440
MSDS Version 2.0

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Canadian Regulations

Canadian Domestic Substance List

1,2-Propanediol 57-55-6

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 0 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated due to new system and numbering scheme. Updated for general editorial purposes.

Revision Date: 09/15/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.