



FIFRA

Section 2(ee) Recommendation

Date: June 9, 2010

Product: Scholar® Max MP Fungicide
EPA Reg. No. 100-1242

Plus

Mertect® PF Fungicide
EPA Reg. No. 100-889

Use: 1) Allow tankmix of Scholar Max MP plus Mertect PF
2) Allow lower rates of Scholar Max MP for control of certain diseases
3) Addition of pests controlled

States: Oregon

This is a recommendation under FIFRA Section 2(ee) as it relates to the use of a tankmix, lower rates than provided on the container label, and the use against additional pests than those listed on the Scholar Max MP and Mertect PF Fungicide labels. The user must refer to the federally approved label for Scholar Max MP and Mertect PF labels and read and follow all directions for use, restrictions, and precautions.

Directions for Use

Apples and Pears

It is violation of federal law to use this product in a manner inconsistent with its labeling.

Use 10 fl. oz./100 gallons of Scholar Max MP and 16 fl. oz./100 gallons of Mertect PF in a tank mix as a post-harvest drench/flood for the control of post-harvest diseases caused by:

- Blue Mold (*Penicillium expansum*)
- Gray Mold (*Botrytis cinerea*)
- Bull's eye rot (*Neofabrae perennans*, *N. alba*, *N. malicorti*, *Neofabrae sp.nova*)
- Sphaeropsis rot (*Sphaeropsis pyriputrescens*)
- Phacidiopycnis rot (*Phacidiopycnis piri*)
- Speck rot (*Phacidiopycnis washingtonensis*)
- Alternaria surface mold and decay (*Alternaria alternata*)
- White rot (*Botryosphaeria dothidea*)
- Bitter Rot (*Colletotrichum gloeosporides*)

The user must refer to the federally approved labels and read and follow all directions for use, restrictions, and precautions.

The user should have this recommendation in its possession at the time of use.

This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the EPA.

© 2010 Syngenta.

Syngenta Crop Protection, Inc.
Greensboro, NC 27419

Scholar® and Mertect® - Trademark of a Syngenta Group Company

Expiration Date: June 3, 2013

OR1242127AC0610