

In-Season All-Purpose Aquatic Weed Control

Controls all forms of aquatic weeds in ponds, lakes and reservoirs

- Fast-acting contact control
- Kills only what you spray
- Suppresses some algae

Active Ingredient:

TOTAL 100.0

Contains 2 pounds diquat cation per one (1) U.S. gallon (3.73 pounds diquat dibromide per gallon).

Keep Out of Reach of Children

Keep Out of Reach of Children

BACK PANEL AND LABEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE,

Net contents 1 pint (non-refillable)



Spring Summer

Recommended Application Timing

169309.STF



Total Pond

In-Season All-Purpose Aquatic Weed Control

Controls fresh water weeds in, on and around water









Provides a quick kill for many aquatic weeds with visible results in just days!

Application Guidance

Mix 4.5 oz. with 3 gallons of water to cover 900 sq. ft. (4 ft. deep) One pint (this container) treats up to 3,200 sq. ft. Fishing and Swimming is permitted following application

Refer to label booklet for precautionary statements and directions for use.

©Copyright 2016 SePRO Corporation. Manufactured for:

SePRO Corporation 11550 North Meridian Street. Suite 600

Carmel, IN 46032 Customer service: 1-844-766-2727

EPA Rea No. 67690-53 EPA Est. No. 067690-NC-002 EPL20151006 SePRO Total Pond – React is a registered trademark of SePRO Corporation. Formulated 169308.STP and packaged in U.S.A.







Spring Summer Fal Recommended Application Timing



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



How SePRO Total Pond - React works

This product is an all-purpose, fast-acting, contact herbicide that controls unwanted floating, emergent and submersed aquatic weeds growing in the water and along the shoreline. This product controls weeds by interfering with photosynthesis that occurs within plant tissue. Absorption and herbicidal action is usually quite rapid with effects visible in a few days.

When to apply

This product should be applied when weeds are actively growing. Spray when the air is calm to minimize drift to desirable plants.

Where to apply

- · along shorelines
- around docks or piers
- channels, canals, and drainage ditches
- wetlands and other natural areas

How to apply

Foliar Spray Targeting Floating & Emergent Weeds (i.e. duckweed, cattails)

- This product mixes readily with water. Add 1 ½ oz. to 1 gallon of water to sprayer tank. Add an aquatic non-ionic surfactant at a rate specified on that product's label.
- Close sprayer, shake/swirl well.
- If possible, adjust nozzle tip to apply a coarse spray. Spray directly on plants you want to control until they look glossy wet.

Surface Spray or Injection Targeting Submersed Weeds (i.e. naiads, pondweeds, watermilfoil)

- This product mixes readily with water. Based upon your average water depth of the treatment area, add the specified amount of product from Table 1 per gallon of water to a sprayer tank. Add an aquatic non-ionic surfactant at a rate specified on that product's label.
- Apply by boat or from a dock or shore.
- Surface spray and/or inject the spray solution by placing the sprayer tip under the surface of water while moving around the waterbody.

Table 1. Submersed Weeds Application Rates		
Average water depth		
in treatment area (ft.)	(oz./gallon of water)	
2	3/4	
4	1 ½	
6	2 1/4	
8	3	

Example: Submersed weeds in average depth of 4 feet of water. Mix 4.½ oz. to 3 gallons of water to treat 900 square feet.

(step by step illustration of how to mix and apply)





- Regardless of application method, one gallon of spray solution covers approximately 300 sq. ft.
- For most situations, one pint (this container) makes about 10 ½ gallons and treats up to 3,200 sg. ft.

Tips for best results

- Apply directly to vegetation to be controlled insuring complete, uniform coverage; spray to glossy wet.
- Some species may require retreatment to achieve complete control. Wait 14 days before reapplication.
- Begin by treating from the shoreline, moving outward toward the middle of water body.
- Muddy water in the pond or sprayer can reduce effectiveness.

<u>Use this product to treat susceptible</u> <u>weeds including:</u>

bladderwort Brazilian elodea cattails coontail duckweed elodea hydrilla

naiad species pennywort pondweed species salvinia water lettuce watermilfoil species

Do not treat more than ½ of the waterbody during a single application to avoid the potential for depletion of oxygen due to decaying vegetation. Wait at least 14 days before completing treatment of the remainder of the waterbody.

Obtain Required Permits: Consult with appropriate state or local pesticide and/ or water authorities before applying this product in or around public waters. Permits and posting or treatment notification may be required by state, tribal, or local public agencies.

For application only to still water (i.e. ponds, lakes, reservoirs) where there is minimal or no outflow to public waters.

Treated water may be used according to the water use restrictions set forth in Table 2 or when an approved assay or analytical method establishes that the water does not

contain more than the designated maximum contaminant level goal (MCLG) of 0.02 mg/l (ppm) of diquat dibromide (calculated as the cation). For preparing agricultural sprays for food crops, turf or ornamentals (to prevent phytotoxicity), do not use water treated with this product before the specified time period.

TABLE 2: WATER USE RESTRICTIONS FOLLOWING APPLICATIONS WITH THIS PRODUCT (Days)				
Drinking	Fishing and Swimming	Livestock/ Domestic Animals Consumption	Irrigation to Turf and Landscape Ornamentals	and Production
3 days	0	1 day	3 days	5 days

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. For Terrestrial Uses do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. For Aquatic Uses do not apply directly to water except as specified on this label.

STORAGE AND DISPOSAL

Pesticide Storage: Keep from freezing. Store in original container only. Do not store near feed or foodstuffs. In case of leak or spill, use absorbent materials to contain liquids and dispose as waste.

Container Handling
Non-refillable Container. DO NOT reuse
or refill this container.

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist and contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID				
If inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.			
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.			
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
HOTLINE NUMBER				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053.

Note to Physicians: To be effective, treatment for diquat poisoning must begin IMMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

Personal Protective Equipment (PPE) Users must wear the following:

Protective eyewear (goggles, face shield, or safety glasses), long-sleeve shirt, long pants, shoes plus socks, and waterproof gloves. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users must: Wash the outside of gloves before removing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling

this product. As soon as possible, wash thoroughly and change into clean clothing.

Warranty Disclaimer: SePRO Corporation warrants that this product conforms to the chemical description on the product label. Testing and research have also determined that this product is reasonably fit for the uses described on the product label. To the extent consistent with applicable law, SePRO Corporation makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty and any such warranties are expressly disclaimed.

Misuse: Federal law prohibits the use of this product in a manner inconsistent with its label directions. To the extent consistent with applicable law, the buyer assumes responsibility for any adverse consequences if this product is not used according to its label directions. In no case shall SePRO Corporation be liable for any losses or damages resulting from the use, handling or application of this product in a manner inconsistent with its label

For additional important labeling information regarding SePRO Corporation's Terms and Conditions of Use, Inherent Risks of Use and Limitation of Remedies, please visit http://sseprolabels.com/terms or scan the image helow





Need help? A SePRO Pond Advisor can remotely and accurately measure the size of your pond and discuss a personalized strategy to keep

your pond clear of unwanted algae. Call us TOLL FREE at 1-844-766-2727 or email service@seprototal.com

[©]Copyright 2016 SePRO Corporation SePRO Total Pond - React is a registered trademark of SePRO Corporation

FPI 20151006

Sepries Total Pond React*

KEEP OUT OF REACH OF CHILDREN

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist and contact with eyes or dothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated dothing before reuse.

Refer to inside of label booklet for directions for use.

Notice: Read the entire label before using. Use only according to label directions. Before buying or using this product, read Warranty Disclaimer and Misuse statements inside label booklet. If terms are unacceptable, return at once unonened.

STORAGE AND DISPOSAL

Pesticide Storage: Keep from freezing. Store in original container only. Do not store near feed or foodstuffs. In case of leak or spill, use absorbent materials to contain liquids and dispose as waste.

Container Handling Non-refillable Container. DO NOT reuse or refill this container.

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

FIRST AID

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. On oni diudee vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of emergency endangering health or the environment involving this product, call INFOTRAC at 1-800-535-5053.

Note to Physicians: To be effective, treatment for diquat poisoning must begin IMMEDIAELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite day, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

EPA Reg. No. 67690-53 EPA Est. 67690-NC-002 FPL20151006 169308.STP

Manufactured for: SePRO Corporation, 11550 N. Meridian St., Suite 600, Carmel, IN 46032

Net Contents 1 Pint (Non-refillable)