



Recommendation

FIFRA SECTION 2(ee) RECOMMENDATION

GROUP	28	INSECTICIDE
-------	----	-------------

Shenzi 400 SC Insecticide

(EPA Reg. No. 70506-607)

FOR CONTROL OF SESAME LEAFROLLER IN SESAME IN KS, OK & NM ONLY.

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by USEPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and follow all applicable instructions, restrictions, and precautions, and Conditions of Sale and Warranty on the EPA-approved label. This label and the federally registered label must be in the possession of the user at the time of pesticide application.

CROP	APPLICATION METHOD	INSECT	SHENZI 400 SC INSECTICIDE RATE PER ACRE IN FL OZ (LB A.I.)	RE-TREATMENT INTERVAL IN DAYS (RTI)	PRE-HARVEST INTERVAL IN DAYS (PHI)	RE-ENTRY INTERVAL IN HOURS (REI)
Sesame	Foliar	Sesame Leafroller	1.7-2.5 (0.044 - 0.065)	5	1	4

APPLICATIONS INSTRUCTIONS:

SHENZI 400SC Insecticide is recommended for control of sesame leafroller on sesame. For best results, make applications to small larvae and before populations exceed treatment thresholds. Follow local university recommendations for treatment thresholds and best timing. Thorough spray coverage is essential for best performance. Use a minimum of 10 gallons by ground or 2 gallons by air. Higher spray volume of 15 gal. by ground and 3 gal. by air will improve control. SHENZI 400SC Insecticide insect control may be mixed with approved agricultural adjuvants in situations where spray coverage is difficult to achieve such as closed canopy or dense foliage. An oil-based adjuvant may improve deposition in hot dry weather. Follow directions on adjuvant manufacturer's label.

Chemigation: Refer to the VANTACOR insect control Section 3 label for specific directions and precautions for application via chemigation.

RESTRICTIONS:

- Do not apply more than 7.7 fl oz SHENZI 400SC Insecticide insect control or 0.2 lb ai of chlorantraniliprole containing products whether applications are made to the soil, foliarly or as a seed treatment per acre per calendar year.
- Do not apply more than 23.1 fl oz SHENZI 400SC Insecticide or 0.6 lb. a.i. of chlorantraniliprole containing products per acre per calendar year.
- Do not make more than 4 applications per acre per calendar year.

See the RESISTANCE MANAGEMENT section of the SHENZI 400SC Insecticide insect control Section 3 Federal label for additional guidance on insecticide resistance management.