



brand fertilizer

# FEATURE® Pro LQ

### GUARANTEED ANALYSIS

Magnesium (Mg).....	1.00%
Iron (Fe).....	3.00%
3.00% Chelated Iron (Fe)	
Manganese (Mn).....	3.00%

Derived From: Magnesium Sulfate, Iron EDTA, Iron Citrate, and Manganese Glycinate.

**KEEP OUT OF REACH OF CHILDREN**



## WARNING

Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact.  
Avoid eye contact. Wash hands thoroughly after handling this product.



F1548

**FOR COMMERCIAL OR PROFESSIONAL USE ONLY**



GUARANTEED BY:

LOVELAND PRODUCTS, INC.® • PO BOX 1286 • GREELEY CO 80632-1286

**DENSITY 10.10 LBS/GALLON @ 68° F**

**NET WEIGHT 25.25 LBS (11.45 KG)**

**LIQUID MEASURE 2.5 US GALLONS (9.46 L)**

## GENERAL INFORMATION

**FeATURE® Pro LQ** is a supplemental micronutrient containing magnesium, manganese, as well as two separate forms of iron.

**FeATURE Pro LQ** contains both EDTA chelated iron to enhance soil availability as well as a citrate iron.

## DIRECTIONS FOR USE

### AGRICULTURAL USE

#### FOLIAR APPLICATION

**Tomatoes and other Vegetables, grapes, small fruits:**

Use 1 to 2 quarts per acre in a minimum of 20 gallons of water with ground spray equipment. At least six applications are recommended on most crops.

**Citrus, tropical fruits, peaches and other deciduous tree fruits, pecans and other nuts:** Use 3 quarts per acre per application every six weeks. During periods of heavy rainfall, apply every thirty days.

### TURF AND ORNAMENTAL

**Warm Season and Cool Season Turf:** Maintenance: 3 to 6 ounces per 1,000 square feet. Severe Deficiency: 8 to 12 ounces per 1000 square feet. Apply 7 to 14 days or as needed.

**Commercial Nursery and Herbaceous Ornamental Plants:** 3 to 8 pints per acre per 50 to 100 gallons water. Apply after transplanting and repeat applications throughout the growing season every 2 to 4 weeks as required. Use lower rates if temperatures exceed 85°F.

**Ornamentals – Drench Applications:** 3 to 6 pints per 100 gallons water. Apply 100 gallons per every 1000 square feet of surface area. Repeat applications throughout the growing season every 2 to 4 weeks as required based on soil and tissue testing.

**AERIAL APPLICATION:** Use applicable rate (see above) of per acre in at least 15 gallons of water per acre.

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

## STORAGE and DISPOSAL

**STORAGE:** Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. **DISPOSAL:** Do not reuse container. Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to <http://www.acrecycle.org/> locations for) or by reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

**HANDLING:** Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY** BEFORE BUYING OR USING THIS PRODUCT, read the Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of LOVELAND PRODUCTS, INC. or the seller is authorized to vary. LOVELAND PRODUCTS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in accordance with such Directions for Use under normal conditions of use. LOVELAND PRODUCTS, INC. makes no other warranty, express or implied, including but not limited to merchantability or fitness for a particular purpose. The buyer's or user's exclusive remedy for any injury, loss, or damage resulting from the handling or use of this product shall be limited to one of the following, at the election of LOVELAND PRODUCTS, INC. or the seller: direct damages not exceeding the purchase price of the product or replacement of the product. LOVELAND PRODUCTS, INC. and the seller shall not be liable to the buyer or user of this product for any consequential, special, or indirect damages, or damages in the nature of a penalty.

California Proposition 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lpi.com>

FeATURE and Signature are registered trademarks of Loveland Products, Inc.



brand fertilizer

# FEATURE® Pro LQ

## GUARANTEED ANALYSIS

Magnesium (Mg).....	1.00%
Iron (Fe).....	3.00%
3.00% Chelated Iron (Fe)	
Manganese (Mn).....	3.00%

Derived From: Magnesium Sulfate, Iron EDTA, Iron Citrate, and Manganese Glycinate.

## KEEP OUT OF REACH OF CHILDREN WARNING

Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact.

Avoid eye contact. Wash hands thoroughly after handling this product.



10021077156701

F1548

FOR COMMERCIAL OR PROFESSIONAL USE ONLY



GUARANTEED BY:

LOVELAND PRODUCTS, INC.® • PO BOX 1286 • GREELEY CO 80632-1286

DENSITY 10.10 LBS/GALLON @ 68° F

NET WEIGHT 50.50 LBS (22.90 KG)

# LIQUID MEASURE 2 x 2.5 US GALLONS (9.46 L)

FeatureProLQ\_CA\_B1815

product code: 1000279568