



# Spreader-Activator

For Use With Plant Growth Regulators

## PRINCIPAL FUNCTIONING AGENTS

Ethylene glycol monobutyl ether, polyoxyethylene-polyoxypropylene copolymer, propylene glycol.....	90.6%
Constituents ineffective as spray adjuvants.....	9.4%
Total.....	100.0%

*All ingredients are exempt from a tolerance under 40 CFR 180.*



## WARNING/AVISO KEEP OUT OF REACH OF CHILDREN

### HAZARD STATEMENTS

Combustible liquid. May be harmful if swallowed. May be harmful in contact with skin.  
Causes skin irritation. Causes Serious eye irritation. Harmful if inhaled.

### PRECAUTIONARY STATEMENTS

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye/face protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do; continue rinsing. If eye irritation persists, get medical advice/attention. Take off contaminated clothing and wash before reuse.



**Net Contents:**  
**2.5 Gallons (9.46 Ltrs)**  
**2 x 2.5 Gallons (18.92 Ltrs)**

Manufactured for:  
**GENESIS AGRI • PRODUCTS INC.**  
Warehouse: 2522 Old Town Road • Union Gap, WA 98903  
877-558-8887

**MADE in U.S.A.**  
WA Reg. No. 71089-01002

SIM25BTF

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

122314



### GENERAL INFORMATION

Simulaid is a water soluble, low foaming nonionic wetting agent. Simulaid can be used with a variety of foliar applied plant growth regulators, fungicides and insecticide sprays. Simulaid provides enhanced spray deposition, reduces spray run-off loss and improves spray efficacy. Simulaid assists spray absorption by modifying the spray droplet resulting in improved active ingredient penetration through the waxy leaf cuticle. Simulaid is effective with streptomycin sprays.

### FIRST AID

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Storage:** Store above 32° F. Store away from heat or open flame and oxidizing materials. Store in a well-ventilated place. Keep cool. **Disposal:** Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit [www.acrcycle.org](http://www.acrcycle.org). Dispose of contents/container in accordance with local/national regulations.

### Not For Aquatic Use

\*Apogee is a registered trademark of BASF  
\*Ethrel is a registered trademark of Bayer

### USE DIRECTIONS

Use Simulaid at a range of 1/2 to 2 pints per 100 gallons of water. Read and carefully follow the use directions of the accompanying pesticide label prior to using Simulaid. Use lower use rates during periods of higher humidity and slower drying conditions. For applications where pesticide label is void of information regarding the use of adjuvants, conduct a jar test to confirm compatibility and use spray combination on a small test area prior to conducting large scale applications. For the products listed below, use the following suggested rates. Confirm compliance with pesticide label prior to use.

#### Simulaid Use Rate/100gal

---

Apogee®.....	1/2 to 1 pint
Ethephon, Ethrel®.....	1 pint
NAA or Amide Sprays.....	3/4 pint
NAA plus Carbaryl.....	1/2 pint
NAD.....	1 pint
Streptomycin.....	1 to 2 pints
Other Products.....	1/2 to 1 pint

---

Use lower rates when used in combination with two or more pesticides or foliar nutrients. Do not use in combination with other surfactants or wetting agents. Do not acidify the spray tank solutions below a pH of 5.

### Notice-Read Carefully

**TERMS AND CONDITIONS OF SALE** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness for a particular purpose, expressed or implied, extends to the use, storage or handling of the product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage of plants, crops and animals to which the materials are applied, failure to control pests, damage caused by drift to other plants or crops and personal injury.

Manufactured for:



Warehouse: 2522 Old Town Road • Union Gap, WA 98903 • 877-558-8887

GSLSIM02B

*Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.*

122314