



FIFRA 2(ee) Recommendation

**FOR DISTRIBUTION AND USE ONLY WITHIN THE STATES OF NEW MEXICO,
OKLAHOMA AND TEXAS**

This recommendation is valid until December 31, 2027

SIVANTO® prime

EPA Reg. No. 264-1141

**For the use of SIVANTO® prime to control fleahoppers on cottonseed
subgroup 20C**

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

COTTONSEED (Subgroup 20C) FOLIAR – Including Production for Seed	
Pest Controlled	Product Rate (fl oz/A)
Fleahoppers	5.0
Application Restrictions: <ul style="list-style-type: none">• Pre-Harvest Interval (PHI): 14 Day(s)• Minimum interval between applications: 10 Day(s)• Minimum Application Volume: 10 Gallons/Acre Ground ; 3 Gallons/Acre Aerial• Do not apply more than 28 fl oz of SIVANTO prime (0.365 Pound Flupyradifurone) per Acre Per Crop Season on cotton, regardless of product or formulation.	

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

As with any crop-protection product, always read and follow label directions.

For additional information call toll-free 1-866-99BAYER (1-866-992-2937).

Bayer CropScience LP
800 N. Lindbergh Blvd.
St. Louis, MO 63167