



Bayer CropScience LP
 P.O. Box 12014
 2 T.W. Alexander Drive
 Research Triangle Park, North Carolina 27709
 1-866-99BAYER (1-866-992-2937)

SIVANTO™ prime

For suppression of Blueberry stem gall wasp
 in Highbush blueberry.

EPA Reg. No. 264-1141

FIFRA 2(ee) Recommendation

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MICHIGAN

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

BLUEBERRY (Highbush) – FOLIAR	
Pest Suppressed	Product Rate (fl oz/A)
Blueberry stem gall wasp	14.0
Foliar Application Restrictions: Pre-Harvest Interval (PHI): 3 days Minimum interval between applications: 7 days Minimum application volumes: 25 gallons/Acre (Ground); 3 gallons/Acre (Aerial) Do not apply more than 0.365 lb flupyradifurone (28.0 fl oz of SIVANTO prime) per acre per calendar year on blueberry, regardless of product or formulation.	

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577.
 For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937).

*As with any crop-protection product, always read and follow label directions.
 For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*