

# An Employee-Owned Company

Issue Date 07-Nov-2014

Product identifier. Product Name Revision Date 23-Jan-2020

Version 5

SAFETY DATA SHEET

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Other means of identification		
Product Code	PBI FP 652-5	
EPA Pesticide Registration Numb	er 2217-864	
Product Size	12/20 U. S. Oz.	
Recommended use of the chemic	al and restrictions on use	
Recommended Use	Herbicide	
Uses advised against	No information available	
Details of the supplier of the safet	y data sheet	
Supplier Address	Company Name	<u>Manufacturer</u>
PBI-Gordon Corporation	PBI-Gordon Corporation	PBI-Gordon Corporation
P.O. Box 860350	P.O. Box 860350	P.O. Box 860350
Shawnee, KS 66286	Shawnee, KS 66286	Shawnee, KS 66286

SpeedZone® Lawn Weed Killer

# Emergency telephone number 24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

# **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2B
Skin Sensitization	Category 1
Germ cell mutagenicity	Category 1B
Aspiration hazard	Category 1
Acute Aquatic Toxicity	Category 1
Chronic Aquatic Toxicity	Category 1

# Label elements

**Emergency Overview** 

**Signal word** Danger

# Hazard statements

Harmful if swallowed
Causes skin irritation
Causes eye irritation
May cause an allergic skin reaction
May cause genetic defects
May be fatal if swallowed and enters airways
Very toxic to aquatic life with long lasting effects



# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Contaminated work clothing must not be allowed out of the workplace

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap Call a POISON CENTER or doctor if you feel unwell Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting Rinse mouth

# Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

# Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

#### Other information

Not applicable.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# Substance

Not applicable.

#### Mixture

Chemical name	CAS-No	Weight-%
2,4-D, 2-ethylhexyl ester	1928-43-4	28.57
Trade Secret	Trade secret	20-30*
R(+)2(2 Methyl-4-chlorophenoxy)propionic acid (MCPP)	16484-77-8	5.88
3,6-Dichloro-o-anisic acid (Dicamba)	1918-00-9	1.71
Carfentrazone-ethyl	128639-02-1	0.62

Trade Secret	Trade secret	0-10*
Trade Secret	Trade secret	0-10*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES			
Description of first aid measures			
General advice	IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. If symptoms persist, call a physician.		
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Delayed pulmonary edema may occur. If breathing has stopped, give artificial respiration. Get medical attention immediately.		
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Call a physician.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	No information available		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically. May cause sensitization in susceptible persons. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances. Contains petroleum distillate - vomiting may cause aspiration pneumonia.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media	Foam. Carbon dioxide (CO2). Dry chemical.		
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.		
Explosion data Sensitivity to mechanical impace Sensitivity to static discharge	<b>ct</b> None. None.		
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		
	6. ACCIDENTAL RELEASE MEASURES		

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Environmental precautions	
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas Do not flush into surface water or sanitary sewer system Prevent further leakage or spillage if safe to do so Prevent product from entering drains See Section 12 for additional ecological information Avoid release to the environment Collect spillage Dispose of contents/container to an approved waste disposal plant
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up_
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers. Keep from freezing.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

# **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2,4-D, 2-ethylhexyl ester 1928-43-4	TWA: 10 mg/m <sup>3</sup> inhalable fraction S*	TWA: 10 mg/m <sup>3</sup>	IDLH: 100 mg/m <sup>3</sup> , TWA: 10 mg/m <sup>3</sup>
Carfentrazone-ethyl 128639-02-1	TWA: 1 mg/m <sup>3</sup> inhalable particulate matter	-	-
Trade Secret	TWA: 20 ppm	TWA: 100 ppm TWA: 300 mg/m <sup>3</sup> (vacated) S* (vacated) Ceiling: 50 ppm (vacated) Ceiling: 150 mg/m <sup>3</sup>	IDLH: 1400 ppm Ceiling: 50 ppm Ceiling: 150 mg/m³

#### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

# Appropriate engineering controls

# **Engineering controls**

Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Chemical resistant gloves.
Skin and body protection	Wear long-sleeved shirt, long pants, socks and shoes.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	Liquid	
Color	Amber	
Odor	Esters	
Odor threshold		
Odor threshold	No information available	
Property_	Values	Remarks • Method
pH	Not applicable	
Melting point/freezing point	<35 °F	
Boiling point / boiling range	> 93 °C / 199 °F	
Flash point	> 94 °C / 201 °F	Pensky-Martens Closed Cup (PMCC)
Evaporation rate	< 1	
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	0.9665	
Water solubility	Emulsifiable	
Solubility in other solvents	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known

Other Information Liquid Density Bulk density

8.05 pounds/gallon No information available

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

No information available.

#### Stability

Stable under recommended storage conditions

# Possibility of hazardous reactions

None under normal processing.

### **Hazardous polymerization**

Will not occur.

#### Conditions to avoid

Keep out of reach of children.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

#### Hazardous decomposition products

May emit toxic fumes under fire conditions. Hydrogen chloride. Nitrogen oxides (NOx). Carbon monoxide.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema.
Eye contact	Causes eye irritation.
Skin contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2,4-D, 2-ethylhexyl ester 1928-43-4	= 300 mg/kg(Rat)	> 2000 mg/kg (Rabbit)	> 5.4 mg/L (Rat)4 h
Trade Secret	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
R(+)2(2 Methyl-4-chlorophenoxy)propionic acid (MCPP) 16484-77-8	= 1050 mg/kg(Rat)	> 4 g/kg (Rat)	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	= 1039 mg/kg(Rat)	= 1716 mg/kg (Rabbit)> 1 g/kg ( Rat)> 2 g/kg (Rabbit)	-
Carfentrazone-ethyl 128639-02-1	= 5143 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 5.09 mg/L (Rat)4 h
Trade Secret	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat)4 h
Trade Secret	= 700 mg/kg (Rat)= 790 mg/kg ( Rat)	= 3400 mg/kg (Rabbit)= 3402 mg/kg (Rabbit)	> 8000 ppm (Rat)4 h

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

#### Acute toxicity

#### Numerical measures of toxicity - Product Information

# Unknown Toxicity

93 % of the mixture consists of ingredient(s) of unknown toxicity
8 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
68 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
93 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

LD50 Oral	1000-2000 mg/kg Rat-female
LD50 Dermal	> 2000 mg/kg (rat)

### LC50 Inhalation (DUST)

# > 2.06 mg/L Rat-male Rat-female

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes eye irritation.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	Contains a known or suspected mutagen.
Carcinogenicity	The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for Carcinogenicity in humans.) The US EPA has given the chlorophenoxy Herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
2,4-D, 2-ethylhexyl ester	-	Group 2B	-	Х
1928-43-4				
R(+)2(2	-	Group 2B	-	Х
Methyl-4-chlorophenoxy)pro				
pionic acid (MCPP)				
16484-77-8				

```
Legend
```

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2,4-D, 2-ethylhexyl ester 1928-43-4	30: 120 h Pseudokirchneriella subcapitata mg/L EC50 30: 120 h Pseudokirchneriella subcapitata mg/L EC50 static	7.8: 96 h Oncorhynchus mykiss mg/L LC50 static 11.5: 96 h Lepomis macrochirus mg/L LC50 static 6 - 8.7: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	-	-
Trade Secret	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 2.2: 96 h Lepomis macrochirus mg/L LC50 static	-	4720: 96 h Den-dronereides heteropoda mg/L LC50
Trade Secret	-	9.22: 96 h Oncorhynchus mykiss mg/L LC50	-	6.14: 48 h Daphnia magna mg/L EC50
Trade Secret	500: 96 h Desmodesmus	1740: 96 h Pimephales	EC50 = 2041.4 mg/L 5 min	1897 - 2072: 48 h Daphnia

	s mg/L EC50 500: promelas mg/L LC50 EC50 = 2186 mg/L 30 min magna mg/L EC50 Static		
	besmodesmus atus mg/L EC50 th Pimephales promelas mg/L LC50 static 100000 - 500000: 96 h Lepomis macrochirus µg/L LC50 static 1910000: 96 h Pimephales promelas µg/L LC50 static		
Persistence and degradability	No information available.		
<b>Bioaccumulation</b>	No information available.		
Other adverse effects	No information available.		
	13. DISPOSAL CONSIDERATIONS		
Waste treatment methods			
Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse empty containers.		
	14. TRANSPORT INFORMATION		
Note:	Products under 43 gallons not regulated by DOT. Below are designations for products over 43 gallons. See RQ		
DOT UN/ID no. Proper shipping name Hazard class Packing group Reportable Quantity (RQ) Special Provisions Description	9 		
TDG UN/ID no. Proper shipping name Hazard class Packing group Description	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III		
MEX UN/ID no. Proper shipping name Hazard class Special Provisions Packing group Description	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 274, 331, 335 III UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III		
ICAO (air) UN/ID no. Proper shipping name Hazard class Packing group Special Provisions	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III A97, A158, A197		

Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III
IATA UN number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Description	Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg. UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III A97, A158, A197 UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III
IMDG UN number UN proper shipping name Transport hazard class(es) Packing group EmS-No. Special Provisions Description	Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg. UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III F-A, S-F 274, 335, 969 UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ETHYLHEXYL ESTER), 9, III, MARINE POLLUTANT

# **15. REGULATORY INFORMATION**

# U.S. EPA Label Information

#### EPA Pesticide Registration Number 2217-864

#### Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **EPA Pesticide Label**

Caution. Keep out of the reach of children

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or viton. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### International Inventories

TSCA	Not Listed
DSL/NDSL	Not Listed
EINECS/ELINCS	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed
AICS	Not Listed

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
2,4-D, 2-ethylhexyl ester - 1928-43-4	0.1
3,6-Dichloro-o-anisic acid (Dicamba) - 1918-00-9	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
2,4-D, 2-ethylhexyl ester 1928-43-4	100 lb	-	-	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	1000 lb	-	-	Х

### <u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
2,4-D, 2-ethylhexyl ester	100 lb	-
1928-43-4		
3,6-Dichloro-o-anisic acid (Dicamba)	1000 lb	-
1918-00-9		
Trade Secret	5000 lb	-

#### US State Regulations

# U.S. State Right-to-Know Regulations

#### US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2,4-D, 2-ethylhexyl ester 1928-43-4	X	-	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	X	Х	Х
Trade Secret	X	Х	Х

16. OTHER INFORMATION				
NFPA_	Health hazards 2	Flammability 1	Instability 0	Physical and Chemical
<u>HMIS</u> Chronic Hazard Star Leger	Health hazards 2*	Flammability 1	Physical hazards 0	Properties - Personal protection X

### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

End of Safety Data Sheet