

Starter

BAICOR, L.C.



2-2-4

Guaranteed Analysis

Total Nitrogen(N)..... 2.0%	Iron (Fe).....0.2%
0.3% Ammoniacal Nitrogen	0.2% water soluble Iron (Fe)
0.2% Nitrate Nitrogen	Manganese (Mn).....0.3%
1.5% Urea Nitrogen	0.3% water soluble manganese (Mn)
Available phosphate (P ₂ O ₅)..... 2.0%	Molybdenum (Mo).....0.002%
Soluble potash (K ₂ O)..... 4.0%	0.002% water soluble molybdenum (Mo)
Boron (B).....0.05%	Zinc (Zn).....0.8%
0.05% water soluble boron (B)	0.8% water soluble zinc (Zn)
Cobalt (Co).....0.002%	
0.002% water soluble cobalt (Co)	

Derived from urea, ammonium phosphate, potassium phosphate, potassium nitrate, ammonium sulfate, boric acid, ferrous sulfate, manganese sulfate, zinc sulfate, sodium molybdate and cobalt sulfate. Complexed with sodium glucoheptonates.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm> "Soil and Tissue Tests" should be conducted by a qualified laboratory to determine nutrient contents, needs and tolerances of soil or crop before soil or foliar application. When used in combination with other nutrients the effectiveness and rate of application may change. Prior to large scale field application, run small soil/foliar test plot to determine effect on crop.

BAICOR® products are compatible with most fertilizers, insecticides, fungicides and herbicides (follow product labels) which may incorporate into a spray program. However, the compatibility and efficiency of this product should be tested by a licensed and experienced applicator with such mixtures (jar test) and small test plots applied on soil/crop before any large scale treatments are started.

ONLY A LICENSED AND EXPERIENCED APPLICATOR SHOULD APPLY THIS PRODUCT.

Limited Warranty. Manufacturer warrants that this product conforms to the guaranteed analysis for the growing season in which purchased. Manufacturer MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTIES. IN NO SUCH CASE SHALL MANUFACTURER OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL, EXEMPLARY OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ANY AND ALL DAMAGES CLAIMED SHALL BE LIMITED TO THE AMOUNT PAID FOR THE PRODUCT. Manufacturer offers this product and the Buyer/User accepts it subject to the foregoing Conditions of Sale and Limited Warranty.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Plant Nutrients To Prevent & Correct Deficiencies For Soil & Foliar Application

APPLICATION RATES & DIRECTIONS: Unless advised by consultant, do not apply during bloom stage. Recommendations listed are only general. Plant species and varieties may have wide variations in their sensitivity or requirement to foliar/soil applications of certain nutrients. Optimum rate of application and frequency will vary between fields, depending on crop, soil pH, organic matter content, etc. Test application (test plot) to assess the potential for undesirable effects under specific conditions is essential.

ADD WATER FIRST TO TANK OR SPRAYER BEFORE ADDING PRODUCT!

Soil Application:

Apply 1 gallon of starter per acre at planting time through the furrow, banding or drip/line. Dilute starter 10-20 times with water. It may be added directly to 10-34, others fertilizers, or pesticides (a jar test is recommended prior to mixing). Always add the water first.

Starter can be applied on the following seeds when diluted 10-20 times: Beans, Corn, onions, Potatoes and Sugarbeets. If applied to other seeds consult manufacturer for dilution recommendations. If mixed with pesticide, fertilizer or other material consult their label for seed treatment.

Soil Application Rates: Use at least 10 parts water to 1 part Phyto-Plus fertilizer.

Maintenance Concentration..... 1 gal/acre

Severe Deficiency..... 2 gal/acre

WARNING: This product may stain (keep off unwanted areas such as; sidewalks, patios, driveways, fences, painted areas). As a precaution, spray off unwanted areas with only water after applying.

- This product is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by plants.
- Product most effective if used in same season. Use only as directed.
- Keep out of direct sunlight during storage or extended periods to prevent oxidation/reduction reactions of metals.
- Store at room temperature above 50° Fahrenheit. • Wear proper protective clothing.
- Harmful if swallowed (call physician). Avoid breathing mist. Avoid contact with skin or eyes. In case of contact, immediately flush skin or eyes with water for at least 15 minutes. Get medical attention if irritation exists.
- A specialist for a particular crop should be consulted before field application of a blend or single nutrient.

REV 11/2011

Lot #

For more information please visit our website:

www.baicor.com

P.O. Box 725 • Logan, Utah 84321

2.5 Gallons/9.46 L

27 lbs./12.2 kg

5 Gallons/18.93 L

54 lbs./24.4 kg

55 Gallons/208.2 L

591 lbs./269 kg

TOTE