



Specimen Label

---

# Stoller Crop Mix

**A Nutrient Supplement of Foliar and Seed Application**

**F2399**

**Z-CROPMIX**

**Manufactured and Guaranteed by Stoller Enterprises, Inc.,**  
9090 Katy Freeway, Suite 400  
Houston, Texas 77024  
Phone: 1-800-539-5283 or 713-461-1493

StollerUSA.com

# STOLLER CROP MIX

## Guaranteed Analysis

Calcium (Ca) . . . . .	8.0%
Boron (B) . . . . .	0.5%

Derived from calcium chloride, disodium octaborate, and algal extract.

## CAUTION

**KEEP OUT OF REACH OF CHILDREN; MAY BE HARMFUL IF SWALLOWED, INHALED OR IN CONTACT WITH SKIN; MAY CAUSE EYE IRRITATION. MAY CAUSE DAMAGE THROUGH PROLONGED EXPOSURE.**

**PRECAUTIONS:** Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in well-ventilated area. Avoid release to environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Keep cool and protected from sunlight.

If medical advice is needed, have product container or label at hand. For more details regarding the safe use/handling, storage and disposal of this product as well as additional hazards and first aid measures, please obtain the current Safety Data Sheet at [www.stollerusa.com](http://www.stollerusa.com).

## STORAGE AND DISPOSAL

We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40°F. Do not allow container to freeze. Store locked up. **DISPOSE** of contents/container at a permitted facility or as advised by your local regulatory authority. Do not contaminate water, food or feed by storage or disposal. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

**CAUTION:** This product contains boron and the use of this product on any crop other than those recommended by this label may result in serious injury to the crop.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

**Density: 11.00 lb/gal (1.32 kg/L) @ 68°F (20°C)**

## NET CONTENT

- 2.50 gal (9.5 L)
- 2.64 gal (10.0 L)
- 5.00 gal (18.9 L)
- 5.28 gal (20.0 L)

## NET WEIGHT

- 27.5 lb (12.5 kg)
- 29.0 lb (13.2 kg)
- 55.0 lb (25.0 kg)
- 58.1 lb (26.4 kg)

## GENERAL INFORMATION

**Notice:** The information contained herein is true and accurate to the best of our knowledge and belief, but is presented without guarantee since field conditions and use are beyond our control. Neither the manufacturer nor the seller make any warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instruction. Read and follow the label directions carefully.

**CONDITIONS OF SALE:** 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make any warranty, guarantee of direction concerning this product. 2. Because of time, place, rate of application and other conditions of use are beyond sellers control, Sellers liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

**Stoller Crop Mix** is a foliar or fertigation-applied nutrient solution, with the essential nutrients, Calcium and Boron. It can be used to correct nutritional deficiencies and/or improve crop vigor and yield with regular treatments.

## DIRECTIONS FOR USE

**Stoller Crop Mix** can be foliar applied, and through flood, drip, overhead, pivot and micro irrigation systems. Apply the recommended amount in a volume sufficient to provide uniform coverage.

## RECOMMENDED USES

**FOR FOLIAR APPLICATION** -- Apply to the plant foliage 4 to 16 ounces per planted acre with applications every 7-14 days throughout the growing season.

**FOR FERTIGATION** -- Apply to the root zone 4 to 16 ounces per planted acre with application every 7-14 days throughout the growing season.

Use **Stoller Crop Mix** at the recommended rate on the following crops:

**FIELD CROPS** -- **Alfalfa, bean crops, canola, clover, corn, cotton, forage grasses, peanut, potato, rape (canola), rice, sorghum, soybean, sugar beet, sugarcane, sunflower, tobacco, and wheat, barley, oat, or other cereal grain.**

**VEGETABLE CROPS** -- **Artichoke, asparagus, broccoli, cauliflower, cabbage, kale, and other cruciferous vegetables; leaf lettuce, head lettuce, dandelion, radicchio, and other leafy vegetables; cucumber, melon, pumpkin, squash, and other cucurbits, onion, garlic, and other bulb vegetables; tomato, pepper, eggplant and other fruiting vegetables; strawberry; carrot, potato, sweet potato, radish, beet and other root and tuber vegetables.**

**FRUIT AND NUT CROPS** -- **Apple, avocado, blueberry and other bush berries, blackberry, raspberry and other cane berries, sweet orange, lemon, mandarin and other citrus, date palm, fig, grapes, hops, nectarines, oil palm, olive, persimmon, cherry, peach, plums, prune, nectarine, apricot and other stone fruit, almond, pecan, pistachio, walnut and other tree nuts, pear, pomegranate, durian, papaya, passion fruit, mangos, and subtropical fruit.**

**MIXING INSTRUCTIONS** -- Follow this mixing order 1. Water 2. **Stoller Crop Mix** 3. Pesticide. **Stoller Crop Mix** will disperse in water with little agitation. **Stoller Crop Mix** is compatible with most other Stoller foliar fertilizers and can be used with most insecticides and fungicides; use caution when mixing with phosphorus or sulfur containing fertilizers or other chemicals known to react with calcium. Always conduct a jar test when using new or untried combinations.