Page: 1 of 8

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830 and US OSHA HCS 2015

# Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Code: Z-CROPMIX

Product Name: STOLLER CROP MIX

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: For agricultural use only

1.3 Details of the Supplier of the Safety Data Sheet:

Company Name: Stoller Phone Number:

9090 Katy Freeway 1 (713)461-1493

Suite 400

Houston, TX 77024 United States of America

Web site address: www.stollerusa.com

Email address: compliance@stollerusa.com

**Information:** 1 (800)539-5283

1.4 Emergency telephone number:

**Emergency Contact:** CHEMTREC, In the US and Canada call 1 (800)424-9300

CHEMTREC, From other countries call +1 (703)527-3887

#### Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture:

Serious Eye Damage/Eye Irritation, Category 2A

Acute Toxicity: Skin, Category 4 Acute Toxicity: Skin, Category 5 Acute Toxicity: Oral, Category 4

2.2 Label Elements:



GHS Signal Word: Warning

Hazard-determining components of labelling:

Calcium Chloride

#### **GHS Hazard Phrases:**

H302 - Harmful if swallowed.

H312 - Harmful in contact with skin.

H313 - May be harmful in contact with skin.

H319 - May cause eye irritation.

#### **GHS Precautionary Phrases:**

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

#### **GHS Response Phrases:**

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

P337+313 - If eye irritation persists, get medical advice/attention.

P362+364 - Take off contaminated clothing and wash it before reuse.

#### **GHS Storage and Disposal Phrases:**

P501 - Dispose of contents/container to permitted waste facility.

UFI:

**OSHA Regulatory Status:** This material is classified as hazardous under OSHA regulations.

2.3 Adverse Human Health Hazards not otherwise classified (HNOC) or not covered by GHS: None.

Effects and Symptoms: Chronic exposures to skin and mucous membranes that cause irritation may cause a

chronic dermatitis or mucosal membrane problem.

**2.3.1 Inhalation:** Inhaling mist, spray, or vapor may cause irritation to upper respiratory tract (nose and

throat). Nasal mucosal and oropharyngeal erythema.

**2.3.2 Skin Contact:** Skin irritation. Skin exposure may cause slight irritation, redness, itching, swelling. May

cause more severe response if skin is damp, abraded (scratched or cut), or covered by clothing, gloves or footwear. Prolonged contact may cause more severe symptoms.

Damage is localized to contact areas.

**2.3.3 Eye Contact:** Causes eye irritation. Eye exposure may cause serious eye irritation, pain, and/or

damage to the eye. May cause conjunctival swelling and cornea opacification from hypertonic solution. Corneal eye pain, redness, acute corneal thickening or whitening.

**2.3.4 Ingestion:** Consumption of hypertonic solutions causes nausea, vomiting, and increased thirst.

**Medical Conditions** Any skin condition that disrupts the skin, such as abrasions, cuts, psoriasis, fungal

Generally Aggravated infections, etc. Any eye condition that compromises tear production, conjunctiva, or

By Exposure: normal corneal homeostasis.

# Section 3. Composition/Information on Ingredients

CAS#/ RTECS#	Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
22691-02-7 EV9800000	Calcium Chloride	<22.0 %	607-129-7 NA	Eye Damage 2: H319
12280-03-4 ED7950000	Disodium octaborate tetrahydrate (B8Na2O13) 01-2119490860-33	< 2.0 %	234-541-0 005-020-00-3	Toxic Repro. 1B: H360
NA NA	Molasses	< 2.0 %	NA NA	No data available.
NA NA	Algal Extract	< 5.0 %	NA NA	No data available.

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

#### **Section 4. First Aid Measures**

**4.1 Description of First Aid**Victims of severe exposure to chemicals must be taken to health providing centers for

Measures: medical attention. Always bring with victim a copy of label and SDS of product to health

professional.

In Case of Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

In Case of Skin Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off

**Contact:** contaminated clothing and wash before re-use.

In Case of Eye Rinse cautiously with water for several minutes. Remove contact lenses, if present and

**Contact:** easy to do. Continue rinsing. If irritation occurs, get medical advice/attention.

In Case of Ingestion: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

**4.2** Important Symptoms Solution and/or solids may be visible on the skin and/or eyes. Localized redness,

and Effects, Both warmth, and irritation consistent with mechanism of injury: abrasion, burn, hypertonic

Acute and Delayed: solution.

**Note for the Doctor:** Treat symptomatically and supportively.

# **Section 5. Fire Fighting Measures**

5.1 Suitable Extinguishing Use extinguishing measures that are appropriate to local circumstances and the

Media: surrounding environment.

Unsuitable None known.

**Extinguishing Media:** 

**5.2** Flammable Properties This material does not burn.

and Hazards:

Instructions:

Hazardous CombustionFormed under fire conditions: hydrogen chloride gas, calcium oxide

**Products:** 

Flash Pt: N.A.

**Explosive Limits:** LEL: N.A. UEL: N.A.

**Autoignition Pt:** N.A.

**5.3 Fire Fighting** Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other

material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in

pressure demand mode. Wear protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a

remote location. For protective equipment in post-fire or non-fire clean-up situations,

refer to the relevant sections.

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

Section 6. Accidental Release Measures

Protective Precautions, Isolate the area. Keep unnecessary and unprotected personnel from entering the area.

**Protective Equipment** 

6.1

and Emergency

**Procedures:** 

Spilled material may cause a slipping hazard on some surfaces. Use appropriate safety

equipment. For additional information, refer to Section 8, Exposure Controls and

Personal Protection. Refer to Section 7, Handling, for additional precautionary measures.

6.2 **Environmental** Prevent entry into waterways, sewers, basements or confined areas. See Section 12,

Ecological Information. **Precautions:** 

6.3 Small and large spills: Contain spilled material if possible. Absorb with materials such as **Methods and Material** 

sand. Collect in suitable and properly labeled containers. Flush residue with water. See For Containment and Section 13, Disposal Considerations, for additional information. Cleaning Up:

# Section 7. Handling and Storage

7.1 Avoid contact with eyes, skin, and clothing. Do not swallow. Wash thoroughly after **Precautions To Be** 

handling. Wear personal protective equipment as described in Section 8, Exposure Taken in Handling:

Controls/Personal Protection.

7.2 **Precautions To Be** Protect from atmospheric moisture. Keep containers tightly closed when not in use. Keep

separated from incompatible substances see Section 10, Stability and Reactivity. Taken in Storing:

### **Section 8. Exposure Controls/Personal Protection**

#### 8.1 **Exposure Parameters:**

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations		
22691-02-7	Calcium Chloride	ACGIH TLV	TLV: 10 mg/m³			
12280-03-4 tetrahydrate	Disodium octaborate (B8Na2O13)	ACGIH TLV	TLV: 10 mg/m³			
		OSHA PELs	PEL: 15 mg/m³ / 5 mg/m			
NA Algal Extract		ACGIH TLV	CEIL: 2 mg/m3			

#### **Derived No-Effect Levels / Predicted No Effect Concentrations:**

#### 8.2 **Exposure Controls:**

8.2.1 Engineering Controls Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit (Ventilation etc.):

requirements or guidelines, general ventilation should be sufficient for most operations.

Local exhaust ventilation may be necessary for some operations.

#### 8.2.2 Personal protection equipment:

**Eye Protection:** Wear safety glasses with side-shields. Wear chemical safety goggles and/or a

face-shield to protect against skin and eye contact when appropriate.

**Protective Gloves:** Use gloves chemically resistant to this material. If hands are cut or scratched, use gloves

> chemically resistant to this material even for brief exposures. The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions and

specifications provided by the glove supplier.

**Other Protective** 

Wear clean, body-covering clothing. Wear appropriate clothing to avoid skin contact.

Clothing:

Respiratory Equipment Respiratory protection should be worn when there is a potential to exceed the exposure (Specify Type): limit requirements or guidelines. If there are no applicable exposure limit requirements or

guidelines, wear respiratory protection when adverse effects, such as respiratory

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

irritation or discomfort have been experienced, or where indicated by your risk assessment process. In dusty or misty atmospheres, use an approved particulate

respirator.

Work/Hygienic/Mainten Use good personal hygiene. Do not consume or store food in the work area. Wash

ance Practices: hands and affected skin immediately after handling, before smoking or eating, before

breaks, and at the end of the workday.

No data available.

# **Section 9. Physical and Chemical Properties**

9.1 Information on Basic Physical and Chemical Properties

Physical States: [ ] Gas [ X ] Liquid [ ] Solid

Appearance and Odor: Brown liquid.

Very slight molasses odor.

pH: 3.5 - 5.5 Freezing Point: N.E.

**Boiling Point:** -17.8 C (0.00 F)

Flash Pt: N.A.

Evaporation Rate: N.E.

Saturated Vapor N.E.

**Concentration:** 

Flammability (solid, gas): Material will not burn.

**Explosive Limits:** LEL: N.A. UEL: N.A.

Vapor Pressure (vs. Air or N.E.

mm Hg):

Vapor Density (vs. Air = 1): N.E.

**Specific Gravity (Water = 1):** 1.30 - 1.34

**Density:** ~ 1.3182 G/ML (~ 11.0 - LB/GA)

Solubility in Water: Soluble
Octanol/Water Partition No data.

Coefficient:

Autoignition Pt: N.A.

Decomposition Temperature: N.A.

Viscosity: N.E.

9.2 Other Information

Percent Volatile: N.A.

# Section 10. Stability and Reactivity

**10.1 Reactivity:** No data available.

**10.2 Stability:** Unstable [ ] Stable [ X ]

10.3 Conditions To Avoid - None known.

**Hazardous Reactions:** 

Possibility of Will occur [ ] Will not occur [ X ]

**Hazardous Reactions:** 

**10.4 Conditions To Avoid -** Stable under normal temperatures and pressures.

Instability:

**10.5** Incompatibility - Avoid contact with: bromide trifluoride. 2-furan per carboxylic acid because calcium

Materials To Avoid: chloride is incompatible with those substances. Contact with zinc forms flammable

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

hydrogen gas, which can be explosive. Catalyzes exothermic polymerization of methyl vinyl ether. Reaction of bromide impurity with oxidizing materials may generate trace

levels of impurities such as bromates.

10.6 Hazardous

Formed under fire conditions: hydrogen chloride gas, calcium oxide

Decomposition or

**Byproducts:** 

**Section 11. Toxicological Information** 

11.1 Information on Mutagenicity: This product has not been investigated for mutagenic effects.

**Toxicological Effects:** Embryotoxicity: This product has not been investigated for embryotoxic effects.

Teratogenicity: This product has not been investigated for teratogenic effects.

Reproductive Toxicity: This product has not been investigated for toxic reproductive

effects.

Irritation or Corrosion: No data available.

**Symptoms** No data available.

related to Toxicological

**Characteristics:** 

**Sensitization:** No data available.

Chronic Toxicological The toxicological properties of this material have not been fully investigated.

Effects:

Carcinogenicity/Other No component is listed as a carcinogenic by IARC, NTP, OSHA, and ACGIH.

Information:

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

# **Section 12. Ecological Information**

**12.1 Toxicity:** The available data on this material does not indicate any undue hazard to the

environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release

Measures."

12.2 Persistence and

Degradability:

Calcium chloride is believed not to persist in the environment because it is readily dissociated into calcium and chloride ions in water. Both ions originally exist in nature,

and their concentrations in surface water will depend on various factors, such as

geological parameters, weathering and human activities.

12.3 Bioaccumulative

Potential:

Calcium chloride and its dissociated forms (calcium and chloride ions) are ubiquitous in

the environment. Calcium and chloride ions can also be found as constituents in organisms. Considering its dissociation properties, calcium chloride is not expected to

accumulate in living organisms.

**12.4 Mobility in Soil:** Chloride ions are mobile in soil eventually draining into surface water.

12.5 Results of PBT and No da

vPvB assessment:

No data available.

12.6 Other adverse effects: No data available.

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

# **Section 13. Disposal Considerations**

# 13.1 Waste Disposal Method:

PRODUCT: Reuse or reprocess, if possible. Waste disposal must be done following all Federal, State and Local regulations. Regulations may vary in different locations. Report spills if applicable. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority.

CONTAINER: Dispose properly accordingly to regulations on empty containers in your locality or make available to a container reconditioning facility for recycling.

# **Section 14. Transport Information**

#### 14.1 LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not Regulated.

Trade Name: STOLLER CROP MIX

DOT Hazard Class: UN/NA Number:

#### 14.1 LAND TRANSPORT (European ADR/RID):

**ADR/RID Shipping Name:** 

UN Number: Hazard Class:

#### 14.2 MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: STOLLER CROP MIX UN Number: Packing Group:

Hazard Class:

IMDG MFAG Number: N.A.

**IMDG EMS Page:** 

#### 14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: STOLLER CROP MIX UN Number: Packing Group:

**Hazard Class:** 

Additional Transport

Placards / Markings: N.A.

Information:

Emergency Response Guide Number: N.A.

Reportable Quantity: N.A.

# Section 15. Regulatory Information

Revision: 07/15/2020 Supersedes Revision: 06/29/2020

**Regulatory Information:** TSCA Inventory: In compliance with inventory requirements for commercial purposes.

#### **Section 16. Other Information**

**Revision Date:** 07/15/2020

Hazard Rating System:

HEALTH 1
FLAMMABILITY 0
REACTIVITY 0
PPE



HMIS:

Additional Information About No data available.

This Product:

**Company Policy or** 

Disclaimer:

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.