STRESSGARDTM

Foliar Spray for Indoor and Outdoor Plants



STRESSGARD is a blend of high perfor- ACTIVE INGREDIENTS mance polymers specially formulated for 50 % Acrylic Polymers foliar application. This spray forms a coating which will assist the plant in maintaining a positive water balance by reducing water loss by transpiration during periods of frost/freeze. drying winds, drought, heat stress and when transplanting.

DIRECTIONS AND USE

Water plants thoroughly and allow time to take up water before applying STRESS- . Frost GARD. Thoroughly coat upper and lower • Heat surface of all leaves and stems to run off. Ap- • Freeze ply 24-48 hours in advance of transplanting. • Sudden Climate Change If applied to edible foodstuff, last application should provide time for product to biodegrade prior to last harvest (45-60 days). Thoroughly wash sprayed fruit to remove residue. Flush spray equipment with clean water immediately after use. For removal of dried product. soak in water until softened

Ornamentals:

Outside: Spray 4.5 gal. of STRESSGARD per 100 gal. of water (3 tbsp. per 1 quart of Net Contents: water) to run off.

Indoor: Spray 4 tsp. of STRESSGARD per 1 quart of water to run off. Low light: 3 tsp. of STRESSGARD per 1 quart of water.

Blooming Plants:

Spraying 10.5 gts. of STRESSGARD per 100 gal, of water (6 tsp. per 1 quart of water) may extend bloom by reducing moisture loss. Propagation: 9 gal. of STRESSGARD per 100 gal, of water (6 tbsp. per 1 quart of water).

CAUTION: Neutralize all spray equipment that has been used to spray herbicides, high acid fertilizers, or calcium and magnesium. DO NOT **FREEZE**

REDUCES MOISTURE LOSS

Ornamentals - Gardens - Lawns

- Drought
- Winds
- Transplant Shock

KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY: JH Biotech, Inc. P.O. Box 3538 Ventura, California 93006

- □ 1 Pint (0.47 liter)
- 2.5 Gallons (9.45 liters)
- □ 2 x 2.5 Gallons (18.9 liters)
- □ 5 Gallons (18.9 liters)
- □ 55 Gallons (207.9 liters)

Weight per Gallon: 10.5 lbs. (4.8 kg)

Lot #:

Vegetables:

Spray 4.5 gal. of STRESSGARD per 100 gal. of water (3 tbsp. per 1 quart of water) 24-48 hours before transplanting.

Spray 3 gts. of **STRESSGARD** per 100 gal. of water or 6 tsp. per 1 quart of water after pollination as needed

Fruiting Trees:

Spray 4.5 gal. of STRESSGARD per 100 gal. of water (3 tbsp. per 1 quart of water) in early spring before danger of frost.

Spray 3 gts. of **STRESSGARD** per 100 gal. of water or 6 tsp. per 1 quart of water after fruit set every 30 days.

Lawns:

Spray 3 gts. of STRESSGARD per 100 gal. of water or 6 tsp. per 1 quart of water after every third cutting.

Spray 4.5 gal. of STRESSGARD per 100 gal. of water (3 tbsp. per 1 quart of water) to stressed areas after watering thoroughly.

Frost and Freeze Protection:

Spray 4.5 gal. of STRESSGARD per 100 gal, of water (3 tbsp. per 1 quart of water) to thoroughly coat entire plant including upper and lower surface of leaves before danger of frost occurs

LIMITED WARRANTY

Manufacturer or seller makes no warranty, whether expressed or implied, concerning the use of this product other than for the purposes indicated on the label. Neither manufacturer nor seller shall be liable for any injury or damage caused by this product due to misuse, mishandling, or any application not specifically described on the label.

