

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: SUPERIOR 70 OIL

1.2 RECOMMENDED USE: INSECTICIDE FOR CONTROL OF MITES AND SCALE

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.
P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565 - **Product Information:** 1-888-574-2878 (LPI-CUST)
U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 4	H302
Acute Toxicity - Inhalation	Category 4	H332
Aspiration Hazard	Category 1	H304
Eye Damage/Irritation	Category 2B	H320

2.2 Label elements



Signal word:	DANGER
Hazard Statement:	H302 – Harmful if swallowed. H332 – Harmful if inhaled. H304 – May be fatal if swallowed and enters airways. H320 – Causes eye irritation.
Precautionary Statement:	P261 – Avoid breathing dust/fume/gas/mist/vapors/spray. P262 – Do not get in eyes, on skin, or on clothing. P264 – Wash hands and face thoroughly after handling.
(Prevention):	P270 – Do not eat, drink or smoke when using this product. P271 – Use only outdoors or in a well-ventilated area.
Precautionary Statement:	P301+P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 – Do NOT induce vomiting.
(Response):	P304+P340: IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 – IF IN EYES: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P103 – Read label before use. P363 – Wash contaminated clothing before reuse. P391 – Collect spillage.
Precautionary Statement:	P402+P404: Store in a dry place. Store in a closed container.
(Storage):	P234 – Keep only in original container. P405 – Store locked up.



SAFETY DATA SHEET

SDS NUMBER: 000353-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 07/19/16

SUPERIOR 70 OIL

SUPERSEDES: 12/02/09

2.3 Other hazards
None known

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Concentration [%]
Mineral Oil	64741-89-5 or 72623-86-0 or 8042-47-5 or 64742-55-8 or 72623-84-8 or 64742-56-9 or 64741-88-4	97.00
*Inert ingredients	n/a	3.00

*Ingredients not specifically listed are non-hazardous and are to be considered proprietary or confidential business information per 29 CFR 1910.1200(i)

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Harmful if swallowed. Harmful if inhaled.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.
FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565
Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: This product contains petroleum distillates and may pose an aspiration pneumonia hazard. Note: if other products are combined with this product, observe the precautions on those products labels.



SAFETY DATA SHEET

SDS NUMBER: 000353-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 07/19/16

SUPERIOR 70 OIL

SUPERSEDES: 12/02/09

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO₂), alcohol foam, foam, water spray or fog.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: Oxides of carbon, irritating vapors or asphyxiants and other unknown materials may be formed in a fire situation.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Eliminate all ignition sources. Avoid contact. Stop leak if without risk. Contain the spill (wear the proper PPE) by absorbing spilled liquid with clay or other absorbent material; scoop or sweep up material and place in container. Decontaminate area by washing with soapy water solution and absorbing the water with absorbent material. Check local, state and federal regulations for proper disposal.
Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Do not store below 32 °F (0 °C). Do not use or store near heat, open flame or hot surfaces. Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not contaminate water, food, or feed by storage or disposal. Keep oil containers tightly closed in storage to prevent entry of water.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) TLVs

Components	Type	Value
No data available		

U.S. Workplace Exposure Level (OSHA) PELs

Components	Type	Value
No data available		

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No data available		



SAFETY DATA SHEET

SDS NUMBER: 000353-16-LPI
No listings

SDS REVISIONS: FORMAT

DATE OF ISSUE: 07/19/16

SUPERIOR 70 OIL
SUPERSEDES: 12/02/09

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Long-sleeved shirt and long pants. Chemical-resistant gloves. Shoes plus socks.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment approved by MSHA/NIOSH with NIOSH-approved filter media. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE :	Liquid
ODOR:	Slight.
ODOR THRESHOLD:	No data available.
COLOR:	Colorless.
pH:	No data available
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	>200 °F (>93.3 °C)
FLASH POINT:	335 °F (168.4 °C)
FLAMMABILITY (solid, gas):	No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available.
VAPOR PRESSURE:	<0.00001 mm Hg.
SOLUBILITY:	Emulsifies.
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available.
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	No data available.
VISCOSITY: (kinematic):	No data available
SPECIFIC GRAVITY (Water = 1):	0.85 g/ml
DENSITY:	7.10 lbs./gal / 0.85 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No data available. Will not polymerize.

10.4 CONDITIONS TO AVOID

Excessive heat.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizers, reducing agents, acids and bases.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Incomplete combustion may lead to formation of oxides of carbon, irritating vapors and/or other asphyxiants.



SAFETY DATA SHEET

SDS NUMBER: 000353-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 07/19/16

SUPERIOR 70 OIL

SUPERSEDES: 12/02/09

11 TOXICOLOGICAL INFORMATION

11.3 LIKELY ROUTES OF EXPOSURE

Skin contact. Inhalation.
LC₅₀ (rat): No data available.
LD₅₀ Oral (rat): > 5,000 mg/kg
LD₅₀ Dermal (rat): > 2,000 mg/kg
Acute Toxicity Estimates: No data available.
Skin Irritation (rabbit): No data available.
Eye Irritation (rabbit): May cause irritation.
Specific Target Organ Toxicity: No data available.
Aspiration: No data available
Skin Sensitization (guinea pig): Potential sensitizer
Carcinogenicity: No data available
Germ Cell Mutagenicity: No data available
Interactive Effects: None known

12 ECOLOGICAL INFORMATION

12.3 ECOTOXICITY

The product may be toxic to fish and aquatic invertebrates. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicological Data

	Species	Test Results
No data available		

Drift or runoff may adversely affect non-target plants.
Do not apply directly to water.
Do not contaminate water when disposing of equipment wash water.
Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13 DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.

14 TRANSPORT INFORMATION

14.3 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED BY DOT

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60)



SAFETY DATA SHEET

SDS NUMBER: 000353-16-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 07/19/16

SUPERIOR 70 OIL

SUPERSEDES: 12/02/09

15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA

HMIS

1 Health	0 Least	1 Health
1 Flammability	1 Slight	1 Flammability
0 Instability	2 Moderate	0 Reactivity
	3 High	B PPE
	4 Severe	

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:

Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
Delayed	<u>N</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Not listed
 SARA, Title III, Section 313: Not listed
 RCRA Waste Code: Not listed
 CA Proposition 65: Not listed.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

- Harmful if swallowed or absorbed through the skin or inhaled.
- Causes moderate eye irritation.
- Avoid contact with eyes, skin or clothing.
- Avoid breathing spray mist.
- Wash thoroughly with soap and water after handling.
- Remove contaminated clothing and wash thoroughly before reuse.

16 OTHER INFORMATION

SDS STATUS: Format revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

EPA REG. NO.: 34704-353

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.