

Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Surpass® NXT

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC

9330 ZIONSVILLE RD

INDIANAPOLIS, IN, 46268-1053

UNITED STATES

Customer Information

Number

: 800-992-5994

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).

800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Eye irritation : Category 2B

Skin sensitization : Category 1

Carcinogenicity : Category 2

Specific target organ toxicity

Category 3 (Respiratory system)

- single exposure

Specific target organ toxicity : Category 2

- repeated exposure

™ ® Trademarks of Corteva Agriscience and its affiliated companies.





Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H320 Causes eye irritation.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

P363 Wash contaminated clothing before reuse.



CORTEVA

Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
acetochlor (ISO)	34256-82-1	75.9
Furilazole	121776-33-8	2.5
naphthalene	91-20-3	>= 1 - < 3
Balance	Not Assigned	> 10

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : Move person to fresh air. If person is not breathing, call an

emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment

advice.

If breathing is difficult, oxygen should be administered by qual-

ified personnel.

In case of skin contact : Take off contaminated clothing. Wash skin with soap and

plenty of water for 15-20 minutes. Call a poison control center

or doctor for treatment advice.

Remove contaminated clothing and shoes.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-

20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice.

If swallowed : Call a poison control center or doctor immediately for treat-

ment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison

control center or doctor.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders

May cause an allergic skin reaction.

: First Aid responders should pay attention to self-protection

and use the recommended protective clothing (chemical re-

sistant gloves, splash protection).





Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treatment of exposure should be directed at the control of

symptoms and the clinical condition of the patient.

No specific antidote.

Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or

doctor, or going for treatment.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod-

ucts

During a fire, smoke may contain the original material in addi-

tion to combustion products of varying composition which may

be toxic and/or irritating.

Combustion products may include and are not limited to:

Nitrogen oxides (NOx)

Carbon oxides

Specific extinguishing meth-

ods

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Ensure adequate ventilation.

Use personal protective equipment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or





Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Prevent from entering into soil, ditches, sewers, underwater.

See Section 12, Ecological Information.

Methods and materials for containment and cleaning up

Clean up remaining materials from spill with suitable absorbant

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped.

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

See Section 13, Disposal Considerations, for additional infor-

mation.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation Advice on safe handling Use with local exhaust ventilation.

: Avoid formation of aerosol.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapors/dust.

Do not smoke.

Handle in accordance with good industrial hygiene and safety

Avoid exposure - obtain special instructions before use.

Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the ap-

plication area.

Do not get on skin or clothing. Do not breathe vapors or spray mist.

Do not swallow. Do not get in eyes.

Avoid contact with skin and eyes. Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.

Containers which are opened must be carefully resealed and





Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

kept upright to prevent leakage. Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
naphthalene	91-20-3	TWA	10 ppm	Dow IHG
		STEL	15 ppm	Dow IHG
		TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	OSHA Z-1
		TWA	10 ppm 50 mg/m3	OSHA P0
		STEL	15 ppm 75 mg/m3	OSHA P0

Engineering measures : Use engineering controls to maintain airborne level below

exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or

guidelines, use only with adequate ventilation.

Local exhaust ventilation may be necessary for some opera-

tions.

Personal protective equipment

Respiratory protection : Where there is potential for airborne exposures in excess of

applicable limits, wear NIOSH approved respiratory protec-

tion.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of

preferred glove barrier materials include: Chlorinated polyethylene. Neoprene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications

provided by the glove supplier.

Eye protection : Wear chemical splash goggles and face shield.

Skin and body protection : Wear protective clothing (long-sleeve shirt and long pants,

socks plus shoes and chemical resistant gloves such as bar-

rier laminate, nitrle rubber, neoprene, or Viton).



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Color : Blue

Odor : Mild

pH : Not applicable

Melting point/range : Not applicable

Freezing point No data available

Boiling point/boiling range : No data available

Flash point : 257 °F / 125 °C

Method: closed cup Approximately

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not volatile

Relative vapor density : No data available

Density : 1.1071 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : emulsifies

Autoignition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.

Stable under normal conditions.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

None known.

Conditions to avoid : None known. Incompatible materials : Strong acids

Strong bases

Hazardous decomposition

products

: Decomposition products depend upon temperature, air supply

and the presence of other materials.

Decomposition products can include and are not limited to:

Nitrogen oxides (NOx)

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 1,849 mg/kg

Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat): 1.4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: For similar material(s):

Components:

acetochlor (ISO):

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Remarks: Signs and symptoms of excessive exposure may

include: Tremors. Convulsions.

Acute inhalation toxicity : Remarks: Prolonged excessive exposure to mist may cause

serious adverse effects, even death.

Mist may cause irritation of upper respiratory tract (nose and

throat).

LC50 (Rat): 3.99 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Assessment: The substance or mixture has no acute dermal

toxicity

Furilazole:

Acute oral toxicity : LD50 (Rat, male and female): 869 mg/kg

Acute inhalation toxicity : Remarks: Prolonged excessive exposure to dust may cause

adverse effects.

LC50 (Rat, male and female): > 2.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

naphthalene:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Lethal Dose (Humans): 5 - 15 grams

Method: Estimated.

Remarks: Excessive exposure may cause hemolysis, thereby

impairing the blood's ability to transport oxygen.

Ingestion of naphthalene by humans has caused hemolytic

anemia.

Toxicity from swallowing may be greater in humans than in

animals.

In humans, symptoms may include:

Confusion. Lethargy.

Muscle spasms or twitches.

Convulsions.

Coma.

Acute inhalation toxicity : Remarks: Excessive exposure may cause irritation to upper

respiratory tract (nose and throat).

Excessive exposure may cause lung injury.

Signs and symptoms of excessive exposure may include:

Headache. Confusion. Sweating.

Nausea and/or vomiting.

LC50 (Rat): > 0.41 mg/l Exposure time: 4 h Test atmosphere: vapor

Symptoms: The LC50 value is greater than the Maximum

Attainable Concentration.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,500 mg/kg



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Remarks: Human case reports suggest Naphthalene may be absorbed through the skin in toxic amounts, especially in chil-

dren.

LD50 (Rabbit): > 2,500 mg/kg

Skin corrosion/irritation

Product:

Result : No skin irritation

Components:

acetochlor (ISO):

Result : Skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Product:

Test Type : Buehler Test Species : Guinea pig

Assessment : May cause sensitization by skin contact.

Method : OECD Test Guideline 406 Remarks : For similar material(s):

Components:

acetochlor (ISO):

Assessment : May cause sensitization by skin contact.

Remarks : Has caused allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:

No relevant data found.

Furilazole:

Assessment : The product is a skin sensitizer, sub-category 1A.

Remarks : Has caused allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:

No relevant data found.

naphthalene:

Assessment : Does not cause skin sensitization.

Remarks : Skin contact may cause an allergic skin reaction in a small

proportion of individuals.



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Did not cause allergic skin reactions when tested in guinea

pigs.

Remarks : For respiratory sensitization:

No relevant data found.

Germ cell mutagenicity

Components:

acetochlor (ISO):

Germ cell mutagenicity -

Assessment

In vitro genetic toxicity studies were negative in some cases and positive in other cases., Animal genetic toxicity studies

were predominantly negative.

naphthalene:

Germ cell mutagenicity -

Assessment

In vitro genetic toxicity studies were negative in some cases

and positive in other cases.

Carcinogenicity

Components:

acetochlor (ISO):

Carcinogenicity - Assess-

ment

: Has caused cancer in laboratory animals., Tumors were observed only at levels which produced significant toxicity, thus

exceeding the maximum tolerated dose.

Furilazole:

Carcinogenicity - Assess-

ment

Has caused cancer in laboratory animals., However, the rele-

vance of this to humans is unknown.

naphthalene:

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

Has caused cancer in some laboratory animals., In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were neg-

ative.

IARC Group 2B: Possibly carcinogenic to humans

naphthalene 91-20-3

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP Reasonably anticipated to be a human carcinogen

naphthalene 91-20-3



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Reproductive toxicity

Components:

acetochlor (ISO):

Reproductive toxicity - As-

sessment

In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to

the parent animals.

Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory

animals.

Furilazole:

Reproductive toxicity - As-

sessment

In animal studies, did not interfere with reproduction., In ani-

mal studies, did not interfere with fertility.

Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory

animals.

naphthalene:

Reproductive toxicity - As-

sessment

Available data are inadequate to determine effects on repro-

duction.

Did not cause birth defects in laboratory animals.

STOT-single exposure

Product:

Assessment : May cause respiratory irritation.

Components:

acetochlor (ISO):

Assessment : May cause respiratory irritation.

Furilazole:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

naphthalene:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

STOT-repeated exposure

Product:

Assessment : May cause damage to organs through prolonged or repeated

exposure.



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Repeated dose toxicity

Components:

acetochlor (ISO):

Remarks : In animals, effects have been reported on the following or-

gans: Kidney. Liver. Blood. Testes.

Central nervous system.

Furilazole:

Remarks : In animals, effects have been reported on the following or-

gans: Kidney. Liver. Lung.

naphthalene:

Remarks : Observations in animals include:

Respiratory effects.

Excessive exposure may cause hemolysis, thereby impairing

the blood's ability to transport oxygen.

Cataracts and other eye effects have been reported in humans repeatedly exposed to naphthalene vapor or dust. Ingestion of naphthalene by humans has caused hemolytic

anemia.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

acetochlor (ISO):

Based on available information, aspiration hazard could not be determined.

Furilazole:

Based on physical properties, not likely to be an aspiration hazard.

naphthalene:

Based on physical properties, not likely to be an aspiration hazard.





Version **Revision Date:** SDS Number: Date of last issue: -

Date of first issue: 05/13/2022 1.0 05/13/2022 800080005140

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

acetochlor (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.36 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 8.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202 or Equivalent

EC50 (eastern oyster (Crassostrea virginica)): 4.2 mg/l

Exposure time: 96 h

Test Type: flow-through test

Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic

plants

EyC50 (Pseudokirchneriella subcapitata (green algae)):

0.00027 mg/l

End point: Growth inhibition (cell density reduction)

Exposure time: 96 h

Method: OECD Test Guideline 201 or Equivalent

EyC50 (Lemna minor (duckweed)): 0.0027 mg/l End point: Growth inhibition (cell density reduction)

Exposure time: 7 d Method: OECD 221.

M-Factor (Acute aquatic tox-

1,000

Toxicity to fish (Chronic tox-

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.13 mg/l

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0221 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

100

Toxicity to microorganisms

EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 105.5 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

Remarks: Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg)., Material is practically

non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50 (Colinus virginianus (Bobwhite quail)): 928 mg/kg

bodyweight.

dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5620



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

mg/kg diet.

Exposure time: 5 d

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5620

mg/kg diet.

Exposure time: 5 d

oral LD50 (Apis mellifera (bees)): > 100 micrograms/bee

Exposure time: 48 h

contact LD50 (Apis mellifera (bees)): > 200 micrograms/bee

Exposure time: 48 h

Furilazole:

Toxicity to fish : Remarks: Material is moderately toxic to aquatic organisms on

an acute basis (LC50/EC50 between 1 and 10 mg/L in the

most sensitive species tested).

LC50 (Lepomis macrochirus (Bluegill sunfish)): 4.6 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 6.2 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 26 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

ErC50 (Scenedesmus capricornutum (fresh water algae)):

85.2 mg/l

End point: Growth rate inhibition

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC (Scenedesmus capricornutum (fresh water algae)):

12.5 mg/l

End point: Growth rate inhibition

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to terrestrial organ-

isms

Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg)., Material is practically non-toxic to

birds on a dietary basis (LC50 > 5000 ppm).

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5,620

ppm

Exposure time: 5 d



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5,620

ppm

Exposure time: 5 d

naphthalene:

Toxicity to fish : Remarks: Material is highly toxic to aquatic organisms on an

acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most

sensitive species tested).

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.6 - 24.1 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 0.4 mg/l

Exposure time: 72 h

Test Type: Growth rate inhibition

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Other): 0.37 mg/l

End point: mortality Exposure time: 40 d Test Type: flow-through

M-Factor (Chronic aquatic

toxicity)

1

1

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

acetochlor (ISO):

Stability in water : Test Type: Hydrolysis

Method: Stable

Test Type: Hydrolysis Method: Stable

Test Type: Hydrolysis Method: Stable

Photodegradation : Rate constant: 5.51826E-11 cm3/s

Method: Estimated.

Furilazole:

Biodegradability : Result: Not biodegradable

Remarks: Material is expected to biodegrade very slowly (in



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

the environment). Fails to pass OECD/EEC tests for ready

biodegradability.

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301F or Equivalent

Remarks: 10-day Window: Fail

naphthalene:

Biodegradability : Remarks: Biodegradation under aerobic static laboratory con-

ditions is high (BOD20 or BOD28/ThOD > 40%).

Biochemical Oxygen De-

mand (BOD)

57.000 %

Incubation time: 5 d

71.000 %

Incubation time: 10 d

71.000 %

Incubation time: 20 d

ThOD : 3.00 kg/kg

Photodegradation : Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals

Concentration: 1,500,000 1/cm3 Rate constant: 2.16E-11 cm3/s

Method: Estimated.

Bioaccumulative potential

Components:

acetochlor (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 20

Partition coefficient: n-

octanol/water

log Pow: 4.14

Method: Measured

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Furilazole:

Partition coefficient: n-

octanol/water

log Pow: 2.12

Method: Estimated.

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

naphthalene:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 40 - 300



Surpass® NXT

Version **Revision Date:** SDS Number: Date of last issue: -

05/13/2022 800080005140 Date of first issue: 05/13/2022 1.0

> Exposure time: 28 d Method: Measured

Partition coefficient: n-

octanol/water

log Pow: 3.3

Method: Measured

Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Balance:

Partition coefficient: n-

octanol/water

Remarks: No relevant data found.

Mobility in soil

Components:

acetochlor (ISO):

Distribution among environ-

mental compartments

Koc: 156

Method: Estimated.

Remarks: Potential for mobility in soil is medium (Koc between

150 and 500).

Furilazole:

Distribution among environ-

mental compartments

Koc: 56 - 341

Remarks: Potential for mobility in soil is high (Koc between 50

and 150).

naphthalene:

Distribution among environ-

mental compartments

Koc: 240 - 1300

Method: Measured

Remarks: Potential for mobility in soil is medium (Koc between

150 and 500).

Balance:

Distribution among environ-

mental compartments

Remarks: No relevant data found.

Other adverse effects

Components:

acetochlor (ISO):

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Furilazole:

Results of PBT and vPvB

assessment

This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

naphthalene:

Results of PBT and vPvB

assessment

This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB

assessment

: This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Acetochlor, Naphthalene)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Acetochlor, Naphthalene)



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Acetochlor, Naphthalene)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Naphthalene)

Class : 9 Packing group : III

Labels : CLASS 9
ERG Code : 171
Marine pollutant : no

Reportable Quantity : Naphthalene only regulated in pack sizes > 3,030 kg

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

THE ABOVE INFORMATION ONLY APPLIES TO PACKAGE SIZES WHERE THE HAZARDOUS SUBSTANCE MEETS THE REPORTABLE QUANTITY.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Respiratory or skin sensitization



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels es-

tablished by SARA Title III, Section 313:

naphthalene 91-20-3 >= 1 - < 5 %

US State Regulations

Pennsylvania Right To Know

naphthalene 91-20-3

California Prop. 65

WARNING: This product can expose you to chemicals including acetochlor (ISO), Furilazole, naphthalene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-672

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Causes substantial but temporary eye irritation and skin irritiation Harmful if swallowed or inhaled May cause allergic skin reaction

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

Dow IHG : Dow Industrial Hygiene Guideline

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average
Dow IHG / STEL : Short term exposure limit
Dow IHG / TWA : Time weighted average
OSHA P0 / TWA : 8-hour time weighted average
OSHA P0 / STEL : Short-term exposure limit
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/13/2022

Product code: GF-3149



Surpass® NXT

Version Revision Date: SDS Number: Date of last issue: -

1.0 05/13/2022 800080005140 Date of first issue: 05/13/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN