

# SAFETY DATA SHEET

## TOP COP WITH SULFUR

### 1. Product and Company Identification

**Product Code:** Z-TOPCOP  
**Product Name:** TOP COP WITH SULFUR  
**Company Name:** Stoller  
9090 Katy Freeway  
Suite 400  
Houston, TX 77024  
**Phone Number:**  
1 (713)461-1493  
**Web site address:** www.stollerusa.com  
**Email address:** compliance@stollerusa.com  
**Emergency Contact:** CHEMTREC, In the US and Canada call 1 (800)424-9300  
CHEMTREC, From other countries call +1 (703)527-3887  
**Information:** 1 (800)539-5283  
**Intended Use:** For agricultural use only

### 2. Hazards Identification

**Skin Corrosion/Irritation, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 2B**  
**Acute Toxicity: Oral, Category 4**  
**Acute Toxicity: Inhalation, Category 4**  
**Aquatic Toxicity (Chronic), Category 1**  
**Aquatic Toxicity (Acute), Category 1**



**GHS Signal Word:** **Warning**  
**GHS Hazard Phrases:** H302 - Harmful if swallowed.  
H315 - Causes skin irritation.  
H320 - Causes eye irritation.  
H332 - Harmful if inhaled.  
H400 - Very toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.  
**GHS Precautionary Phrases:** P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash hands thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
**GHS Response Phrases:** P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 - Rinse mouth.  
P332+313 - If skin irritation occurs, get medical advice/attention.  
P337+313 - If eye irritation persists, get medical advice/attention.  
P362+364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.

# SAFETY DATA SHEET

## TOP COP WITH SULFUR

**GHS Storage and Disposal Phrases:** P501 - Dispose of contents/container to permitted waste facility.

**OSHA Regulatory Status:** This material is classified as not hazardous under OSHA regulations.

**Inhalation:** May be irritating.

**Skin Contact:** May cause skin discomfort, irritation, or rash.

**Eye Contact:** May irritate.

**Ingestion:** May cause gastrointestinal irritation, nausea and vomiting.

### 3. Composition/Information on Ingredients

CAS #	Components (Chemical Name)	Concentration	RTECS #
7704-34-9	Sulfur	<55.0 %	WS4250000
NA	( Trade Secret )	<40.0 %	NA
1344-73-6	Sulfuric acid, Copper salt, basic	<10.0 %	WS7200000

### 4. First Aid Measures

**Emergency and First Aid Procedures:** Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. Always bring with victim a copy of label and SDS of product to health professional.

**In Case of Inhalation:** Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Call a physician if no improvement on patient condition.

**In Case of Skin Contact:** Remove product and immediately wash affected area with soap and water for 15 minutes. Launder contaminated clothing. Seek medical attention if irritation occurs.

**In Case of Eye Contact:** Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

**In Case of Ingestion:** Drink at least two glasses of water. Never give anything by mouth to an unconscious person. Consult a physician.

**Note to Physician:** Treat symptomatically and supportively.

### 5. Fire Fighting Measures

**Flash Pt:** N.E.

**Explosive Limits:** LEL: N.E. UEL: N.E.

**Autoignition Pt:** N.E.

**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or chemical foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

**Flammable Properties and Hazards:** Dried residue can constitute a fire hazard so keep equipment and work place clean.

**Hazardous Combustion Products:** None known.

**Products:**

## 6. Accidental Release Measures

**Protective Precautions, Protective Equipment and Emergency Procedures:** In case of a large spill, clear the affected area and protect people. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and rubber boots, goggles or full face-shield and coveralls.

**Environmental Precautions:** Do not allow to enter drains or waterways.

**Steps To Be Taken In Case Material Is Released Or Spilled:** It is necessary to contain the spill into the smallest area possible by diking, scooping, etc., and place liquid into an appropriate container, labeling it accordingly. If product is clean, use it as intended, following original label directions; should it get dirty or contaminated, salvage for proper disposal as waste.  
Absorb residual product onto dry carrier such as dirt, sand or any other absorbent material, then put in covered, labeled containers and dispose of as dry waste in accordance with Federal, State and Local waste disposal regulations.

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** Use with adequate ventilation. Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, or clothing. Avoid ingestion and inhalation. Use only in a well-ventilated area. Empty containers may contain residual liquid or vapors and therefore should be handled the same as full containers.

Extreme caution should be taken when entering or cleaning storage tanks or tank trucks. Fluid sulfur may evolve into toxic sulfur dioxide or hydrogen sulfide gas and be present. Confined space entry training is required before entering confined spaces.

**Precautions To Be Taken in Storing:** Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Store only in shipping container: Bulk material can be stored in polyethylene, aluminum or stainless steel tanks. Keep containers closed and away from oxidizing agents. Store in a cool, dry place, away from direct sunlight, sources of intense heat or where freezing is possible. Store away from food, feed, clothing materials and living quarters. Whenever possible, place chemicals on secondary containers or diked area.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7704-34-9	Sulfur	No data.	No data.	No data.
NA	( Trade Secret )	No data.	No data.	No data.
1344-73-6	Sulfuric acid, Copper salt, basic	No data.	No data.	No data.

**Recommended Exposure Limits:** No occupational exposure limits have been established for this mixture.

# SAFETY DATA SHEET

## TOP COP WITH SULFUR

Revision: 12/05/2019

Supersedes Revision: 12/03/2019

<b>Respiratory Equipment (Specify Type):</b>	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. If the respirator is the sole means of protection, use a full-face supplied air respirator.
<b>Eye Protection:</b>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Use full face-shield when there is any likelihood of splashes.
<b>Protective Gloves:</b>	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
<b>Other Protective Clothing:</b>	<p>This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers.</p> <p>Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear long sleeve shirt, long pants, and protective shoes with socks.</p>
<b>Engineering Controls (Ventilation etc.):</b>	General ventilation is usually adequate. Local exhaust should be used if needed for safe, comfortable working conditions. An eye bath, safety shower and washing facilities should be readily available.
<b>Work/Hygienic/Maintenance Practices:</b>	Handle in accordance with good industrial hygiene and safety practice. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove all dirty or contaminated clothing and wash it before reusing, as well as any other PPE.
<b>Environmental Exposure Controls:</b>	Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water.

## 9. Physical and Chemical Properties

<b>Physical States:</b>	[ ] Gas [ X ] Liquid [ ] Solid
<b>Appearance and Odor:</b>	Light green / aqua colored opaque liquid.
	Odorless to faint, rotten egg smell.
<b>pH:</b>	5.8 - 7.8
<b>Freezing Point:</b>	N.E.
<b>Boiling Point:</b>	N.D.
<b>Flash Pt:</b>	N.E.
<b>Evaporation Rate:</b>	No data.
<b>Flammability (solid, gas):</b>	No data available.
<b>Explosive Limits:</b>	LEL: N.E. UEL: N.E.
<b>Vapor Pressure (vs. Air or mm Hg):</b>	NA
<b>Vapor Density (vs. Air = 1):</b>	No data.
<b>Specific Gravity (Water = 1):</b>	1.41 - 1.45
<b>Density:</b>	~ 11.9 LB/GA
<b>Solubility in Water:</b>	No data.
<b>Saturated Vapor Concentration:</b>	N.E.

# SAFETY DATA SHEET

## TOP COP WITH SULFUR

Revision: 12/05/2019  
Supersedes Revision: 12/03/2019

Octanol/Water Partition Coefficient:	N.E.
Percent Volatile:	N.A.
Autoignition Pt:	N.E.
Decomposition Temperature:	N.E.
Viscosity:	N.E.

### 10. Stability and Reactivity

Reactivity:	N.A.
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid - Instability:	Stable under normal conditions.
Incompatibility - Materials To Avoid:	Keep away from flammable materials, sources of heat, flame, sparks, chlorates, nitrates, and other strong oxidizing agents.
Hazardous Decomposition or Byproducts:	Oxides of sulfur gases produced by burning sulfur.
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]
Conditions To Avoid - Hazardous Reactions:	Keep away from heat sources, sparks, and open flames.

### 11. Toxicological Information

<b>Toxicological Information:</b>	Mutagenicity: This product has not been investigated for mutagenic effects. Embryotoxicity: This product has not been investigated for embryotoxic effects. Teratogenicity: This product has not been investigated for teratogenic effects. Reproductive Toxicity: This product has not been investigated for toxic reproductive effects. CAS# 7704-34-9: Acute toxicity, LD50, Oral, Rat, > 3000. MG/KG. Result: Behavioral: Changes in psychophysiological tests. Acute toxicity, LD50, Dermal, Rabbit, < 2000. MG/KG. Result: Severe exposure can cause permanent skin and eye burns and liver damage, even death. Blood:Changes in serum composition (e.g. Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Phosphatases. Acute toxicity, LC50, Inhalation, Rat, 9.230 MG/L. Result: Brain and Coverings: Other degenerative changes. Blood:Changes in serum composition (e.g. Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: True cholinesterase. Acute toxicity, LC50, Not reported., Bird, > 5620. PPM. Result: Behavioral: Convulsions or effect on seizure threshold. Cardiac:Other changes. Lungs, Thorax, or Respiration:Other changes. Acute toxicity, LD50, Oral, Rat, > 3000. MG/KG. Result: Gastrointestinal:Nausea or vomiting.
<b>Irritation or Corrosion:</b>	No data available.
<b>Symptoms related to Toxicological Characteristics:</b>	Nose or throat irritation, coughing, chest discomfort, asthma, difficulty breathing, skin irritation, nausea, vomiting, stinging eye irritation, and hives.
<b>Sensitization:</b>	The sensitizing properties of this product have not been thoroughly investigated.
<b>Chronic Toxicological Effects:</b>	The toxicological properties of this material have not been fully investigated.
<b>Carcinogenicity/Other Information:</b>	The carcinogenic properties of this product have not been thoroughly investigated.
<b>Carcinogenicity:</b>	NTP? Unknown IARC Monographs? Unknown OSHA Regulated? Unknown

## 12. Ecological Information

<b>General Ecological Information:</b>	No environmental impact studies have been performed with this product. The available data on the ingredients of this plant nutrient product does not indicate any undue hazard to the environment under anticipated use and storage. Any waste due to spillage or leakage should be contained and disposed of as a Fertilizer (see Section 6 "Accidental Release Measures). Due to its nutrient value, may contribute to eutrophication in bodies of water. CAS# 7704-34-9: No data available. , 0.000 . Result: Behavioral Effects. LC50, Bluegill (Lepomis macrochirus), > 180.0 PPM. Result: Behavioral Effects. LC50, Rainbow Trout (Oncorhynchus mykiss), > 180.0 PPM. Result: Behavioral Effects. LC50, Daphnid Family (Daphniidae), > 5000. PPM. Result: Behavioral Effects. LC50, Shrimp (Acetes sp.), 646.0 - 839.0 PPM. Result: Behavioral Effects.
<b>Results of PBT and vPvB assessment:</b>	No data available.
<b>Persistence and Degradability:</b>	No data available.
<b>Bioaccumulative Potential:</b>	No data available.
<b>Mobility in Soil:</b>	No data available.

## 13. Disposal Considerations

<b>Waste Disposal Method:</b>	This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority. Avoid contaminating water by disposal of equipment wash waters or other product wastes. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
-------------------------------	--

## 14. Transport Information

### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Trade Name: TOP COP

Not Regulated by DOT (49CFR §171.4) for packages of less than 10 gallons.

**DOT Hazard Class:**

**UN/NA Number:**



### MARINE TRANSPORT (IMDG/IMO):

**IMDG/IMO Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, liquid, n.o.s. contains cupric sulfate

Reportable Quantity: 115 lb (53 kg)

**UN Number:**

**Packing Group:**

**Hazard Class:**

**IMDG MFAG Number:**

**IMDG EMS Page:**

**Marine Pollutant:**

Yes

# SAFETY DATA SHEET

## TOP COP WITH SULFUR

**AIR TRANSPORT (ICAO/IATA):****ICAO/IATA Shipping Name:** Trade Name: TOP COP

Not Regulated by DOT (49CFR §171.4) for packages of less than 10 gallons.

Reportable Quantity: 115 lb (53 kg)


**UN Number:****Packing Group:****Hazard Class:****Additional Transport Information:**

Emergency Response Guide Number: N.A.

### 15. Regulatory Information

**Regulatory Information:** TSCA Inventory: In compliance with inventory requirements for commercial purposes.

### 16. Other Information

**Revision Date:** 12/05/2019**Hazard Rating System:****Additional Information About This Product:** No data available.**Company Policy or Disclaimer:**

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.