

1. Identification

Product identifier TachlineTM

Other means of identification Micronutrient fertilizer.

Not available. **Synonyms**

Fertilizer product – See product label for full directions for use. Recommended use

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor Information

Company name CHS Inc

Address 5500 Cenex Drive

Inver Grove Heights, MN 55077 US

Telephone 1-651-355-60 Website www.chsinc.com

EH&S/Regulatory Department **Contact person**

1-800-424-9300 **Emergency phone number** CHEMTREC (24 hours):

2. Hazard(s) identification

Not classified. Physical hazards

Toxic to reproduction Category 2 Health hazards Skin Corrosion/Irritation Category 2 Category 1

Eye Damage/Irritation

Not classified. **OSHA** defined hazards

Label elements

Hazard symbol

Danger. Signal word

Causes skin irritation. Causes serious eye damage. Suspected of damaging fertility or the unborn child . **Hazard statement**

Precautionary statement

Obtain special instructions before use. Do not handle until all safety precautions have been read and Prevention

understood. Wash thoroughly after handling. Wear protective gloves/protective clothong/eye

protection/face protection. Wear eye/face protection.

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothong and wash before reuse. Collect spillage.

Store away from incompatible material. Storage

Dispose of waste and residues in accordance with local authority requirements. **Disposal**

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.



3. Composition/information on ingredients

Mixtures

THIN GEOGRAPH CO.			
Chemical name	CAS number	%	
Water	7732-18-5	40 - 50	
Zinc sulfate	7446-19-7	10 – 15	
Organic acid	*Proprietary	10 – 15	
Manganese sulfate	10034-96-5	5 – 10	
Boric acid	10043-35-3	0.1 - 5	

^{*}Proprietary indicates that the chemical identity of this component is claimed as a trade secret per the HCS 29CFR 1910.1200

Composition comments

All concentrations are in weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets

obtained from supplier.

4. First-aid measures

Eye contact Check for and remove contact lenses. Flush immediately with copious amounts

of water or normal saline (minimum of 15 minutes), holding eyelids apart to ensure complete irritation of the eye and eyelid tissue. Take exposed individual to a health care professional, preferably an opthalmologist, for further

evaluation.

Skin contact Remove contaminated clothing, shoes and equipment. Wash exposed area with

plenty of soap and water. Repeat washing. If redness or irritation occurs, seek

medical attention. Wash contaminated clothing before reuse.

Inhalation No adverse effects anticipated. If necessary, remove victim to fresh air and

loosen clothing. Get medical attention.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting

without advice from poison control center. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs. Get medical attention.

Most important

symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling and blurred vision. May cause redness and pain. Severe eye irritation. Permanent eye damage

including blindness could result.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim

under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable

extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.



Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Selection of respiratory protection for firefighting follow the general fire precautions indicated in the workplace.

Fire-fighting equipment/instructions Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from the fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Wear suitable protective clothing. For personal protection see Section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling

Avoid inhalation of vapors/spray and contact with skin and eyes. Use only with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dry well-ventilated place. Store away from

incompatible materials.

Transfer Equipment

Transfer product using chemical-resistant plastic or stainless steel tanks, pumps, valves, etc.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)			
Components	Type	Value	
Manganese Sulfate,	Ceiling	5 mg/m ³	
monohydrate (CAS 10034-96-5)			
US ACGIH Threshold Limit Values			
Components	Type	Value	Form
Manganese Sulfate,	TWA	0.1 mg/m ³	Inhalable fraction.
monohydrate (CAS 10034-96-5)			
Boric acid (CAS 10043-35-3)	TWA	2 mg/m^3	Inhalable fraction.
	STEL	6 mg/m ³	Inhalable fraction.
US Niosh: Pocket Guide to Chemical I	Hazards		
Components	Type	Value	Form
Manganese Sulfate,	STEL	3 mg/m ³	Fume.
monohydrate (CAS 10034-96-5)			

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Follow standard monitoring procedures.

Appropriate engineering Provide adequate general and local exhaust ventilation. Observe Occupational controls Exposure Limits and minimize the risk of inhalation of vapors and mists.

TachlineTM

Page 3

Version #1.0: SDS Revision date: - Issue date: 16-Aug-2016



Individual protection measures such as personal protective equipment

Eve/face protection **Skin Protection**

Wear approved safety glasses or goggles.

Hand protection

Chemical resistant gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the

glove supplier.

Other

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of

vapors, use suitable respiratory equipment.

In the United States of America, if respirators are used, a program should be instituted to assure

compliance with OSHA 29 CFR 1910.134 and ANSI Z88.2.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene consideration

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

9. Physical and chemical properties

Appearance

Physical State Liquid. **Form** Liquid. Color Light pink. Odor Bland Odor threshold Not available.

5.2 (1% Solution) Melting point/freezing point $<10^{\circ}F(-12^{\circ}C)$

Initial boiling point and boiling

range

1562°F (850°C) estimated

Flash point Not available. **Evaporation Rate** Not available. Flammability (solid, gas) Not available. Vapor pressure Not available. Vapor Density (Air=1) Not available. Relative density 1.270 @ 15°C **Solubility** 100% **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. Viscosity

Other information

Not available. Percent volatile

10. Stability and reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

Reactions

Hazardous polymerization does not occur.

TachlineTM



Conditions to avoid Contact with incompatible materials. Heat, sparks, flames, elevated temperatures.

Incompatible materials Bases. Reducing agents.

Hazardous decomposition

products

Carbon oxides. Metal oxide fumes. Sulfur oxides and water vapor.

11. Toxicological information

Information on likely routes of exposure

Ingestion Ingestion may cause irritation and malaise.

Inhalation Vapors and spray mist may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged or repeated skin contact may cause irritation.

Eye contact Causes serious eye damage on direct contact.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms can include irritation, redness, scratching of the cornea, and tearing. Skin irritation.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components	Species	Test Results	
Boric acid (CAS 10043-35-3)			
Acute			
Dermal	D 1115	2000 #	
LD50	Rabbit	2,000 mg/kg	
<i>Oral</i> LD50	Rat	3,500 – 4,100 mg/kg	
		, , ,	
Manganese Sulfate, monohydrate (CAS 10034-	96-5)		
Acute Oral			
LD100	Mouse	305 mg/kg	
Other	Wouse	505 mg kg	
LD100	Mouse	146 mg/kg	
LD50	Mouse	64 mg/kg	
LD30	Wiouse	04 mg/kg	
Zinc Sulfate (CAS 7733-02-0)			
Acute			
Dermal			
LD50	Rat	>2,000 mg/kg	
Oral			
LD50	Rat	623 mg/kg	
Skin corrosion/irritation	Prolonged exposure may cause skin irritation.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory sensitization	Not classified.		
Skin sensitization	Not classified.		
Germ cell mutagenicity	Not classified.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
Reproductive toxicity	Suspected of damaging fertility.		
Specific target organ toxicity- single exposure	Not classified.		
Tachline TM			



Specific target organ toxicity-

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Chronic effects

Prolonged exposure may cause chronic effects.

Further information

No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Components	Species	Test Results						
Manganese Sulfate, monohydrate (CAS 10034-96-5)								
Aquatic								
Crustacea EC50	Water flea (Daphnia magna)	7.09 - 9.36 mg/l, 48 hours						
Fish LC50	Fathead minnow (Pimephales promelas)	29.7 – 52.7 mg/l, 192hours						
		24.3 – 38.9 mg/l, 96 hours						
Zinc Sulfate (CAS 7733-02-0) Aquatic								
Algae LC50	Green algae (Chlorella vulgaris)	5 mg/l, 24 hours						
Crustacea EC50	Amphipod (Crangonyx pseudogracilis)	15.1 – 24.5 mg/l, 96 hours						
Fish LC50	Fathead minnow (Pimephales promelas)	10.62 – 11.3.7 mg/l, 5 days						
	Fish (Lepidocephalichthyes guntea)	76 – 118.8 mg/l, 24 hours						

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Mobility in soil This product is water soluble and may disperse in soil.

Other adverse effects No data available.

13. Disposal considerations

Disposal instructionsDo not allow this material to drain into sewers/water supplies. Dispose in accordance with

all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in

accordance with current applicable laws and regulations, and material characteristics at time

of disposal.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

14. Transport information

DOT UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III.

IATA UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III.

IMDG UN3265, Corrosive liquid, acidic, organic, n.o.s. (carboxylic acid), 8, PG III.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29

CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed. Zinc Sulfate, (CAS 7733-02-0) Listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes Delayed Hazard - Yes

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

Not listed.

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Manganese Sulfate, monohydrate	10034-96-5	5 – < 10	
Zinc Sulfate	7733-02-0	10 - < 15	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Not regulated.

Administration (FDA)

US state regulations

This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

US Massachusetts RTK - Substance List

Zinc Sulfate (CAS 7733-02-0)

US New Jersey Worker and Community Right-to-Know Act

Zinc Sulfate (CAS 7733-02-0)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

US Pennsylvania RTK – Hazardous Substances

Zinc Sulfate (CAS 7733-02-0)

US Rhode Island RTK

Zinc Sulfate (CAS 7733-02-0)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

US California Proposition 65

US – California Proposition 65 – Carcinogens & Reproductive Toxicity (CRT): Listed substances

Not listed

International Inventories

 Country(s) or region
 Inventory name
 On inventory (yes/no)*

 United States & Puerto Rico
 Toxic Substances Control Act (TSCA) Inventory
 Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



16. Other information, including date of preparation or last revision

Issue date 16-August-2016

Revision date --

Version # v1.0 SDS

NFPA Ratings



List of abbreviations EC50: Effective concentration, 50%.

LC50: Lethal concentration, 50%.

References EPA: Acquire database

HSDB® – Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Value and Biological Exposure Indices

Preparation The preparation of this MSDS was in accordance with ANSI Z400.1-2010.

Disclaimer NOTICE: The information presented herein is based on data considered to be accurate as of the date

of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government

regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.