TagTeam® LCO liquid

MultiAction® Legume Fertility for

soybean

PROD. # 7030-705

MINIMUM GUARANTEE

7.2 x 10⁸ cfu *Penicillium bilaii* per gram
5.0 x 10⁷ *Bradyrhizobium japonicum* viable cells per gram
2 x 10⁷ % *Talaromyces/Penicillium gaeschardii*

Net contents
432.0 fl oz (12.8 L) of liquid inoculant
16.0 oz (456 g) of active powder
128.0 fl oz (3.78 L) of liquid additive

Treats
20,000 lb (9,080 kg, 334 bu, 400 units)
soybeans or 56,000,000* seeds

*Based on 140,000 seeds per unit

USA

novozymes®
Rethink Tomorrow

2620-231-0912

Where to use for maximum benefit

- Best nitrogen responses to TagTeam LCO occur in soils that are low in available forms of nitrogen and populations of *Bradyrhizobium japonicum*
- If soils are extremely low in available nitrogen, below 15 lb N/acre (16.8 kg N/ha), TagTeam LCO may be more effective when used with a small amount of starter nitrogen fertilizer (10-15 lb N/acre (11.2-16.8 kg N/ha)

For soils low to medium in available phosphate:
Use TagTeam LCO with the lower recommended P fertilizer rate from soil test results.
If you do not soil test, use with your normal P fertilizer rate.

For soils high to very high in available phosphate:
Replace the starter in-row P fertilizer application
(15–20 lb P_2O_5/acre (16.8–22.4 kg P $_2O_5$/ha) with TagTeam LCO.

Benefits of using TagTeam LCO may be limited on:

- Soils with high nitrogen levels or with high application rates of nitrogen fertilizer
- Soils that have been heavily manured (likely to be high to very high in available phosphate)
- In soils that don't tie up phosphate, i.e. very sandy soils (greater than 85% sand) and soils that contain more than 14% organic matter

The active ingredients in TagTeam LCO are *Penicillium bilaii* spores and *Bradyrhizobium japonicum* viable cells. This product may cause adverse effects to individuals allergic to molds and/or fungi. Absorption by eye or skin may cause irritation and sensitization. Avoid contact with eyes, skin and clothing. Wear long sleeves, long pants, and other standard protective clothing and equipment including gloves, safety glasses, and a NIOSH-approved respirator during product use and storage as well as during equipment maintenance and clean-up. In case of contact with skin or eyes, immediately flush exposed areas with plenty of water. Get medical attention if irritation occurs.

Limited warranty

The seller warrants that this product contains a minimum number of Penicillium bilaii colony forming units, Bradyrhizobium japonicum viable cells, and Gae/chlindrupsuarchaide as specified on the label. The seller makes no other express or implied warranty regarding the product. To the extent permitted by applicable law, and except for seller's express limited warranty set out on the label and subject thereto, Buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product in that condition.

® TagTeam and MultiAction are registered trademarks of Novozymes A/S. © 2012 Novozymes. All rights reserved. Product of USA. Not a fertilizer substitute.
Printed in USA. 12181-300-12

PROD. # 7030-705

TagTeam® LCO liquid

MultiAction® Legume Fertility for soybean

Shake well before using

novozymes®
Rethink Tomorrow

Novozymes BioAg
3935 Thatcher Avenue
Saskatoon, SK Canada S7R 1A3
1-888-744-5662*

* Available 24 hours a day/7 days a week, April-June 7-5, otherwise business hours.

TagTeam® LCO liquid

MultiAction® Legume Fertility for

soybean

PROD. # 7030-705

MINIMUM GUARANTEE

7.2 x 10⁸ cfu *Penicillium bilaii* per gram
5.0 x 10⁷ *Bradyrhizobium japonicum* viable cells per gram
2 x 10⁷ % *Talaromyces/Penicillium gaeschardii*

Net contents
432.0 fl oz (12.8 L) of liquid inoculant
16.0 oz (456 g) of active powder
128.0 fl oz (3.78 L) of liquid additive

Treats
20,000 lb (9,080 kg, 334 bu, 400 units)
soybeans or 56,000,000* seeds

*Based on 140,000 seeds per unit

USA

novozymes®
Rethink Tomorrow

Application rate

On-seed

- 2.8 fl oz/100 lb (82.8 ml/45.4 kg)

Storage instructions

- Store in a cool place, between 39°F (4°C) and 68°F (20°C)
- Do not allow to freeze
- Minimize temperature fluctuations
- Store away from sunlight and direct heat sources
- Use before the expiration date
- Unused TagTeam LCO and unplanted TagTeam LCO inoculated seed should be disposed of in accordance with applicable civil statutes and guidelines

For best results

- Open package only when ready to use
- Plant within 30 days of adding to bare soybean seed

On-seed directions for use

- Shake well before using to ensure an even suspension
- Settling of bacteria during storage is normal
- Application with other seed treatments is possible, but may reduce the planting window. For up-to-date pesticide compatibility information, please contact Novozymes BioAg at 1-888-744-5662

Application

- Open the box. Pour the liquid inoculant into the mix tank and agitate. Add the active powder and the liquid additive to the mix tank.
- Apply to the seed as soon as possible and prepare only as much TagTeam LCO liquid as will be used that day
- Calibrate the system to ensure that 2.8 fl oz (82.8 ml) of TagTeam LCO flows out of the nozzle in the time that 100 lb (45.4 kg) of seed passes beneath it

FPO

novozymes®
Rethink Tomorrow