

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**COMPANY ADDRESS:**

ALBAUGH, LLC
Ankeny, IA 50021
1-800-247-8013

EMERGENCY TELEPHONE NUMBERS:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call
CHEMTREC Day or Night

- Within USA and Canada: 1-800-424-9300 CCN771
- Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

PRODUCT NAME : **TEBUSTAR IM ST**
 CHEMICAL NAMES : Imidacloprid, Tebuconazole and Metalaxyl
 PRODUCT USES : Fungicide - Tebuconazole and Metalaxyl
 Insecticide - Imidacloprid
 PRODUCT CODE : EPA Reg. No 42750-207

SECTION 2 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

Red viscous, opaque liquid

HEALTH HAZARDS: Mildly irritating to the eyes and skin. May be harmful if swallowed.

PHYSICAL HAZARDS: Can decompose at high temperatures releasing toxic gases.

ENVIRONMENTAL HAZARDS: Toxic to fish, water organisms and bees. Keep out of waterways.

**SECTION 3 - COMPOSITION, INFORMATION OF INGREDIENTS**

COMPONENT	PERCENTAGE	CAS NUMBER
Imidacloprid	1.538	138261-41-3
Tebuconazole	0.461	107534-96-3
Metalaxyl	0.615	57837-19-1
Other Ingredients	97.386	N/A

SECTION 4 - FIRST AID MEASURES

First Aid responders should use protective equipment in Section 8 if there is a potential for exposure to product.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: No specific antidote available, treat symptomatically.

Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

National Fire Protection Rating (NFPA)

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

FLASHPOINT: Not applicable**EXTINGUISHING MEDIA:** Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.**FIRE AND EXPLOSION HAZARD:** Can burn in fire, releasing irritating and toxic gases due to thermal decomposition or combustion.**FIRE FIGHTING INSTRUCTIONS:** Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Dike and collect water used to fight fire to prevent environmental damage due to run off. Foam or dry chemical fire extinguishing systems are preferred to prevent environmental damage from excessive water runoff.

Minimize use of water to prevent environmental contamination. Contact your State Pesticide or Environmental Control Agency, or nearest EPA Regional Office for guidance on disposal.

FIRE FIGHTING EQUIPMENT: Self-contained breathing apparatus with full facepiece.**HAZARDOUS COMBUSTION PRODUCTS:** Hydrogen cyanide, Hydrogen chloride, Carbon monoxide, Nitrogen oxides.**SECTION 6 - ACCIDENTAL RELEASE MEASURES****IN CASE OF SPILLS OR LEAKS:** Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.**SMALL SPILL:** Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.**LARGE SPILL:** Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. After removal, clean contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container.

This material should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water. Minimize use of water to prevent environmental contamination

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

Wear proper safety equipment specified in Section 8 when mixing, loading or otherwise handling concentrate.

HANDLING: Use only in a well-ventilated area. Minimize dust generation and accumulation.**STORAGE:** Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool dry location. Protect from excessive heat.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS (8 hour TWA, ppm):

COMPONENT	OSHA PEL	ACIGH TLV
Imidacloprid	Not Est	Not Est
Tebuconazole	Not Est	Not Est
Metalaxyl	Not Est	Not Est

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to minimize exposure to airborne contaminants. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT:

1. Long-sleeved shirt and long pants,
2. Shoes plus socks,
3. Chemical-resistant gloves (such as nitrile rubber >14 mils, butyl rubber >14 mils, neoprene rubber >14 mils, barrier laminate >14 mils, polyvinyl chloride (PVC) >14 mils and Viton >14 mils and
4. Protective eyewear.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Red viscous, opaque liquid
Odor:	Chemical-like, faint odor
pH:	5.5 – 6.5
Melting Point:	Not applicable
Boiling Point:	No data
Flash Point:	Not applicable
Evaporation Rate:	No data
Flammability:	Not flammable
Flammability Limits:	Not applicable
Vapor Pressure:	4 x 10 ⁻⁷ mPa (20°C), 9 x 10 ⁻⁷ mPa (25°C) (Imidacloprid) 1.7 x 10 ⁻³ mPa (20°C) (Tebuconazole) 0.75 mPa (25°C) (Metalaxyl)
Vapor Density:	Not applicable
Density:	1.04 – 1.08 g/ml (8.85 – 9.01 lb/gal)*
Solubility:	Emulsifies
Partition Coefficient:	logP = 0.51 (21°C) (Imidacloprid) logP = 3.7 (20°C) (Tebuconazole) logP = 1.75 (25°C) (Metalaxyl)
Auto-Ignition Temperature:	No data
Decomposition Temperature:	No data
Viscosity:	152.0 cSt (20°C), 65.6 cSt (40°C)

*Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

PRODUCT REACTIVITY: Do not mix or allow contact with oxidizing agents. Hazardous chemical reaction may occur.

CHEMICAL STABILITY: Stable, however may decompose if heated.

HAZARDOUS REACTION/POLYMERIZATION: Product will not undergo polymerization.

CONDITIONS TO AVOID: Avoid temperatures above 100°F (38°C) for prolonged period of time. Strong exothermal reaction can occur above 390°F (200°C)

INCOMPATIBLE MATERIALS: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may generate Hydrogen chloride, Oxides of nitrogen and carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION**ACUTE TOXICITY:**

Oral LD ₅₀ (rat)	> 5,000 mg/kg
Dermal LD ₅₀ (rat)	> 5,000 mg/kg
Inhalation LC ₅₀ (rat)	> 2.04 mg/L
Eye Irritation (rabbit)	Non-irritating
Skin Irritation (rabbit)	Non-irritating
Sensitization (guinea pig)	Not a contact sensitizer

CARCINOGEN STATUS:

OSHA	-	Not listed.
NTP	-	Not listed.
IARC	-	Not listed.

TERATOGENICITY: No reproductive or teratogenic (birth defect) effects at normal exposure levels.

MUTAGENICITY: Little or no evidence of mutagenic effects during in vivo or in vitro studies.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: This pesticide is highly toxic to birds and aquatic invertebrates and toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Do not contaminate water when disposing of equipment washwaters or rinsate.

FATE: Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

FISH TOXICITY: (Imidacloprid Technical)

96 hour LC₅₀, Rainbow trout - 211 mg/L
96 hour LC₅₀, Bluegill - unknown

AVIAN TOXICITY: (Imidacloprid Technical)

Oral LD₅₀, Bobwhite quail - 152 mg/Kg
Oral LD₅₀, Mallard duck - unknown

BEE TOXICITY: (Imidacloprid)

Contact LD₅₀ – Highly toxic to bees and other pollinators.

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA regional office for guidance.

CONTAINER DISPOSAL: Non-refillable container: Do not reuse or refill this container.. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Offer for recycling, if available or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Refer to the product label for additional and complete Container Handling instructions

SECTION 14 - TRANSPORT INFORMATION**SHIPPING DESCRIPTION:**

(Ground transport) Not regulated by DOT

TRANSPORT HAZARD CLASS: N/A
UN NUMBER: N/A
DOT PACKING GROUP: PG III

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY: Not listed

SARA TITLE III STATUS:
311/312 Hazard Categories – Immediate Health
313 Toxic Chemicals – None known

CALIFORNIA PROP 65: Not listed

TSCA: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SECTION 16 - OTHER INFORMATION

HMIS HAZARD RATINGS	HEALTH	1
	FLAMMABILITY	1
	PHYSICAL HAZARD	0
	4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

REVISED DATE: September, 2015

REFERENCE: Revised for GHS compliance