

5-0-1.5

GUARANTEED ANALYSIS

Total Nitrogen (N)	5.0 %
4.0 % Urea nitrogen	
1.0 % Other water soluble nitrogen	
Soluble Potash (K ₂ O)	1.5 %
Boron (B)	0.2 %
Copper (Cu)	0.05 %
Iron (Fe)	0.1 %
Manganese (Mn)	0.05 %
Zinc (Zn)	0.07 %

Derived from: Urea, Plant protein hydrolysate, Seaweed extract, Boric acid, Copper sulfate, Iron sulfate, Manganese sulfate, and Zinc sulfate.

Density = 10.0 lb/gal at 68°F

Lot number: See the top of the bottle.

Production date: See the top of the bottle

ATTENTION: the use of the product on any crops other than those recommended may result in serious injury to the crop(s).

HANDLING AND STORAGE

Shake before use. Store the product at temperatures between 40 and 90 °F.

KEEP OUT OF REACH OF CHILDREN

This product is not classified as dangerous goods.

PRECAUTIONARY STATEMENT (GHS-US): Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Do not get in eyes, on skin, or on clothing. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container to an authorized residues manager.



Teca
técnicas europeas en
cultivos agrícolas

INCOMPATIBILITIES

It can be mixed with most of the usual products, except with oils. Caution in the mixtures with products containing copper and sulfur, because it may enhance their effect. A compatibility trial is recommended.

DESCRIPTION

This product is recommended throughout the growth cycle. Its components improve the general development of the plant at any stage.

APPLICATION RATES

SEEDS TREATMENT

- Wheat, barley, soybean, bean, rice, tomato: 3.0 fl.oz/100 lb
- Cotton: 7.5 fl.oz /100 lb
- Corn: 15 fl.oz /100 lb
- Rapeseeds: 30 fl.oz /100 lb

FOLIAR APPLICATION

- * Seedbeds: 0.15-0.3 gal/A. Start when plant has 3-4 leaves and make weekly applications.
- * All crops: Dilute at the necessary dose to reach the next doses for application:
 - Fruit trees, table grapes, berries, hops: 0.15-0.3 gal/A, at the beginning of the cycle, before flowering and in bud setting.
 - Cut flower crops: 0.15-0.3 gal/A. Apply at the beginning of the cycle and before flowering.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfc.org/metals.html>

Net contents:

1 gal
3.8 L 2.5 gal
9.5 L 5 gal
19 L

Manufactured and Guaranteed by:

Técnicas Europeas en Cultivos Agrícolas SL
Paraje Pozo Colas, Pol. 37-113
03660 - Novelda / Spain

Teca
técnicas europeas en
cultivos agrícolas