

## **TENDOVO HERBICIDE**

1.0

Revision Date: 01/13/2022

SDS Number: S00051377745 This version replaces all previous versions.

#### **SECTION 1. IDENTIFICATION**

: TENDOVO HERBICIDE Product name

Design code. : A23372A

Product Registration number : 100-1684

Manufacturer or supplier's details

Company name of supplier

Syngenta Crop Protection, LLC

Post Office Box 18300 Address Greensboro NC 27419

United States of America (USA)

Telephone 1 800 334 9481 Telefax 1 336 632 2192

E-mail address sds.requests@syngenta.com

Emergency telephone 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use General Use Pesticide

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization Sub-category 1B

**GHS** label elements

Hazard pictograms

Signal Word Warning

**Hazard Statements** H317 May cause an allergic skin reaction.

**Precautionary Statements** Prevention:

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.



## **TENDOVO HERBICIDE**

Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
S-metolachlor	87392-12-9	38.4449
metribuzin	21087-64-9	7.1536
alcohols, C12-15,ethoxylated	68131-39-5	>= 1 - < 5
Residues (petroleum), catalytic re-	68425-94-5	>= 1 - < 5
former fractionator, sulfonated, poly-		
mers with formaldehyde, sodium salts		
propane-1,2-diol	57-55-6	>= 1 - < 5
cloransulam-methyl	147150-35-4	41.7425
5-chloro-2-methyl-1,2-thiazol-3-one;	55965-84-9	>= 0.0015 - < 0.1
2-methyl-1,2-thiazol-3-one		

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this



Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

delayed

Notes to physician

Nonspecific

No symptoms known or expected.

There is no specific antidote available.

Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread

fire.

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses

Cool closed containers exposed to fire with water spray.

Wear full protective clothing and self-contained breathing

Special protective equipment : Wear fu

for fire-fighters

wear rull protective clothing an

apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

**SECTION 7. HANDLING AND STORAGE** 

Advice on safe handling : No special protective measures against fire required.



Version Revision Date: 1.0 01/13/2022 SDS Number: S00051377745

This version replaces all previous versions.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
S-metolachlor	87392-12-9	TWA	5 mg/m3	Syngenta
metribuzin	21087-64-9	TWA	0.56 mg/m3	Supplier
		TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL
		TWA	5 mg/m3	OSHA P0
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

**Engineering measures** 

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the

conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break



## **TENDOVO HERBICIDE**

Version 1.0 Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : light brown

Odor : musty

Odor Threshold : No data available

pH : 6.57

Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Seta closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1,085 g/cm3 (68 °F / 20 °C)



## **TENDOVO HERBICIDE**

Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745 This version replaces all previous versions.

Solubility(ies)

Water solubility No data available

Solubility in other solvents No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature

871 °F / 466 °C

Decomposition temperature No data available

Viscosity

705 mPa.s (68 °F / 20 °C) Viscosity, dynamic

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle size No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity None reasonably foreseeable. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Incompatible materials None known.

Hazardous decomposition

Conditions to avoid

No hazardous decomposition products are known.

No decomposition if used as directed.

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

## **Acute toxicity**

#### **Product:**

Acute oral toxicity LD50 (Rat, female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

LC50 (Rat, male and female): > 5.19 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist



**TENDOVO HERBICIDE** 

Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

Assessment: The substance or mixture has no acute inhala-

tion toxicity

**Components:** 

S-metolachlor:

Acute oral toxicity : LD50 (Rat, male and female): 2,672 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.91 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

metribuzin:

Acute oral toxicity : LD50 (Rat, female): 322 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.709 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

alcohols, C12-15,ethoxylated:

Acute oral toxicity : LD50 (Rat): 1,000 - 2,000 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

cloransulam-methyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.77 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Acute oral toxicity : Assessment: The component/mixture is toxic after single in-

gestion.

Acute inhalation toxicity : Assessment: The component/mixture is highly toxic after short



**TENDOVO HERBICIDE** 

Version 1.0 Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is highly toxic after sin-

gle contact with skin.

Skin corrosion/irritation

**Product:** 

Species : Rabbit

Result : No skin irritation

**Components:** 

S-metolachlor:

Species : Rabbit

Result : No skin irritation

metribuzin:

Species : Rabbit

Result : No skin irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Method : in vitro skin corrosion test

Result : Irritating to skin.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

**Product:** 

Species : Rabbit

Result : No eye irritation

**Components:** 

S-metolachlor:

Species : Rabbit

Result : No eye irritation

metribuzin:

Species : Rabbit

Result : No eye irritation

alcohols, C12-15,ethoxylated:

Species : Rabbit



**TENDOVO HERBICIDE** 

Version Revision Date: 1.0 01/13/2022

SDS Number: S00051377745 This version replaces all previous versions.

Result Risk of serious damage to eyes.

Remarks Information given is based on data obtained from similar sub-

stances.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Result Risk of serious damage to eyes.

Method in vitro eye irritation test

Respiratory or skin sensitization

**Product:** 

Test Type Local lymph node assay (LLNA)

**Species** Mouse

Result The product is a skin sensitizer, sub-category 1B.

**Components:** 

S-metolachlor:

**Species** Guinea pig

Result The product is a skin sensitizer, sub-category 1B.

metribuzin:

**Species** Guinea pig

Result Did not cause sensitization on laboratory animals.

cloransulam-methyl:

**Species** Guinea pig

Result Did not cause sensitization on laboratory animals.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Result : The product is a skin sensitizer, sub-category 1A.

Germ cell mutagenicity

**Components:** 

S-metolachlor:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

metribuzin:

Germ cell mutagenicity -

Animal testing did not show any mutagenic effects.

Assessment

cloransulam-methyl:

Germ cell mutagenicity -

Animal testing did not show any mutagenic effects., In vitro

Assessment tests did not show mutagenic effects



Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

Carcinogenicity

**Components:** 

S-metolachlor:

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

metribuzin:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

cloransulam-methyl:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Components:** 

S-metolachlor:

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

metribuzin:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

cloransulam-methyl:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

STOT-repeated exposure

**Components:** 

metribuzin:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

**Components:** 

S-metolachlor:

Remarks : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

S-metolachlor:



TENDOVO HERBICIDE

Version 1.0 Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.23 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 1.4 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.077 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.016 mg/l

End point: Growth rate Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.023 mg/l

Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0.0076 mg/l

Exposure time: 14 d

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

10

10

NOEC (Pimephales promelas (fathead minnow)): 0.03 mg/l

Exposure time: 35 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Americamysis): 0.13 mg/l

Exposure time: 28 d

metribuzin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 74.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 49.6 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 0.022 mg/l

Exposure time: 72 h

cloransulam-methyl:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 32.4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 40 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Lemna gibba (gibbous duckweed)): 0.00156 mg/l

End point: Growth rate

Exposure time: 7 d



TENDOVO HERBICIDE

Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 10.1 mg/l

Exposure time: 33 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): 17.3 mg/l Exposure time: 21 d

ic toxicity)

**Ecotoxicology Assessment** 

Acute aquatic toxicity Very toxic to aquatic life.

Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.22 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia): 0.1 mg/l Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.048 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.0012 mg/l

End point: Growth rate Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l

Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00064 mg/l

End point: Growth rate Exposure time: 48 h

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.098 mg/l

Exposure time: 28 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia): 0.004 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

10

Persistence and degradability

**Components:** 

S-metolachlor:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 53 - 147 d



**TENDOVO HERBICIDE** 

Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

Remarks: Product is not persistent.

metribuzin:

Biodegradability : Result: Not readily biodegradable.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formalde-

hyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

cloransulam-methyl:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 34 d

Remarks: Product is not persistent.

5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential** 

**Components:** 

S-metolachlor:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 3.05 (77 °F / 25 °C)

metribuzin:

Bioaccumulation : Remarks: Does not bioaccumulate.

cloransulam-methyl:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-

octanol/water

: log Pow: 1.12

Mobility in soil

**Components:** 

S-metolachlor:

Distribution among environ-

mental compartments

: Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 12 - 46 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

metribuzin:

Distribution among environ- : Remarks: Highly mobile in soils



**TENDOVO HERBICIDE** 

Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

mental compartments

Stability in soil : Dissipation time: 30 - 60 d

Percentage dissipation: 50% (DT50)

cloransulam-methyl:

Distribution among environ-

mental compartments

Remarks: Very highly mobile in soil.

Other adverse effects

**Components:** 

metribuzin:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(S-METOLACHLOR AND METRIBUZIN)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(S-METOLACHLOR AND METRIBUZIN)

Class : 9 Packing group : III

Labels : Miscellaneous



Version Revision Date: SDS Number: This version replaces all previous versions. 1.0 01/13/2022 S00051377745

Packing instruction (cargo

964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(S-METOLACHLOR AND METRIBUZIN)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Causes moderate eye irritation.

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



Version 1.0

Revision Date: 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

metribuzin 21087-64-9 >= 5 - < 10 %

### The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA

inventory


#### **TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek



Version Revision Date: 1.0 01/13/2022

SDS Number: S00051377745

This version replaces all previous versions.

OSHA P0 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/13/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8