

22 Meadow Street East Hartford, CT 06108 Phone: 860.290.8890 Fax: 860.290.8802

www.biosafesystems.com

January 1, 2024

Subject: Continuing Letter of Guarantee

RE: TerraClean® 5.0 - US - EPA Reg. No. 70299-13

To Whom It May Concern:

BioSafe Systems, LLC, the manufacturer of **TerraClean**<sup>©</sup> **5.0**, hereby guarantees that this product meets the specifications claimed on the product label and is formulated from batches certified in accordance with the applicable regulations promulgated under all applicable EPA regulations.

TerraClean 5.0 (U.S. EPA Reg. No. 70299-13) is labeled for agricultural soil and water treatment applications. When applied through drip irrigation systems, TerraClean can control at any stage of plant growth the following diseases: *Pythium, Phytophthora, Rhizoctonia,* and *Fusarium*.

When diluted and used according to label directions, TerraClean 5.0 is approved for the control of a wide *variety* of soil borne pathogens through drip irrigation systems. This product may be applied via drip irrigation, flood irrigation, or soil drenching. The byproduct of this chemical reaction is the release of vast amounts of oxygen that stimulates plant growth, root development, and nutrient uptake.

In addition, TerraClean 5.0 is USDA National Organic Program (NOP) compliant for use in post-harvest processing as per the requirements outlined in 7 CFR §205.605 and listed with the Organic Materials Review Institute (OMRI). The active ingredients in TerraClean 5.0, hydrogen peroxide ( $H_2O_2$ ) and peroxyacetic acid (PAA), as listed in 40 CFR §180.1196, are US EPA-exempt from the requirement of a tolerance, as there are no residues. Additionally, hydrogen peroxide and acetic acid are considered Generally Recognized as Safe (GRAS) by the FDA under 21 CFR § 184.

Please contact me with any questions.

Gesenia Fuentes

Sincerely,

Yesenia Fuentes

Registration & Compliance Manager

This statement expires 1 year from date of issue.

TerraClean® 5.0 is a registered trademark of BioSafe Systems, LLC. Always read and follow label directions.