



SAFETY DATA SHEET

1. Identification

| | |
|---|--|
| Product identifier | THIMET® 20-G EZ LOAD |
| Other means of identification | |
| SDS number | 338 |
| Product registration number | 5481-530 |
| Synonyms | THIMET® 20-G Soil and Systemic Insecticide |
| Recommended use | Organophosphate insecticide. |
| Recommended restrictions | This is a Restricted Use Pesticide and is for use by licensed applicators only. Keep out of the Reach of Children! |
| EPA Registration number | EPA: 5481-530 |
| Manufacturer/Importer/Supplier/Distributor information | |
| Manufacturer | |
| Company name | AMVAC Chemical Corporation |
| Address | 4685 MacArthur Court Suite 1200 Newport Beach, CA 92660 |
| Telephone | AMVAC Chemical Corp 949-260-1200 AMVAC Chemical Corp 949-260-6270(FAX) |
| Website | www.Amvac-Chemical.com |
| E-mail | CustServ@Amvac-Chemical.com |
| Emergency phone number | Medical 888-681-4261 CHEMTREC® (USA+Canada) 800-424-9300 Product Use 888-462-6822 CHEMTREC® (Outside USA) +1-703-527-3887 |

2. Hazard(s) identification

| | | |
|------------------------------|--|-------------|
| Physical hazards | Not classified. | |
| Health hazards | Acute toxicity, oral | Category 2 |
| | Acute toxicity, dermal | Category 2 |
| | Acute toxicity, inhalation | Category 1 |
| | Serious eye damage/eye irritation | Category 2B |
| | Specific target organ toxicity, repeated exposure | Category 1 |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard | Category 1 |
| | Hazardous to the aquatic environment, long-term hazard | Category 1 |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



Signal word Danger

Hazard statement

H372 Causes damage to organs through prolonged or repeated exposure.
H300 Fatal if swallowed.

H310 Fatal in contact with skin.
H330 Fatal if inhaled.
H320 Causes eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

P260 Do not breathe dust.
P262 Do not get in eyes, on skin, or on clothing.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing.
P284 Wear respiratory protection.

Response

P310 Immediately call a poison center/doctor.
P301 + P310 If swallowed: Immediately call a poison center/doctor.
P330 Rinse mouth.
P302 + P350 If on skin: Wash with plenty of water.
P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.
P304 + P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P391 Collect spillage.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal

P501 SmartBox® containers should be returned to the manufacturer by following the directions on the label.
Lock'N Load containers should be returned to the manufacturer by following the directions on the label.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|---|------------|--------|
| Phorate | Thimet® O,O-Diethyl S-(ethylthio)methylphosphorodithioate | 298-02-2 | 20.0 % |

Additional components

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|------|
| Inert Ingredients (May contain clay which may contain >0.1% crystalline silica) | | N/A | 80 % |

4. First-aid measures

| | |
|---|--|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. Be sure the contact areas are clean to prevent contamination of the rescuer. |
| Skin contact | Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. |
| Eye contact | Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Remove contact lenses, if present and easy to do. Call a physician or poison control center immediately. If there will be a delay in getting medical attention, rinse the eyes an additional 15 minutes. |
| Ingestion | Rinse mouth. Immediately give large quantities of water to drink. Induce vomiting immediately by giving two glasses of water and sticking a finger down throat if approved by physician. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. |
| Most important symptoms/effects, acute and delayed | This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin. Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed. |
| Indication of immediate medical attention and special treatment needed | <p>This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information.</p> <p>Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated.</p> |
| General information | <p>This product contains a severe cholinesterase inhibitor. A physician should be contacted in all cases of exposure. Wear protective equipment when treating someone exposed to severe cholinesterase inhibitors to prevent exposure of the rescuer.</p> <p>Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Discard any shoes or clothing items that cannot be decontaminated.</p> |

5. Fire-fighting measures

| | |
|---------------------------------------|--|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |

| | |
|--|--|
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. This product may emit hazardous fumes of hydrogen chloride, carbon oxides and unidentified organic compounds when it is heated excessively or burned. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Use water spray to cool unopened containers. Clean all clothing before reuse. Severely contaminated clothing cannot be adequately decontaminated, and must be disposed as a hazardous waste. Shower with soap and water after contact with this product. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Wear appropriate protective equipment and clothing during clean-up. If contaminated, shovel, sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Decontaminate the area and equipment with dilute alkali or ammonia (less than 5%) and detergent. |
| Environmental precautions | Never return spills to original containers for re-use. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases. |

7. Handling and storage

| | |
|---|---|
| Precautions for safe handling | Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Keep out of the reach of children. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Additional components | Type | Value | Form |
|--|------|------------------------|------------------|
| free respirable Crystalline (quartz) Silica (CAS 14808-60-7) | PEL | 0.05 mg/m ³ | Respirable dust. |

US. OSHA Table Z-3 (29 CFR 1910.1000)

| Additional components | Type | Value | Form |
|--|------|-----------------------|----------------------|
| Nuisance Dust | TWA | 5 mg/m ³ | Respirable fraction. |
| | | 15 mg/m ³ | Total dust. |
| free respirable Crystalline (quartz) Silica (CAS 14808-60-7) | TWA | 0.1 mg/m ³ | Respirable. |

US. ACGIH Threshold Limit Values

| Additional components | Type | Value | Form |
|--|------|-------------------------|----------------------|
| free respirable Crystalline (quartz) Silica (CAS 14808-60-7) | TWA | 0.025 mg/m ³ | Respirable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Additional components | Type | Value | Form |
|--|------|------------|------------------|
| free respirable Crystalline (quartz) Silica (CAS 14808-60-7) | TWA | 0.05 mg/m3 | Respirable dust. |

US. Workplace Environmental Exposure Level (WEEL) Guides

| Components | Type | Value | Form |
|--------------------------------|------|----------|----------|
| Propylene glycol (CAS 57-55-6) | TWA | 10 mg/m3 | Aerosol. |

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**US ACGIH Threshold Limit Values: Skin designation**

Phorate (CAS 298-02-2) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Phorate (CAS 298-02-2) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing (see label).

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Gray to brown granules

Physical state Solid.

Form Granular.

Color Gray to brown

Odor Mild mercaptan-like odor

Odor threshold Not available.

pH 4 - 7 (slurry)

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

| | |
|------------------------------------|---|
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 6.40E-04 torr @ 25°C |
| Vapor density | Heavier than air |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | 4.5 mg/l (a.i.). |
| Solubility (solvents) | Readily soluble in most organic solvents. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Bulk density | 50 - 56 lb/ft ³ |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Contact with incompatible materials. Avoid high temperatures. |
| Incompatible materials | Alkaline compounds. Strong oxidizing agents. Strong acids. |
| Hazardous decomposition products | Possible thermal decomposition products included hydrogen sulfide, carbon dioxide, carbon monoxide, mercaptans, thiophosphates, dialkylsulfides, phosphorus oxides, and sulfur oxides. Decomposition begins at 120°C. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | Fatal if inhaled. |
| Skin contact | Fatal in contact with skin. Dust or powder may irritate the skin. |
| Eye contact | Causes eye irritation. |
| Ingestion | Fatal if swallowed. |

| | |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics | This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur. Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed. |
|---|---|

Information on toxicological effects

| | |
|-----------------------|--|
| Acute toxicity | Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed. Causes eye irritation. |
|-----------------------|--|

| Product | Species | Test Results |
|-------------------|----------------|---|
| THIMET 20-G | | |
| Acute | | |
| Dermal | | |
| <i>Dust</i> | | |
| LD50 | Rabbit | 113 mg/kg (male) 86 mg/kg (female) |
| Inhalation | | |
| <i>Dust</i> | | |
| LC50 | Rat | 0.06 mg/l, 4 h (male, nose only, a.i. only) 0.011 mg/l, 4 h (female, nose only, a.i. only) |
| Oral | | |
| <i>Dust</i> | | |
| LC50 | Rat | 5.1 mg/kg (female) |

| Product | Species | Test Results |
|---|--|-------------------|
| LD50 | Rat | 13.5 mg/kg (male) |
| Skin corrosion/irritation | Non irritating to slightly irritating to skin. | |
| Serious eye damage/eye irritation | Causes eye irritation. | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | Not a skin sensitizer. | |
| Germ cell mutagenicity | No evidence of mutagenicity has been observed in animal testing using Phorate. | |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. In long-term studies in rats and mice where Phorate was given by feed, a carcinogenic effect was not observed. | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | |
| free respirable Crystalline (quartz) Silica (CAS 14808-60-7) | 1 Carcinogenic to humans. | |
| OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) | | |
| free respirable Crystalline (quartz) Silica (CAS 14808-60-7) | Cancer | |
| US. National Toxicology Program (NTP) Report on Carcinogens | | |
| free respirable Crystalline (quartz) Silica (CAS 14808-60-7) | Known To Be Human Carcinogen. | |
| Reproductive toxicity | No evidence of reproductive toxicity has been observed in animal studies using Phorate. | |
| Specific target organ toxicity - single exposure | Not available. | |
| Specific target organ toxicity - repeated exposure | Not available. | |
| Aspiration hazard | Not an aspiration hazard. | |
| Chronic effects | Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the symptoms of acute overexposure are observed. | |

12. Ecological information

| | | | |
|--|---|--------------------------------------|-----------------------|
| Ecotoxicity | Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. | | |
| Components | Species | Test Results | |
| Phorate (CAS 298-02-2) | EC50 | Paratanytarsus parhenogenical larvae | 0.041 mg/l, 48 hours |
| | LC50 | Catfish | 2.2 mg/l, 96 hours |
| | | Mayfly nymphs | 0.065 mg/l, 96 hours |
| | | Rainbow Trout | 0.045 mg/l, 96 hours |
| | | Sheepshead minnow | 0.0082 mg/l, 96 hours |
| | | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia magna | 0.031 mg/l, 48 hours |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | 0.012 mg/l, 96 hours |
| Persistence and degradability | The aerobic soil metabolism half-life is 3 days. | | |
| Bioaccumulative potential | | | |
| Partition coefficient n-octanol / water (log Kow) | | | |
| Phorate | | 3.92 | |
| Mobility in soil | No data available. | | |
| Other adverse effects | None known. | | |

13. Disposal considerations

| | |
|------------------------------|---|
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site according to all applicable regulations. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with all applicable local/regional/national/international regulations. |
|------------------------------|---|

| | |
|--|--|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal methods/information). |
| Contaminated packaging | Empty Lock'N Load® and SmartBox® containers should be returned to AMVAC Chemical Corporation per instructions provided. See the label on the container for more complete information. For empty bags, completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Check with Federal, State, and local authorities for the current regulations applicable to your area. |

14. Transport information

DOT

| | |
|-------------------------------------|---|
| UN number | UN2783 |
| UN proper shipping name | Organophosphorus pesticides, solid, toxic (Phorate RQ = 10 lbs), MARINE POLLUTANT |
| Transport hazard class(es) | |
| Class | 6.1(PGI, II) |
| Subsidiary risk | - |
| Label(s) | 6.1 |
| Packing group | II |
| Environmental hazards | |
| Marine pollutant | Yes |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions | IB8, IP2, IP4, N77, T3, TP33 |
| Packaging exceptions | 153 |
| Packaging non bulk | 212 |
| Packaging bulk | 242 |

IATA

| | |
|---|---|
| UN number | UN2783 |
| UN proper shipping name | Organophosphorus pesticides, solid, toxic (Phorate) |
| Transport hazard class(es) | |
| Class | 6.1(PGI, II) |
| Subsidiary risk | - |
| Label(s) | 6.1 |
| Packing group | II |
| Environmental hazards | Yes (when shipped over water) |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo aircraft | Allowed with restrictions. |
| Cargo aircraft only | Allowed with restrictions. |
| Read safety instructions, SDS and emergency procedures before handling. | |

IMDG

| | |
|-------------------------------------|---|
| UN number | UN2783 |
| UN proper shipping name | Organophosphorus pesticides, solid, toxic (Phorate), MARINE POLLUTANT |
| Transport hazard class(es) | |
| Class | 6.1(PGI, II) |
| Subsidiary risk | - |
| Label(s) | 6.1 |
| Packing group | II |
| Environmental hazards | |
| Marine pollutant | Yes |
| EmS | Not available. |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.


DOT



IATA; IMDG



Marine pollutant



General information

The classification of this product is based on the fact that the dust criteria found in 49CFR§173.132(b)(3) will not be met and therefore the Inhalation LC50 is not applicable.
DOT Regulated Severe Marine Pollutant.
IMDG Regulated Severe Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER -- POISON

HAZARD TO HUMANS AND DOMESTIC ANIMALS.

May be fatal if swallowed, inhaled or absorbed through skin or eyes. Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. Do not contaminate food or feed products. Once a container has been attached to the hopper, it is recommended that it be used completely. Make sure the hoppers are emptied while still in tech field. Refer to STORAGE AND DISPOSAL statement for further instructions.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Phorate (CAS 298-02-2) Listed.

SARA 304 Emergency release notification

PHORATE (CAS 298-02-2) 10 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

free respirable Crystalline (quartz) Silica (CAS 14808-60-7) Cancer

lung effects
immune system effects
kidney effects**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SARA 302 Extremely hazardous substance**

| Chemical name | CAS number | Reportable quantity (pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold planning quantity, upper value (pounds) |
|---------------|------------|------------------------------|--------------------------------------|---|---|
|---------------|------------|------------------------------|--------------------------------------|---|---|

Phorate 298-02-2 10 10

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Acute toxicity (any route of exposure)
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.**US state regulations****California Proposition 65****WARNING:** This product can expose you to free respirable Crystalline (quartz) Silica, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.**California Proposition 65 - CRT: Listed date/Carcinogenic substance**

free respirable Crystalline (quartz) Silica (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

free respirable Crystalline (quartz) Silica (CAS 14808-60-7)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | No |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision**Issue date** Aug-30-2018**Revision date** Jan-16-2019

References

ACGIH®: American Conference of Governmental Industrial Hygienists
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
EPA: Environmental Protection Agency
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
IARC: International Agency for Research on Cancer
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Agency
SARA: Superfund Amendments and Reauthorization Act
TSCA: Toxic Substances Control Act
DOT: Department of Transportation
IMDG: International Maritime Dangerous Goods
IATA: International Air Transport Association

Version #

2.0

HMIS® ratings

Health: 4*
Flammability: 0
Physical hazard: 0

NFPA ratings

Health: 4
Flammability: 0
Instability: 0

Disclaimer

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2018 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

Thimet is a trademark owned by AMVAC Chemical Corporation.

Lock'N Load is a registered trademark of AMVAC Chemical Corporation.

SmartBox is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Revision information

GHS: Classification