

TITAN® XC SDS NUMBER: 1000712376-17-LPI SDS REVISIONS: SEC. 9 **DATE OF ISSUE: 08/11/17 SUPERSEDES: 06/23/16**

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

PRODUCT IDENTIFIER:

TRADE NAME: TITAN® XC

1.2 RECOMMENDED USE: MICROBIAL-BASED BIO-CATALYST

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24-Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 - Product Information: 1-888-574-2878 (LPI-CUST) U.S. Coast Guard National Response Center: 1-800-424-8802

HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity - Oral Category 4 H302 Specific Target Organ Toxicity (Single Exposure) Category 3 H335

2.2 Label elements



WARNING Signal word:

Hazard Statement: H302 - Harmful if swallowed.

H313 - May be harmful in contact with skin. H333 - May be harmful if inhaled.

H335 - May cause respiratory irritation.

Precautionary

Statement: P264 - Wash hands and face thoroughly after handling. (Prevention): P261 – Avoid breathing dust/fume/gas/mist/vapors/spray. P270 - Do not eat, drink or smoke when using this product.

P271 – Use only outdoors or in a well-ventilated area.

P301+P312 - IF SWALLOWED: Call a poison center/doctor/physician if you feel unwell. Precautionary Statement: P330 - Rinse mouth.

(Response):

Precautionary Statement:

(Storage): Not required or applicable.

Precautionary Statement:

(Disposal): P501 – Dispose of contents/container in accordance with local, state and federal requirements.

2.3 Other hazards

None known

 TITAN® XC

< 1.00

1x103 cfu/ml*

99.00

SUPERSEDES: 06/23/16

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

Classification according to 29 CFR 1910.1200

3.2 Mixtures

Chemical Name: CAS No. Concentration [%]

Microorganisms (see below)

Bacillus licheniformis 68038-66-4

Water-based culture medium

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5

minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to

swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth

to an unconscious person.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by

mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Eye irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

Notes to Physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the

patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO₂), foam, water spray or

fog. Do not use water jet as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, may include but are not limited to oxides of carbon and oxides of sulfur, ammonia, and

oxides of nitrogen can be released.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires

involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate

fire and deny unnecessary entry.

SDS NUMBER: 1000712376-17-LPI SDS REVISIONS: SEC. 9

TITAN® XC

DATE OF ISSUE: 08/11/17 SUPERSEDES: 06/23/16

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors, dusts and spray mist and contact with skin and eyes. Ensure adequate

ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter

drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush

contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

Remove residual contamination.

Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of dusts, vapors / spray and contact with eyes, skin and clothing. Do not breathe

dusts, mist or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking

and/or smoking.

Requirements for Storage Areas and Containers:

7.2 CONDITIONS FOR SAFE STORAGE:

Store product in dark fiberglass or plastic containers out of direct sunlight or UV light. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated are, preferably in a locked storage area away from children, feed and food products, and seed. PROTECT

FROM FREEZING. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (OSHA) PELs

Components Type Value

No listings TW

Biological limit values

ACGIH Biological Exposure Indices

Components Value Specimen

No listings

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Wear long sleeved shirt and long pants. Routinely wash work clothing and protective equipment to remove

contaminants. The use of impervious gloves is recommended when handling undiluted product. Be aware that the

liquid may penetrate the gloves. Frequent change is advisable.

Respiratory Protection: Not normally required. In case of inadequate ventilation or risk of inhalation of dusts or vapors, use suitable

respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

 TITAN® XC SUPERSEDES: 06/23/16

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE : Liquid COLOR: Black.

ODOR THRESHOLD: No data available. ODOR: Odorless.

pH: 7.74.
MELTING POINT / FREEZING POINT: No data available

BOILING POINT: 212 °F / 100 °C FLASH POINT: Does not flash. FLAMMABILILITY (solid, gas): No data available.

UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.

VAPOR PRESSURE: No data available.

SOLUBILITY: Soluble

PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.

AUTO-IGNITION TEMPERATURE: No data available. DECOMPOSITION TEMPERATURE: No data available VISCOSITY, dynamic: No data available SPECIFIC GRAVITY (Water = 1): 1.01 g/ml

DENSITY: 8.40 lbs./gal / 1.01 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Excessive heat. Keep containers tightly closed.

10.5 INCOMPATIBILE MATERIALS

May be incompatible with some insecticides, fungicides and herbicides.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include but are not limited to oxides of carbon and oxides of sulfur, ammonia, and oxides of nitrogen.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact, skin contact.

LC₅₀ (rat): No data available

LD₅₀ Oral (rat): No data available

LD₅₀ Dermal (rat): No data available

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): No data available

Eye Irritation (rabbit): No data available

Specific Target Organ Toxicity: Single exposure: May cause respiratory irritation.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer Carcinogenicity: No data available Germ Cell Mutagenicity: No data available

Interactive Effects: None known

SDS NUMBER: 1000712376-17-LPI SDS REVISIONS: SEC. 9

TITAN® XC

DATE OF ISSUE: 08/11/17 SUPERSEDES: 06/23/16

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings.

Ecotoxicological Data

Components Species Test Results

No data available

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Do not reuse container. Triple rinse (or equivalent), adding rinsate to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/. or by reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED FERTILIZERS), NOI, LIQUID (NMFC 68140, SUB 6;

CLASS 70)

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings: NFPA HMIS

1Health0Least1Health0Flammability1Slight0Flammability0Instability2Moderate0Reactivity3HighBPPE

4 Severe

SDS NUMBER: 1000712376-17-LPI SDS REVISIONS: SEC. 9

DATE OF ISSUE: 08/11/17

TITAN® XC SUPERSEDES: 06/23/16

Ν

SARA Hazard Notification/Reporting					
SARA Title III Hazard Category:	Immediate	Y	Fire	N	Sudden Release of Pressure
	Delayed	N	Reactive	N	

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not applicable.

16. OTHER INFORMATION

SDS STATUS: Section 9 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®Titan is a registered trademark of Loveland Products, Inc.

*colony forming units/milliliter

Note: This product is guaranteed effective up to two years after date stamped on the product label.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.