

**TOMBSTONE** 

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020 SUPERSEDES: 03/07/2016

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

**Product Name TOMBSTONE** 

Other means of identification

**Product Code** PST-00180 UN/ID no NA1993 **Synonyms** None **Registration Number(s)** 34704-912

Recommended use of the chemical and restrictions on use

**Recommended Use** Insecticide.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** LOVELAND PRODUCTS, INC.

P.O. Box 1286

Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number **Emergency Telephone** 

1-888-LPI-CUST (574-2878) Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Dusts/Mists)	Category 3 - (H331)
Carcinogenicity	Category 1B - (H350)
Aspiration toxicity	Category 1 - (H304)
Flammable liquids	Category 4 - (H227)

# Label elements



Signal word **DANGER** 

H302 - Harmful if swallowed **Hazard statements** 

H304 - May be fatal if swallowed and enters airways

H331 - Toxic if inhaled H350 - May cause cancer



**TOMBSTONE** 

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020 SUPERSEDES: 03/07/2016

H227 - Combustible liquid

**Precautionary Statements -**

P201 - Obtain special instructions before use

Prevention

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P271 - Use only outdoors or in a well-ventilated area

**Precautionary Statements -**

Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P311 - Call a POISON CENTER or doctor/physician

P330 - Rinse mouth

P331 - Do NOT induce vomiting

**Precautionary Statements -**

Storage

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements -**

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### <u>Mixture</u>

Chemical Name	CAS No	Weight-%	GHS Classification	Trade Secret
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	40 - 70	Asp. Tox. 1 (H304)	*
Cyfluthrin	68539-37-5	10 - 30		*
Naphthalene	91-20-3	3 - 7	Acute Tox. 4 (H302) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	*
1,2,4-trimethylbenzene	imethylbenzene 95-63-6 1 - 5 Acute Tox. Skin Irrit. 2 Eye Irrit. 2 STOT SE Aquatic Chroi		Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226)	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020

SUPERSEDES: 03/07/2016

#### 4. FIRST AID MEASURES

## **Description of first aid measures**

**General advice** Get medical attention if symptoms occur.

Eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

**Skin contact**Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

**Inhalation** Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

Ingestion Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions

to protect themselves.

## Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

**Note to physicians** No specific antidote. Treat symptomatically.

Antidotes No data available

### 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam, Water spray, fog or regular foam, Use water spray or fog; do not use straight streams, Move containers from fire area if you can do it without risk

Unsuitable extinguishing media ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

# Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a "P" may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Substance may be transported hot.

## **Explosion data**

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020 SUPERSEDES: 03/07/2016

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

All equipment used when handling the product must be grounded. Do not touch or walk

through spilled material. Stop leak if you can do it without risk.

**Other Information** Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth,

sand or other non-combustible material and transfer to containers. Dike far ahead of liquid

spill for later disposal.

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material.

# 7. HANDLING AND STORAGE

Precautions for safe handling

**Advice on safe handling**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. All

equipment used when handling the product must be grounded. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking. Take necessary action to avoid static

electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated

place. Keep away from heat. Keep in properly labeled containers.

**Incompatible materials** Alkaline materials. Reacts with methanol. Incompatible with most disinfectants.



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020

SUPERSEDES: 03/07/2016

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

General Hygiene Considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular

cleaning of equipment, work area and clothing is recommended.



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020

SUPERSEDES: 03/07/2016

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear liquidColorGolden amberOdorHydrocarbonsOdor thresholdNo data available

<u>Property</u> <u>Values (Remarks - Method)</u>

pH
 Melting point / freezing point
 Boiling point
 Melting point
 No data available
 No data available

Flash point 67 °C / 153 °F (Tag Closed Cup)

Evaporation rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No data available
No data available
Vapor pressure
Vapor density
No data available
No data available
No data available
Specific Gravity
1.106 g/ml
Emulsifies
Solubility in other solvents

Solubility in other solventsNo data availablePartition coefficientNo data availableAutoignition temperatureNo data availableDecomposition temperatureNo data available

Kinematic viscosity 3.954 - 2.400 Centistokes @ 20 °C @ 40

°C

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

Other Information

VOC Content (%) No data available Density 9.23lbs/gal

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020

SUPERSEDES: 03/07/2016

# 10. STABILITY AND REACTIVITY

### Reactivity

No data available

# **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to avoid**

Heat, flames and sparks.

# **Incompatible materials**

Alkaline materials. Reacts with methanol. Incompatible with most disinfectants.

# **Hazardous Decomposition Products**

None known.



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020 SUPERSEDES: 03/07/2016

11. TOXICOLOGICAL INFORMATION

Acute toxicity of the formulated product:

Oral LD<sub>50</sub> 1,030 mg/kg Female rat

**Dermal LD**<sub>50</sub> > 5,000 mg/kg (male rat) (female rat) 0.54 - 2.04 mg/l (rat, 4 hr)

Skin corrosion/irritation Moderately irritating.
Serious eye damage/eye irritation Severely irritating to eyes.

Sensitization Sensitizer.

Chemical Name	Oral LD <sub>50</sub>	Dermal LD50	Inhalation LC50	
Solvent naphtha (petroleum), heavy	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m³ (Rat) 4 h	
aromatic				
Naphthalene	= 1110 mg/kg (Rat) = 490 mg/kg (	= 1120 mg/kg (Rabbit) > 20 g/kg (	> 340 mg/m³ (Rat) 1 h	
	Rat )	Rabbit )		
1,2,4-trimethylbenzene	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m <sup>3</sup> (Rat) 4 h	

Chemical Name	Skin corrosion/irritation	Eye damage/irritation	Respiratory sensitization	Skin sensitization
1,2,4-trimethylbenzene	Category 2	Category 2		
95-63-6				

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Germ cell mutagenicity**No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Naphthalene	A3	Group 2B	Reasonably Anticipated	X
91-20-3				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects.

Target Organ Effects blood, Central nervous system, Eye damage/irritation, kidney, liver, Respiratory system,

Skin.

**Aspiration hazard** No information available.

## Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

Eye contact No data available.

**Skin contact** No data available.

**Ingestion** No data available.



**TOMBSTONE** 

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020
12. ECOLOGICAL INFORMATION

# SUPERSEDES: 03/07/2016

# **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Solvent naphtha (petroleum), heavy	EC50 2.5 mg/L 72 h Skeletonema	LC50 19 mg/L 96 h Pimephales	EC50 0.95 mg/L 48 h Daphnia
aromatic	costatum	promelas LC50 2.34 mg/L 96 h	magna
64742-94-5		Oncorhynchus mykiss LC50 1740	
		mg/L 96 h Lepomis macrochirus	
		LC50 45 mg/L 96 h Pimephales	
		promelas LC50 41 mg/L 96 h	
		Pimephales promelas	
Naphthalene EC50 0.4 mg/L 72 h Skeletonema		LC50 5.74 - 6.44 mg/L 96 h	LC50 2.16 mg/L 48 h Daphnia
91-20-3	costatum	Pimephales promelas LC50 1.6	magna EC50 1.96 mg/L 48 h
		mg/L 96 h Oncorhynchus mykiss	Daphnia magna EC50 1.09 - 3.4
		LC50 0.91 - 2.82 mg/L 96 h	mg/L 48 h Daphnia magna
		Oncorhynchus mykiss LC50 1.99	
		mg/L 96 h Pimephales promelas	
		LC50 31.0265 mg/L 96 h Lepomis	
		macrochirus	
1,2,4-trimethylbenzene	-	LC50 7.19 - 8.28 mg/L 96 h	EC50 6.14 mg/L 48 h Daphnia
95-63-6		Pimephales promelas	magna

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Other adverse effects No information available



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020

SUPERSEDES: 03/07/2016

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** 

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/. Do not contaminate water, food or feed by storage or disposal.

#### Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Naphthalene	U165	Included in waste streams:	-	U165
91-20-3		F024, F025, F034, F039,		
		K001, K035, K060, K087,		
		K145		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene	-	-	Toxic waste	-
91-20-3			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free	
			radical catalyzed processes.	
			These chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain lengths	
			ranging from one to and	
			including five, with varying	
			amounts and positions of	
			chlorine substitution.	

# 14. TRANSPORT INFORMATION

Note: 119 GALLONS OR LESS: NOT REGULATED

DOT

UN/ID no NA1993

Proper shipping name NA1993, COMBUSTIBLE LIQUID, N.O.S., (NAPHTHALENE), III

Ш

Greater than 143 gallons: RQ NA1993, COMBUSTIBLE LIQUID,

N.O.S., (NAPHTHALENE) III

U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL

REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120;

CLASS: 60)

Packing Group

Reportable Quantity (RQ)

Naphthalene: RQ kg= 45.4

Emergency Response Guide Number 128



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020

SUPERSEDES: 03/07/2016

### 15. REGULATORY INFORMATION

NFPA Health hazards 2 Flammability 2 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 2 Physical hazards 0 Personal protection X

0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

# **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Naphthalene - 91-20-3	0.1
1,2,4-trimethylbenzene - 95-63-6	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Naphthalene	100 lb	X	X	X
91-20-3				

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Naphthalene	100 lb 1 lb	=	RQ 100 lb final RQ
91-20-3			RQ 45.4 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ

# **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Naphthalene - 91-20-3	Carcinogen

US EPA Waste Number U165

U.S. EPA Label Information

**EPA Registration Number** 34704-912

**EPA Statement** 

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**DANGER** 

#### Difference between SDS and EPA Pesticide label



TOMBSTONE

SDS REVISIONS: ALL SECTIONS DATE OF ISSUE: 11/19/2020

SUPERSEDES: 03/07/2016

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles or face shield). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. May be fatal if inhaled. Do not breathe vapors or spray mist. Harmful if swallowed or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

# **16. OTHER INFORMATION**

Prepared By Product Stewardship and Regulatory Affairs

Reviewed By Safety, Health and Environment

 Issue Date
 11/19/2020

 Revision Date
 11/19/2020

**Revision Note** 

All SDS sections updated

**TOMBSTONE** is a registered trademark of Loveland Products, Inc.

### Disclaimer

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

**End of Safety Data Sheet**