

Report 11-Nov-19 Date

Page 1 of 5

#### 1. Identification

Product Name : TRANSACTIVE HC

Synonyms: None

Product Use : Basic Blend Spray Adjuvant Manufacturer/Supplier : Helena Agri-Enterprises, LLC

Address: 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

Transportation Emergency Number : CHEMTREC:800-424-9300

### 2. Hazard Identification





Signal Word: Warning

Skin Irritation : Causes severe burns and eye damage

Eye Irritation : Causes serious eye damage Acute Toxicity Oral : No LD50 data available Acute Toxicity Dermal : No LD50 data available

Hazard Categories : Oral Toxicity-5; Eye/Skin Irritation-1/1A; Combustible Liquid-4;

STOT,Repeated-2

Hazard Statement : May be harmful if swallowed

Causes severe skin burns and eye damage

Combustible liquid

May cause damage to organs through prolonged or repeated exposure

### 3. Composition / Information on Ingredients

Component

**CAS Number** 

Weight %

Ammonium salts, 1,2,3-propanetriol, polyalkoxylates and alkaline buffering **Proprietary** 

100.00

#### 4. First Aid Measures



Report 11-Nov-19 Date

Page 2 of 5

Eye: Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes.

Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for further treatment advice.

Skin : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15

to 20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Rinse

mouth with water. Do not induce vomiting. Do not give anything by mouth if

unconscious.

**Attention and Special Treatment** 

Indication of Immediate Medical : In the event of an adverse response, treatment should be directed toward control

of the symptoms.

# 5. Fire Fighting Measures

**Extinguishing Media**: Use dry chemical, waterspray, water fog, carbon dioxide, foam or earth to

extinguish fires.

Specific Hazards Arising from the : May emit carbon monoxide and carbon dioxide when burned.

Chemical

Needed

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing.

#### 6. Accidental Release Measures

Personal Precautions : Keep unprotected and unnecessary personnel out of spill area.

Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

Emergency Procedures : Contain spilled product. Do not contaminate water supplies, lakes, streams,

drains or sewers.

Methods and Materials for : Absorb spilled liquid with an inert material, such as sand, soil or Vermiculite.

**Containment and Cleanup** Sweep and place in suitable containers for proper disposal.

#### 7. Handling and Storage

Precautions for Safe Handling : Keep locked up and out of reach of children. Do not contaminate water, food or

feed by storage, handling or disposal. Keep container tightly closed. Do not allow

water to be introduced into the contents of the container.

Conditions for Safe Storage : Store in original container only. Do not store near heat or open flame. Do not store

with oxidizing agents or ammonium nitrate. Do not store at temperatures below 20

Degrees F. If frozen, shake well before using.

### 8. Exposure Controls / Personal Protection



Report 11-Nov-19

Page 3 of 5

TLV/PEL: No TLV or PEL established.

Appropriate Engineering Controls : Local (mechanical) exhaust is recommended.

Personal Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

### 9. Physical and Chemical Properties

Odor/Appearance : Clear to slightly hazy pale yellow liquid; ammonia odor.

Flash Point, oF : 141 Degrees F. Boiling Point, oF : Not measured

Melting Point(Freezing point), ∘C : Not measured Vapor Pressure, mm Hg @ 20 ∘C : Not measured

Vapor Density : Not measured Solubility in Water : Not measured

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 oC : 1.145-1.17

Evaporation Rate(Butyl Acetate = : Not measured

1)

Octanol/Water Partition : Not measured

Coefficient

**pH**: 8.0 to 9.0 (1%)

Flammable Limits (approximate : No information found

volume % in air)

Auto-ignition Temperature : Not determined.

Decomposition temperature : Not measured

# 10. Stability and Reactivity

Reactivity: Not reactive

Chemical Stability : Stable

Hazardous Decomposition : Thermal decomposition in the presence of air produces oxides of carbon and

Products

nitrogen.

Hazardous Polymerization : Will not occur

Conditions to Avoid : Extreme heat, open flame, sources of ignition. Strong bases, strong acids and

strong oxidizers.

**Incompatible Materials**: Strong bases, strong acids and strong oxidizers.

### 11. Toxicological Information

Acute Toxicity (Oral LD50) : No LD50 data available. May be harmful if swallowed.

Acute Toxicity (Dermal LD50) : No LD50 data available. Not classified as hazardous under 29 CFR 1910.1200

(2012).



Report 11-Nov-19 Date

4 of 5 Page

Acute Toxicity Inhalation LC50 : >20 mg/L (vapor) and >5 mg/L (dust/mist). Not classified as hazardous under 29

CFR 1910.1200 (2012).

Likely Routes of Exposure : Skin and eyes

**Skin Irritation**: Causes severe skin burns and eye damage.

Eye Irritation : Causes serious eye damage.

Skin Sensitization : Not a skin sensitizer.

Carcinogenic : Not listed.

Chronic Effects : Specific Target Organ Toxicity, Repeated Exposure: May cause damage to

organs through prolonged or repeated exposure.

Other Hazards: Prop 65 WARNING!: This product can expose you to chemicals including

Acetaldehyde, Oxirane, and 1,4-dioxane, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more

information go to www.P65Warnings.ca.gov.

### 12. Ecological Information

Ecotoxicity: No information found

Persistence and Degradability : No information found Bioaccumulative Potential : No information found

Mobility in Soil : No information found

Other Adverse Effects : No information found

### 13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

### 14. Transport Information

UN Proper Shipping Name : Not regulated by DOT in less than bulk packages.

Transport Hazard Class : None UN Identification Number : None Packaging Group : None

Environmental Hazards : No information found

Transport in Bulk : If shipped by ground (DOT) in single bulk package (>119 gallons), ship as:

NA1993, Combustible Liquid, n.o.s., (contains Butanol), PG III "ERG #128"

**Transportation** 

Special Precautions for : No information available

Freight Classification : Adhesives, Adjuvants, Spreaders or Stickers, N.O.I. (NMFC Item 42652, Class



Report Date 11-Nov-19

Page 5 of 5

National Fire Protection : Association Rating

Health: 2 Fire: 2 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate( Acute) Health: Y Delayed (Chronic) Health: N

Sudden Release of N

Pressure:

Fire: Y

Reactive: N

### 16. Other Information

Data of Preparation/Revision : 11-November-2019