



Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF FLORIDA

Tribune® Herbicide

Water Use Restrictions Relative to Operating Potable Water Intakes, Drinking Water, Livestock Consumption, Spray Tank Applications and Irrigation to Turf and Ornamentals, and Spray Tank Applications and Irrigation to Food Crops for Applications to Floating, Marginal and Submersed Weeds

EPA Reg. No. 100-1390

EPA SLN No. FL-110009

Active Ingredient:

Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-c) pyrazinediium dibromide].....37.3%

Other Ingredients:.....62.7%

Total:.....100.0%

Contains 2lbs. Diquat cation per gallon as 3.73 lbs. salt per gallon

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered label.

Water Use Restrictions Relative to Operating Potable Water Intakes

- **Flowing Water (e.g., rivers, streams, canals):** Do not apply within 1600 feet upstream or within 400 feet downstream of operating potable water intake sites or where water will be used for drinking, livestock consumption, spray tank applications to turf and ornamentals, and spray tank applications and irrigation to food crops.
- **Standing Water (e.g. lakes, reservoirs):** When making applications to floating and submersed weeds, **do not** apply within the listed distance of potable water intakes or where water will be used for drinking, livestock consumption, spray tank applications to turf and ornamentals, and spray tank applications and irrigation to food crops:
 - 1400 feet for rates at 2 gals/acre or
 - 700 feet for rates at 1 gal/acre or

- 350 feet for rates equal to or less than 0.5 gal/acre
 - For rates between 1 and 2 gal/acre, distance may be adjusted (e.g., 1 $\frac{3}{4}$ = 1225 feet, 1 $\frac{1}{2}$ = 1050 feet, 1 $\frac{1}{4}$ = 875 feet).

To make applications within these restricted areas, the intake must be turned off for the time period specified on the Federal label [titled, Water Use Restrictions Following Applications With Tribune Herbicide (see below)] or until the treated area contains less than the designated maximum contaminant level (MCL) of 0.02 mg/L (ppm) of diquat dibromide (calculated as the cation by an approved assay [example: PAM II Spectrometric Method]).

Water beyond the specified distances for each application rate have no restrictions to use. The water beyond the specified distances fall below the designated maximum contaminant level (MCL) of 0.02 mg/L (ppm) of diquat dibromide.

There are no restrictions on using the water for fishing and swimming within the treated area.

Restrictions do not apply where applications of Tribune Herbicide are made to dense weeds that completely cover the water surface and minimal amounts of Tribune Herbicide could reach the water.

USE OF TRIBUNE HERBICIDE FOR SUBMERSED WEEDS AT WATER UP TO 12FT

Tribune Herbicide is labeled for use at rates up to 2 gal/surface acre. These rates are based on a maximum water depth of 4 feet. If water depth exceeds 4 feet, higher rates per surface acre may be required for submersed weeds to obtain control.

APPLICATION RATES FOR SUBMERSED WEEDS

Water Depth	Rate of Tribune per Treated Surface Acre
< 2 feet	0.5 - 1.0 gal
2-4 feet	1.0 - 2.0 gal
5 feet	1.0 - 2.5 gal
6 feet	1.0 - 3.0 gal
7 feet	1.0 - 3.5 gal
8 feet	1.0 - 4.0 gal
9 feet	1.0 - 4.5 gal
10 feet	1.0 - 5.0 gal
11 feet	1.0 - 5.5 gal
12 feet	1.0 - 6.0 gal

**WATER USE RESTRICTIONS FOLLOWING APPLICATIONS WITH
TRIBUNE (Wait Period in Days)**

Application Rate	Drinking	Fishing and Swimming	Livestock Consumption	Spray Tank Applications** and Irrigation to Turf and Ornamentals	Spray Tank Applications** and Irrigation to Food Crops
≥ 2 gal/surface acre	3 days	0	1 day	3 days	5 days
1 gal/surface acre	2 days	0	1 day	2 days	5 days
0.75 gal/surface acre	2 days	0	1 day	2 days	5 days
0.50 gal/surface acre	1 day	0	1 day	1 day	5 days
Spot spray* (< 0.5 gal/surface acre)	1 day	0	1 day	1 day	5 days

*Rates refer to total surface area.

**For preparing agricultural sprays for food crops, turf or ornamentals (to prevent phytotoxicity), do not use water treated with Tribune Herbicide before the specified time period.

When the contents of more than one spray tank is necessary to complete a single aquatic application, no water holding restrictions apply between the consecutive spray tanks.

No applications are to be made in areas where commercial processing of fish, resulting in the production of fish protein concentrate or fish meal, is practiced. Before application, coordination and approval of local and/or State authorities must be obtained.

PRECAUTIONS AND RESTRICTIONS

Prior to using this product in a particular county, contact the local Extension Service Office or the U.S. Fish and Wildlife Service for procedures and precautions to protect the endangered or threatened species.

NOTE: Persons using this product must comply with all applicable directions, restrictions, precautions and worker safety rules found on this labeling and that of the federally registered Tribune Herbicide label.

©2020 Syngenta

Tribune® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: FL1390057BA0220