

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

1/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	TRIGO™
Product code (UVP)	79974582
SDS Number	102000024286
EPA Registration No.	432-1513

Relevant identified uses of the substance or mixture and uses advised against

Use	Fungicide
Restrictions on use	See product label for restrictions.

Information on supplier

Supplier	Bayer Environmental Science A division of Bayer CropScience LP 500 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
---	----------------

Product Information Telephone Number	1-800-331-2867
--------------------------------------	----------------

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Skin sensitisation: Category 1
Acute toxicity(Inhalation): Category 4
Acute toxicity(Oral): Category 4
Reproductive toxicity: Effects on or via lactation
Carcinogenicity: Category 1B

Labelling in accordance with regulation HCS 29CFR §1910.1200



SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

2/12
Revision Date: 04/02/2020
Print Date: 04/03/2020

Signal word: Warning

Hazard statements

May cause an allergic skin reaction.
Harmful if inhaled.
Harmful if swallowed.
May cause harm to breast-fed children.
May cause cancer.

Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust or mist.
Avoid contact during pregnancy/ while nursing.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Wash thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Do not eat, drink or smoke when using this product.
IF ON SKIN: Wash with plenty of water/ soap.
If skin irritation or rash occurs: Get medical advice/ attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician.
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
Rinse mouth.
IF exposed or concerned: Get medical advice/ attention.
Specific treatment (see supplemental first aid instructions on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Triadimefon	43121-43-3	41.67
Trifloxystrobin	141517-21-7	8.33
Sodium lignosulphonate	8061-51-6	8.0
Sodium dodecylbenzenesulfonate	25155-30-0	1.85
Crystalline quartz (respirable)	14808-60-7	0.35

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

3/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Most important symptoms and effects, both acute and delayed	
Symptoms	To date no symptoms are known.
Indication of any immediate medical attention and special treatment needed	
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	Not applicable

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

4/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

Auto-ignition temperature	No data available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

5/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No known occupational limit values.

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Tightly fitting safety goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	tan
Physical State	water-dispersible granules
Odor	characteristic
Odour Threshold	No data available
pH	ca. 7.5
Viscosity, kinematic	No data available
Vapor Pressure	Not applicable
Vapor Density (Air = 1)	Not applicable
Density	No data available
Bulk density	0.513 - 0.609 g/ml (loose)
Evaporation rate	Not applicable
Boiling Point	Not applicable
Melting / Freezing Point	No data available
Water solubility	dispersible

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

6/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

Minimum Ignition Energy	No data available
Decomposition temperature	Stable under normal conditions.
Self-accelerating decomposition temperature (SADT)	No data available
Partition coefficient: n-octanol/water	No data available
Flammability	No data available
Flash point	Not applicable
Auto-ignition temperature	No data available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	No data available
Particle size	No data available
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Strong oxidizing agents, Acids
Hazardous decomposition products	Hydrogen chloride (HCl) Amines Nitrogen oxides (NOx) Carbon monoxide

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Inhalation, Ingestion
Immediate Effects	

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

7/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

Eye	Moderate eye irritation.
Skin	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Harmful if absorbed through skin.
Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.
Information on toxicological effects	
Acute oral toxicity	LD50 (Rat) > 500 - 5,000 mg/kg Information given is based on data obtained from similar substances.
Acute inhalation toxicity	LC50 (Rat) > 2.0 mg/l Exposure time: 4 h Determined in the form of dust. highest concentration tested Information given is based on data obtained from similar substances.
Acute dermal toxicity	LD50 (Rat) > 2,000 - 5,000 mg/kg Information given is based on data obtained from similar substances.
Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit) Information given is based on data obtained from similar substances.
Serious eye damage/eye irritation	Slight irritant effect - does not require labelling. (Rabbit) Information given is based on data obtained from similar substances.
Respiratory or skin sensitisation	Skin: Sensitising (Guinea pig) Information given is based on data obtained from similar substances.

Assessment STOT Specific target organ toxicity – single exposure

Triadimefon: Based on available data, the classification criteria are not met.
Trifloxystrobin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Triadimefon did not cause specific target organ toxicity in experimental animal studies.
Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Triadimefon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Triadimefon was not carcinogenic in a lifetime feeding study in rats. Triadimefon caused an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism that triggers these tumours is not relevant to humans.
Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Crystalline quartz (respirable)	14808-60-7	Group A2
---------------------------------	------------	----------

NTP

Crystalline quartz (respirable)	14808-60-7
---------------------------------	------------

IARC

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

8/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

Crystalline quartz (respirable)

14808-60-7

Overall evaluation: 1

OSHA

None.

Assessment toxicity to reproduction

Triadimefon caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Triadimefon caused reduced fertility, a reduced pup survival.

Trifloxystrobin caused reduced body weight development in offspring during lactation only at doses also producing systemic toxicity in adult rats.

Assessment developmental toxicity

Triadimefon caused developmental toxicity in only at dose levels toxic to the dams. Triadimefon caused an increased incidence of non-specific malformations.

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Further information

Acute toxicity studies have not been performed on this product as formulated.

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.08 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient triadimefon.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 7.16 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient triadimefon.

EC50 (Daphnia magna (Water flea)) 0.016 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient trifloxystrobin.

LC50 (Mysidopsis bahia (mysid shrimp)) 0.00862 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic plants

IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.01 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient triadimefon.

EC10 (Desmodesmus subspicatus (green algae)) 0.0025 mg/l

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

9/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

	Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient trifloxystrobin. IC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient trifloxystrobin.
Biodegradability	Triadimefon: Not rapidly biodegradable Trifloxystrobin: Not rapidly biodegradable
Koc	Triadimefon: Koc: 150 - 510 Trifloxystrobin: Koc: 2377
Bioaccumulation	Triadimefon: Bioconcentration factor (BCF) 31 Does not bioaccumulate. Trifloxystrobin: Bioconcentration factor (BCF) 431 Does not bioaccumulate.
Mobility in soil	Triadimefon: Moderately mobile in soils Trifloxystrobin: Slightly mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations. Follow container label instructions for disposal of wastes generated during use in compliance with the product label. It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Contaminated packaging	Consult state and local regulations regarding the proper disposal of container.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply. When and if this material is determined to be a waste, if discarded, this material will carry RCRA waste code(s) NON-RCRA . State and local laws may vary and must be considered.

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

10/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number **3077**
Class **9**
Packaging group **III**
Marine pollutant **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRIFLOXYSTROBIN, TRIADIMEFON MIXTURE)**

IATA

UN number **3077**
Class **9**
Packaging group **III**
Environm. Hazardous Mark **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRIFLOXYSTROBIN, TRIADIMEFON MIXTURE)**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: **INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON**

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1513

US Federal Regulations

TSCA list

Kaolin 1332-58-7
Sodium lignosulphonate 8061-51-6
Sodium aluminium silicate 1344-00-9
Sodium dodecylbenzenesulfonate 25155-30-0

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Yes

US States Regulatory Reporting
CA Prop65

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

11/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable) 14808-60-7

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Triadimefon	43121-43-3	Developmental toxin.
Triadimefon	43121-43-3	Male reproductive toxin.
Triadimefon	43121-43-3	Female reproductive toxin.

US State Right-To-Know Ingredients

Triadimefon	43121-43-3	NJ
Kaolin	1332-58-7	MN, RI
Sodium aluminium silicate	1344-00-9	CA, MN
Sodium dodecylbenzenesulfonate	25155-30-0	CA, CT, IL, NJ

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Causes moderate eye irritation.
Harmful if swallowed, inhaled or absorbed through the skin.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development

SAFETY DATA SHEET



TRIGO™

Version 3.0 / USA
102000024286

12/12

Revision Date: 04/02/2020
Print Date: 04/03/2020

TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information. Section 12. Ecological information. Reviewed and updated for general editorial purposes.

Revision Date: 04/02/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.