TruPhos[®] MeriStim[™]0-23-3

A phosphate true solution to promote meristematic growth in all crops

GUARANTEED ANALYSIS:

Available Phosphate (P ₂ O ₅)	.23.0%
Soluble Potash (K ₂ O)	3.0%
Calcium (Ca)	2.5%
Zinc (Zn)	1.0%

Derived from orthophosphoric acid, potassium carbonate, hydrated lime and zinc oxide

For use as a fertilizer in foliar and fertigation applications to supplement phosphorus, potassium, calcium and zinc levels on agricultural crops.

Florida Fertilizer License No. F001468

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html.

DIRECTIONS FOR USE (Use only as Directed):

- Exercise caution with foliar applications in extreme weather conditions such as high temperatures and poor drying conditions.
- Aerial application minimum of 5 gallons of water/acre. Ground application minimum of 20 gallons of water/acre. Apply with sufficient water to deliver spray uniformly on leaf surfaces. Higher volumes of water should be used for higher rates of fertilizer.
- Exercise caution when applying to any crop during bloom, as many factors can affect fruit set and final fruit quality.
- TruPhos MeriStim is compatible with most agricultural chemicals and nutrients.
 Not compatible with aluminum equipment. Should be applied in conjunction with tissue and/or soil analysis.
- Application rates vary according to specific crop requirements, management objectives, soil nutrient availability and/or environmental conditions.
- Fertilizers vary in analysis and quality and should be jar tested with this product before use.
- Consult a NutriAg representative for specific crop recommendations, application timings and necessity of its use.

SUGGESTED RATES

FOLIAR RATES: For concentrated sprays (in 30 gal water/ac or less), apply up to 2 qt/ac. For dilute sprays (above 30 gal water/ac), apply up to 1.5% (v/v), or up to 6 qt/ac. Multiple applications may be required.

SOIL/FERTIGATION RATES: The number and frequency of applications determine application rates. Apply up to 5 gal/ac/application. Multiple applications may be required. If applied via irrigation system always apply toward the end of an irrigation cycle.

CROPS: Forage Crops: Alfalfa, Clover, Hay Crops: Field Crops: Cereals, Corn, Cotton, Sorghum, Sugar cane; Legumes: Dry bean, Lentil, Peanut, Pea, Soybean; Root Vegetables (including, but not limited to): Beet, Carrot, Garlic, Parsnip, Radish, Rutabaga, Sugar Beet, Sweet Potato, Turnip; Leafy Vegetables (including but not limited to): Bok Choy, Celery, Chard, Cilantro, Cole Crops, Lettuce, Parsley, Spinach: Other Vegetables: Artichoke, Asparagus, Cucurbits, Eggplant, Okra, Onions (bunching, bulbing), Peppers, Rhubarb, Snap bean, Sweet Corn, Tomato; Berry Crops: Blueberry, Caneberry, Cranberry, Elderberry, Gooseberry, Strawberry: Tree Fruit (including but not limited to): Apple, Apricot, Avocado, Cherry, Nectarine, Olive, Peach, Pear, Persimmon, Plum, Pomegranate, Prune, Quince; Other Fruit: Citrus (all), Fig. Kiwi, Melons: Nut Trees (including but not limited to): Almond, Filbert, Hazelnut, Pecan, Pistachio, Walnut; Grapes: Currant, Raisin, Table, Wine; Other Crops: Herbs, Hops, Mint, Potato, Safflower, Spearmint, Stevia, Sunflower,

ATTENTION: The use of this fertilizing material on any crops other than those recommended may result in serious injury to the crops.

KEEP OUT OF REACH OF CHILDREN.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg is not liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.



WARNING

May be corrosive to metals. Causes serious eye irritation. Contains 27.5-30.5% of ingredients of unknown toxicity (inhalation). Contains 3-4% of ingredients of unknown toxicity (dermal). Precautionary Statement(s):

Keep only in original packaging. Wash hands and skin thoroughly after handling. Wear eve protection/face protection IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses. if present and easy to do. Continue rinsing. If eve irritation persists: Get medical advice/attention. Absorb spillage to prevent material damage. Store in corrosive resistant container with a resistant inner Dispose of contents/container

in accordance with local/

regulations.

regional/national/international

Rev: 071423US-ALL

Net Contents:

Net Weight/
Gallon:

Net Weight:

Batch No.:



