

Report Date 18-Mar-22

Page 1 of 4

1. Identification

Product Name : TYCOON Synonyms : None

Product Use : Azoxystrobin+Difenoconazole Fungicide

Manufacturer/Supplier: Helena Agri-Enterprises, LLC

Address: 225 Schilling Blvd. Collierville, TN 38017

General Information: 901-761-0050

Transportation Emergency Number: CHEMTREC:800-424-9300

2. Hazard Identification



Signal Word: Warning

Skin Irritation: Not classified as hazardous under 29 CFR 1910.1200 (2012) **Eye Irritation**: Not classified as hazardous under 29 CFR 1910.1200 (2012)

Acute Toxicity Oral : LD50 > 2,000 mg/kg (female rat)
Acute Toxicity Dermal : LD50 > 2,000 mg/kg (rat)

Hazard Categories: Inhalation Toxicity-4; Skin Sensitization-1B

Hazard Statement: Harmful if inhaled

May cause an allergic skin reaction

3. Composition / Information on Ingredients

 Component
 CAS Number
 Weight %

 Azoxystrobin
 131860-33-8
 22.13

 Difenoconazole
 119446-68-3
 13.87

 Other ingredients, including:
 64.00

 1,2-Propanediol
 57-55-6
 Trade Secret

4. First Aid Measures

Eye: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

Skin : Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
 Inhalation : Move person to fresh air. If not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control

center or doctor for further treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Do not

give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth if unconscious.

Indication of Immediate Medical: May cause an allergic skin reaction. There is no specific antidote if ingested.

Attention and Special Treatment Treat symptomatically. Persons suffering a temporary allergic reaction may

Needed respond to treatment with antihistamines or steroid creams and/or systemic

steroids.

5. Fire Fighting Measures



Report Date

18-Mar-22

Page 2 of 4

Extinguishing Media: Use dry chemical, foam or carbon dioxide extinguishing media. If water is used

to fight fire, dike and collect runoff.

Specific Hazards Arising from the During a fire, irritating and possibly toxic gases may be generated by thermal

Chemical decomposition or combustion.

Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Evacuate

nonessential personnel from the area to prevent human exposure to fire,

smoke, fumes or products of combustion.

Accidental Release Measures

Personal Precautions: Keep unprotected and unnecessary personnel out of spill area.

Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. In case of emergency spills, use a NIOSH-approved respiratory with any N, R, P or HE filter. Eyewash and emergency shower should be available in

work area.

Emergency Procedures : Control the spill at its source. Contain the spill to prevent spreading or

contaminating soil or from entering sewers, drainage systems or any body of

water. Clean up spills immediately.

Containment and Cleanup

Methods and Materials for : Cover entire spill with absorbent material, collect and place into compatible disposal container. Scrub area with hard water detergent (e.g., commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for

disposal.

Handling and Storage

Precautions for Safe Handling: Store the material in a well-ventilated, secure area out of reach of children and

domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly

with soap and water after handling.

Conditions for Safe Storage : Store in a locked area.

Exposure Controls / Personal Protection

TLV/PEL: No TLV or PEL established for any of the product's ingredients.

Appropriate Engineering Controls: Use effective engineering controls to comply with occupational exposure limits (if

applicable).

Personal Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and

footwear. Respiratory protection not normally needed. Eyewash and emergency

shower should be available in work area.

Physical and Chemical Properties

Odor/Appearance: Light yellow to yellow liquid; weak odor.

Flash Point, °F : >212 Degrees F. Boiling Point, ⁰F : Not available

Melting Point(Freezing point), °C : Not available

Vapor Pressure, mm Hg @ 20 °C : Not determined for mixture

Vapor Density: Not available

Solubility in Water: Not determined for mixture

Molecular Formula: Not applicable, formulated mixture.

Density, g/mL @ 25 °C : 1.08-1.12



Report Date 18-Mar-22

Page 3 of 4

Evaporation Rate(Butyl Acetate = : Not available

1)

Octanol/Water Partition : Not available

Coefficient

pH: 5 to 9 (1% wt/vol)

Flammable Limits (approximate : Not available

volume % in air)

Auto-ignition Temperature : 941 Degrees F. **Decomposition temperature** : Not available

10. Stability and Reactivity

Reactivity: Not reactive.

Chemical Stability: Stable

Hazardous Decomposition: None known.

Products

Hazardous Polymerization : Will not occur Conditions to Avoid : None known.

Incompatible Materials : None known.

11. Toxicological Information

Acute Toxicity (Oral LD50) : >2,000 mg/kg (female rat). Not classified as hazardous under 29 CFR

1910.1200 (2012).

Acute Toxicity (Dermal LD50) : >2,000 mg/kg (rat). Not classified as hazardous under 29 CFR 1910.1200

(2012).

Acute Toxicity Inhalation LC50 : 2.06-5.17 mg/L/4 hour (rat). Harmful if inhaled.

Likely Routes of Exposure : Dermal, inhalation

Skin Irritation: Not classified as hazardous under 29 CFR 1910.1200 (2012). Slightly irritating.

Eye Irritation: Not classified as hazardous under 29 CFR 1910.1200 (2012). Mildly irritating.

Skin Sensitization : May cause an allergic skin reaction. A skin sensitizer in animal tests (Guinea

pig).

Carcinogenic: Not listed by IARC, NTP or OSHA.

Chronic Effects: Difenoconazole: Kidney and liver effects at high doses (>5,000 ppm, rats). Eye

effects in dogs at high dose levels. Propylene Glycol: Reported to cause central

nervous system depression, headache, nausea.

Other Hazards : CA PROPOSITION 65 WARNINGS: No listed ingredients appear on the CA

PROPOSITION 65 WARNINGS listing.

12. Ecological Information

Ecotoxicity: Azoxystrobin/Difenoconazole: Fish (Rainbow Trout) 96-hour LC50=470 ppb/1.1

mg/L; Green Algae 5-day EC50=106 ppb/EbC50=0.032 mg/L; Invertebrate (Water Flea) 48-hour EC50=259 ppb/0.77 mg/L; Bird (Mallard Duck) 14-day

LD50>250 mg/kg.

Persistence and Degradability: Azoxystrobin: Not persistent in soil. Stable in water. Difenoconazole: Stable in

soil and water.

Bioaccumulative Potential: Azoxystrobin: Low bioaccumulation potential. Difenoconazole: no information

available.

Mobility in Soil: Azoxystrobin: Moderate mobility in soil. Sinks in water after 24 hours.

Difenoconazole: Low to moderate mobility in soil. Sink in water (after 24 hours).

Other Adverse Effects: No information available.



Report Date 18-Mar-22

Page 4 of 4

13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local

procedures under the Resource Conservation and Recovery Act.

14. Transport Information

UN Proper Shipping Name : Not regulated by DOT for ground transportation. Regulated if shipped by air

(IATA) or water (IMDG).

Transport Hazard Class : None
UN Identification Number : None
Packaging Group : None

Environmental Hazards: Not listed as a Marine Pollutant on Appendix B to 49 CFR Part 172.101.

Transport in Bulk: Not regulated by DOT.

Special Precautions for: If shipped by air (IATA) or water (IMDG), ship as: UN3082, Environmentally

Transportation Hazardous Substance, Liquid, n.o.s., (Azoxystrobin, Difenoconazole), 9, PG III,

Marine Pollutant

Freight Classification: Pesticides, NOI, Fungicides, Other than Poison (NMFC Item 155050, Sub 11,

Class 70)

15. Regulatory Information

National Fire Protection :

Association Rating

Health: 2 Fire: 1 Reactivity: 0

Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard : Classification (Yes/No)

Immediate(Acute) Health: Y
Delayed (Chronic) Health: Y
Sudden Release of N
Pressure:

Fire: N Reactive: N

FIFRA Information: This Chemical is a pesticide product registered by the Environmental Protection Agency and is

subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on

the pesticide label:

EPA Registration Number: 5905-651 **FIFRA Signal Word**: Caution

FIFRA Label Statement : Keep out of reach of children.

FIFRA Label Statement : Harmful if swallowed.

FIFRA Label Statement : Causes moderate eye irritation.

FIFRA Label Statement : Wash thoroughly with soap and water after handling and before : eating, drinking, chewing gum, using tobacco, or using the toilet.

FIFRA Label Statement : Avoid contact with eyes or clothing.

FIFRA Label Statement : Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

16. Other Information

Data of Preparation/Revision: 18-March-2022