

### SPREADER / STICKER

CONTAINS POLYMERIC TERPENE RESINS
AND NON-IONIC SURFACTANT

### **Principal Functioning Agents:**

CA Reg No. 48813-50023-AA

## KEEP OUT OF REACH OF CHILDREN

## WARNING

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye irritation. Wear protective eyewear, long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### **ENVIRONMENTAL HAZARDS**

Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Avoid release to the environment.

### **FIRST AID**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

Net Contents: 04 1 gallon (3.78 liters) 2

04006BRN101 2016-03 (GHS) **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE**: Store in original container away from children, animals, foods, feeds, seeds and incompatible materials. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

**PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL**: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www. acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

Manufactured by: Brandt Consolidated, Inc. 2935 South Koke Mill Road Springfield, Illinois 62711 USA www.brandt.co 800 300 6559



### **DIRECTIONS FOR USE**

UNIFORM is a spreader/sticker designed to increase the efficiency of various pesticides. It forms a rainfast film which resists weathering and enhances the efficacy of pesticides. UNIFORM may be used on agricultural, forestry, turf and ornamental, industrial, structural and non-cropland sites. NOT FOR AOUATIC USE IN WASHINGTON.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with UNIFORM. Use according to the most restrictive label directions for each product in any tank mix.

COMPATIBILITY: UNIFORM is compatible with most pesticides. However, if the desired combination has not been previously used, a compatibility test is recommended.

MIXING: Shake well before using. Fill spray tank ½ full of water and begin agitation. Add the recommended amount of UNIFORM. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Continue agitation until spray solution is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

RECOMMENDATIONS: Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Smooth, waxy, or hairy foliage will require higher rates. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

FOR USE AS A SPREADER/STICKER (air or ground): Use 4-16 fl.oz. per acre. For improved efficacy, use at least 4 fl.oz. per acre when finished spray volume is less than 20 gallons per acre. For backpack or hand held sprayers, use 0.5 fl.oz. per gallon of finished spray solution.

FOR USE WITH SPRAYABLE PHEROMONES (air or ground): Use at a rate of up to 3% of the finished spray solution. Mix with sufficient water for adequate coverage of the crop according to the pesticide label. Equipment producing larger droplets are preferred, thereby enhancing the effectiveness of UNIFORM.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.