

## **VIOS FX HERBICIDE**

Version 2.1 / USA Revision Date: 04/12/2023 102000053763 Print Date: 11/30/2023

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

**Product identifier** 

Trade name VIOS FX HERBICIDE

Product code (UVP) 87316076

**SDS Number** 102000053763

**EPA Registration No.** 264-1221

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience LP

800 North Lindbergh Blvd.

St. Louis, MO 63167

**USA** 

**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

**Emergency Telephone** Number (24hr/ 7 days)

1-800-334-7577

**Product Information Telephone Number** 

1-866-99BAYER (1-866-992-2937)

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Aspiration hazard: Category 1 Carcinogenicity: Category 2 Reproductive toxicity: Category 1B Skin sensitisation: Category 1

Labelling in accordance with regulation HCS 29CFR §1910.1200







### **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

Revision Date: 04/12/2023 Print Date: 11/30/2023

## Signal word: Danger

#### **Hazard statements**

May be fatal if swallowed and enters airways.

Suspected of causing cancer.

May damage fertility or the unborn child.

May cause an allergic skin reaction.

#### **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Contaminated work clothing should not be allowed out of the workplace.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.

Do NOT induce vomiting.

IF exposed or concerned: Get medical advice/ attention.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation occurs: Get medical advice/ attention.

Specific treatment is urgent (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local regulation.

#### **Hazards Not Otherwise Classified (HNOC)**

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Fluroxypyr-meptyl	81406-37-3	15.6
Mefenpyr-diethyl	135590-91-9	2.78
Thiencarbazone-methyl	317815-83-1	0.46
Propylene carbonate	108-32-7	28.9
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	22.1
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	10.0
Calcium dodecylbenzenesulphonate	26264-06-2	2.6
2-Ethylhexanol	104-76-7	1.4
Stearylamine, ethoxylated	26635-92-7	1.0
Naphthalene	91-20-3	0.7
N-Methyl-2-pyrrolidone	872-50-4	0.2

#### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

**General advice** 

When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.



## **VIOS FX HERBICIDE**

Version 2.1 / USA Revision Date: 04/12/2023 102000053763 Print Date: 11/30/2023

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

#### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Unsuitable** High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and

full protective clothing.

Further information Fight fire from upwind position. Keep out of smoke. Cool closed

containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains

or water courses.

Specific hazards from the substance or mixture which can increase the fire

Flash point  $> 107 \,^{\circ}\text{C} / > 224.6 \,^{\circ}\text{F}$ 



## **VIOS FX HERBICIDE**

Version 2.1 / USA Revision Date: 04/12/2023 102000053763 Print Date: 11/30/2023

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNo data available

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal. Do

not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

## Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing. Keep away from direct sunlight.



# **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

Revision Date: 04/12/2023 Print Date: 11/30/2023

Advice on common storage Keep away from food, drink and animal feedingstuffs.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Thiencarbazone-methyl	317815-83-1	10 mg/m3 (TWA)		OES BCS*
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	200 mg/m3 (TWA)	01 2021	ACGIH
(Non-aerosol.)				
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	09 2006	US CA OEL
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	100 mg/m3 (REL)	2010	NIOSH
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	200 mg/m3 (TWA)	03 2014	ACGIH
(Non-aerosol.)				
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
2-Ethylhexanol	104-76-7	5 ppm (TWA)	01 2022	ACGIH
Naphthalene	91-20-3	10 ppm (TWA)	02 2012	ACGIH
Naphthalene	91-20-3	50 mg/m3/10 ppm (REL)	2010	NIOSH
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	2010	NIOSH
Naphthalene	91-20-3	50 mg/m3/10 ppm (PEL)	02 2006	OSHA Z1
Naphthalene	91-20-3	75 mg/m3/15 ppm (STEL)	06 2008	TN OEL
Naphthalene	91-20-3	50 mg/m3/10 ppm (TWA)	06 2008	TN OEL
Naphthalene	91-20-3	0.5 mg/m3/0.1 ppm (TWA PEL)	10 2014	US CA OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*
N-Methyl-2-pyrrolidone	872-50-4	60 mg/m3/15 ppm (TWA)	2021	WEEL
N-Methyl-2-pyrrolidone	872-50-4	120 mg/m3/30 ppm (STEL)	2021	WEEL
N-Methyl-2-pyrrolidone	872-50-4	4 mg/m3/1 ppm	10 2014	US CA OEL



## **VIOS FX HERBICIDE**

Version 2.1 / USA Revision Date: 04/12/2023 102000053763 Print Date: 11/30/2023

		(TWA PEL)	
N-Methyl-2-pyrrolidone	872-50-4	19 ppm (TWA)	OES BCS*

<sup>\*</sup>OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

## **Biological occupational exposure limits**

Components	CAS-No.	Parameters	Biological specimen	Sampling time	Conc.	Basis
Naphthalene	91-20-3	1-Naphthol, with hydrolysis + 2-Naphthol, with hydrolysis		Sampling time: End of shift.		ACGIH BEI
N-Methyl-2- pyrrolidone	872-50-4	5-Hydroxy-N- methyl-2- pyrrolidone	Urine	Sampling time: End of shift.	100 mg/l	ACGIH BEI

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

**Hand protection** Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile

rubber or Viton)

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties

Form Liquid, clear

Colour beige to brown

Odour No data available

Odour Threshold No data available

**pH** 6.5 - 8.0 (10 %) (23 °C) (deionized water)



## **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

Revision Date: 04/12/2023 Print Date: 11/30/2023

Melting point/rangeNo data availableBoiling PointNo data availableFlash point> 107 °C / > 224.6 °FFlammabilityNo data availableAuto-ignition temperatureNo data availableThermal decompositionNo data available

Minimum ignition energy No data available
Self-accelarating No data available

decomposition temperature (SADT)

Upper explosion limitNo data availableLower explosion limitNo data availableVapour pressureNo data availableEvaporation rateNo data availableRelative vapour densityNo data availableRelative densityNo data available

**Density** ca. 1.08 g/cm<sup>3</sup> (20 °C)

Water solubility No data available

Partition coefficient: noctanol/water Mefenpyr-diethyl: log Pow: 3.83 (21 °C)

Fluroxypyr-meptyl: log Pow: 5.04 Thiencarbazone-methyl: log Pow: -0.13

Viscosity, dynamic 17.23 mPa.s (20 °C)

Velocity gradient 20 /s 17.12 mPa.s (20 °C) Velocity gradient 100 /s 8.75 mPa.s (40 °C) Velocity gradient 20 /s 8.74 mPa.s (40 °C) Velocity gradient 100 /s

Viscosity, kinematic 15.92 mm<sup>2</sup>/s (20 °C) Shear rate of 20/sec

15.82 mm<sup>2</sup>/s (20 °C) Shear rate of 100/sec 8.22 mm<sup>2</sup>/s (40 °C) Shear rate of 20/sec 8.20 mm<sup>2</sup>/s (40 °C) Shear rate of 100/sec

Oxidizing properties No data available Explosivity No data available

**Other information** Further safety related physical-chemical data are not known.



## **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

Revision Date: 04/12/2023 Print Date: 11/30/2023

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity** Stable under normal conditions.

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** No incompatible materials known.

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Ingestion, Eye contact, Skin contact, Inhalation

**Immediate Effects** 

**Eye** May cause temporary eye irritation.

Skin May be harmful in contact with skin. May cause sensitisation by skin

contact.

Ingestion May be harmful if swallowed.Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined Rat) > 5.1 mg/l

Exposure time: 4 h

Determined in the form of a respirable aerosol.

No deaths

**Acute dermal toxicity** 

Dermal toxicity was assessed based on the result of the oral toxicity

study.

Dermal toxicity study has been waived by competent regulatory

authority.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)



## **VIOS FX HERBICIDE**

Version 2.1 / USA Revision Date: 04/12/2023 102000053763 Print Date: 11/30/2023

Respiratory or skin Skin: Sensitising (Mouse)

sensitisation OECD Test Guideline 429, local lymph node assay (LLNA)

### Assessment STOT Specific target organ toxicity - single exposure

Mefenpyr-diethyl: Based on available data, the classification criteria are not met.

Fluroxypyr-meptyl: This information is not available.

Thiencarbazone-methyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies. Fluroxypyr-meptyl did not cause specific target organ toxicity in experimental animal studies. Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Fluroxypyr-meptyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests. Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

Fluroxypyr-meptyl was not carcinogenic in lifetime feeding studies in rats and mice.

Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

#### **ACGIH**

Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Group A3
2-Ethylhexanol	104-76-7 91-20-3	Group A3 Group A3
Naphthalene NTP	91-20-3	Group As
Naphthalene	91-20-3	
IARC		
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Overall evaluation: 3
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Overall evaluation: 3
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	Overall evaluation: 3
Naphthalene	91-20-3	Overall evaluation: 2B

#### **Assessment toxicity to reproduction**

Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats. Fluroxypyr-meptyl did not cause reproductive toxicity in a two-generation study in rats. Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The



## **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

Revision Date: 04/12/2023 Print Date: 11/30/2023

developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity. Fluroxypyr-meptyl did not cause developmental toxicity in rats and rabbits. Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Oncorhynchus mykiss (rainbow trout)) > 0.225 mg/l

semi-static test; Exposure time: 96 h

The value mentioned relates to the active ingredient fluroxypyr-meptyl.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 104 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

LC50 (Cyprinus carpio (Carp)) 2.4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient mefenpyr-diethyl.

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.2 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient mefenpyr-diethyl.

Chronic toxicity to fish Oncorhynchus mykiss (rainbow trout)

NOEC: 0.32 mg/l

The value mentioned relates to the active ingredient fluroxypyr-meptyl.

Oncorhynchus mykiss (rainbow trout)

NOEC: 0.1 mg/l Exposure time: 28 d

The value mentioned relates to the active ingredient mefenpyr-diethyl.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 0.183 mg/l semi-static test;

Exposure time: 48 h

The value mentioned relates to the active ingredient fluroxypyr-meptyl.

EC50 (Daphnia magna (Water flea)) > 98.6 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

EC50 (Daphnia magna (Water flea)) 20.9 mg/l

Exposure time: 48 h



## **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

Revision Date: 04/12/2023 Print Date: 11/30/2023

The value mentioned relates to the active ingredient mefenpyr-diethyl.

static test; Exposure time: 72 h

The value mentioned relates to the active ingredient fluroxypyr-meptyl.

EbC50 (Scenedesmus quadricauda (Green algae)) > 0.47 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient fluroxypyr-meptyl.

ErC50 (Raphidocelis subcapitata (freshwater green alga)) > 1.410 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient fluroxypyr-meptyl.

NOEC (Myriophyllum spicatum (Eurasian watermilfoil)) 0.031 mg/l

Exposure time: 14 d

The value mentioned relates to the active ingredient fluroxypyr-meptyl.

IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.017 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient thiencarbazonemethyl.

IC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l

Growth rate; Exposure time: 7 d

The value mentioned relates to the active ingredient thiencarbazone-

methyl.

EC50 (Desmodesmus subspicatus (green algae)) 5.8 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient mefenpyr-diethyl.

EC50 (Navicula pelliculosa (Freshwater diatom)) 1.62 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient mefenpyr-diethyl.

EC50 (Lemna gibba (gibbous duckweed)) 12 mg/l

Exposure time: 168 h

The value mentioned relates to the active ingredient mefenpyr-diethyl.

**Toxicity to bacteria** EC50 (activated sludge) > 1,000 mg/l

The value mentioned relates to the active ingredient mefenpyr-diethyl.

**Biodegradability** Mefenpyr-diethyl:

Not rapidly biodegradable

Fluroxypyr-meptyl: 32 %, Exposure time: 28 d

Not rapidly biodegradable Thiencarbazone-methyl: Not rapidly biodegradable

**Koc** Mefenpyr-diethyl: Koc: 625

Fluroxypyr-meptyl: Koc: 6200 - 43000 Thiencarbazone-methyl: Koc: 100

**Bioaccumulation** Mefenpyr-diethyl: Bioconcentration factor (BCF) 232

Does not bioaccumulate.



## **VIOS FX HERBICIDE**

Version 2.1 / USA Revision Date: 04/12/2023 102000053763 Print Date: 11/30/2023

Fluroxypyr-meptyl: Bioconcentration factor (BCF) 26

Thiencarbazone-methyl: Does not bioaccumulate.

**Mobility in soil** Mefenpyr-diethyl: Slightly mobile in soils

Fluroxypyr-meptyl: Immobile in soil

Thiencarbazone-methyl: Moderately mobile in soils

Results of PBT and vPvB assessment

**PBT and vPvB assessment** Mefenpyr-diethyl: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Fluroxypyr-meptyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Thiencarbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**Environmental precautions** Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

#### **SECTION 14: TRANSPORT INFORMATION**

49CFR

UN number 3082
Class 9
Packaging group III

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(CALCIUM DODECYLBENZENE SULFONATE, NAPHTHALENE)

RQ Reportable Quantity is reached with 14,712 lb of product.

**IMDG** 



13/15

## **VIOS FX HERBICIDE**

Version 2.1 / USA Revision Date: 04/12/2023 102000053763 Print Date: 11/30/2023

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUROXYPYR-MEPTYL, THIENCARBAZONE-METHYL

SOLUTION)

**IATA** 

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUROXYPYR-MEPTYL, THIENCARBAZONE-METHYL

SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

#### **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. 264-1221

**US Federal Regulations** 

**TSCA list** 

Propylene carbonate 108-32-7 Hydrocarbons, C10, aromatics, <1% 64742-94-5

naphthalene

Alcohols, C11-14-iso-, C13-rich, 78330-21-9

ethoxylated

Fatty acids, C16-18 and C18-unsatd., Me 67762-38-3

esters

Oxirane, 2-methyl-, polymer with oxirane, 70880-56-7

mono[2,4,6-tris(1-phenylethyl)phenyl]

ether

Mefenpyr-diethyl 135590-91-9
Calcium dodecylbenzenesulphonate 26264-06-2
2-Ethylhexanol 104-76-7
Stearylamine, ethoxylated 26635-92-7

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.



## **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

**14/15**Revision Date: 04/12/2023
Print Date: 11/30/2023

# US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Naphthalene 91-20-3

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

N-Methyl-2-pyrrolidone 872-50-4 Developmental toxin.

**US State Right-To-Know Ingredients** 

Hydrocarbons, C10, aromatics, <1% 64742-94-5 CT, IL, NJ, RI naphthalene

Calcium dodecylbenzenesulphonate 26264-06-2 CA, CT, IL, NJ

2-Ethylhexanol 104-76-7 CT

Environmental

CERCLA

Yes

Hydrocarbons, C10, aromatics, <1% 64742-94-5

naphthalene

Yes

Calcium dodecylbenzenesulphonate 26264-06-2

Listed

Clean Water Section 307(a)(1)

Yes

Naphthalene 91-20-3
Safe Drinking Water Act Maximum Contaminant Levels

Yes

Naphthalene 91-20-3

Yes

N-Methyl-2-pyrrolidone 872-50-4

#### **EPA/FIFRA Information:**

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Harmful if swallowed, inhaled or absorbed through the skin.

Causes moderate eye irritation.



15/15

## **VIOS FX HERBICIDE**

Version 2.1 / USA 102000053763

Revision Date: 04/12/2023 Print Date: 11/30/2023

Others - none

#### **SECTION 16: OTHER INFORMATION**

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens
OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0

HMIS (Hazardous Materials Identification System, based on the Fourth Edition Ratings Guide)

Health - 2\* Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard,

\* = chronic health hazard

**Reason for Revision:** The following sections have been revised: Section 11: Toxicological Information. Section 15: Regulatory information. Section 16: Other Information. Reviewed and updated for general editorial purposes.

**Revision Date:** 04/12/2023

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.