
SUPPLEMENTAL LABEL



Syngenta Crop Protection, Inc.
Greensboro, NC 27409
www.syngenta-us.com

Vangard® WG
Fungicide

Only for use on onions

Active Ingredient:

| | |
|---|--------|
| Cyprodinil: 4-cyclopropyl-6-methyl- <i>N</i> -phenyl-pyrimidinamine* | 75.0% |
| Other Ingredients: | 25.0% |
| Total: | 100.0% |

CAS No. 121552-61-2

Vangard WG is a water-dispersible granule.

EPA Reg. No. 100-828

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use inside booklet.

All applicable directions, restrictions and precautions on the EPA-registered label are to be followed.

Before using Vangard WG as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SCP 828A-S2A 1106

DIRECTIONS FOR USE

| Crop | Disease | Rate oz./Acre | Remarks |
|---|--|------------------|---|
| Onions Dry Bulb Green Onions grown for seed | Botrytis leaf blight or blast (<i>Botrytis</i> spp.) | 10 | Begin applications prior to or at the onset of disease and repeat applications on a 7-10 day interval if conditions remain favorable for disease development. |
| | Purple blotch (<i>Alternaria porri</i> .) | | For optimal effect on neck rot, apply on a 7 day schedule at the 10 oz. rate. |
| Garlic | Suppression: Neck rot (<i>Botrytis</i> spp.) | | Resistance Management: After 2 applications of Vanguard WG, alternate with another fungicide with a different mode of action for 2 applications. |

Specific Use Restrictions

- Application may be made by ground only.
- Do not apply more than 28 oz./A of Vanguard WG (1.3 lb. a.i./A of cyprodinil) per plot of land per year.
- Do not apply within 7 days of harvest (7 day PHI).

Vanguard® and the Syngenta logo are trademarks of a Syngenta Group Company

© 2007 Syngenta

Syngenta Crop Protection, Inc.
 Greensboro, North Carolina 27409
www.syngenta-us.com