

## 1. Identification

<b>Product identifier</b>	<b>VAPAM® HL Soil Fumigant</b>	
<b>Other means of identification</b>		
<b>SDS number</b>	141	
<b>Product registration number</b>	5481-468	
<b>Synonyms</b>	Metam sodium * Metam * VAPAM	
<b>Recommended use</b>	Soil Fumigant.	
<b>Recommended restrictions</b>	This is a Restricted Use Pesticide and is for use by licensed applicators only. No other uses are advised. Keep out of the Reach of Children!	
<b>EPA Registration number</b>	EPA: 5481-468	
<b>Manufacturer/Importer/Supplier/Distributor information</b>		
<b>Manufacturer</b>		
<b>Company name</b>	AMVAC Chemical Corporation	
<b>Address</b>	4695 MacArthur Court Suite 1200 Newport Beach, CA 92660	
<b>Telephone</b>	AMVAC Chemical Corp	949-260-1200
	AMVAC Chemical Corp	949-260-6270(FAX)
<b>Website</b>	www.amvac.com	
<b>E-mail</b>	CustServ@amvac.com	
<b>Emergency phone number</b>	Medical	888-681-4261
	CHEMTREC® (USA+Canada)	800-424-9300
	Product Use	888-462-6822
	CHEMTREC® (Outside USA)	+1-703-527-3887

## 2. Hazard(s) identification

<b>Physical hazards</b>	Corrosive to metals	Category 1
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Sensitization, skin	Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
<b>OSHA defined hazards</b>	Not classified.	
<b>Label elements</b>		



**Signal word**

Danger

**Hazard statement** May be corrosive to metals.  
Harmful if swallowed.  
Harmful if inhaled.  
Causes skin irritation.  
Causes eye irritation.  
May cause an allergic skin reaction.  
Very toxic to aquatic life.  
Very toxic to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention**

Keep only in original container.  
Avoid breathing mist or vapor.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing must not be allowed out of the workplace.  
Avoid release to the environment.  
Wear protective gloves/protective clothing.

**Response**

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.  
If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.  
Take off contaminated clothing and wash before reuse.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
Absorb spillage to prevent material damage.

**Storage**

Store in corrosive resistant container with a resistant inner liner.  
Store in original container.  
Protect from extreme temperatures.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)**

None known.

**Supplemental information**

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

**3. Composition/information on ingredients**

**Substances**

Chemical name	Common name and synonyms	CAS number	%
Sodium methyldithiocarbamate	Metam Sodium Metam	137-42-8	42

**Composition comments** All concentrations are in percent by weight.

**4. First-aid measures**

**Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Skin contact**

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

**Eye contact**

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion**

Call a physician or poison control center immediately.  
Rinse mouth.  
Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.  
Never give anything by mouth to a victim who is unconscious or is having convulsions.

**Most important symptoms/effects, acute and delayed**

Overexposure to Metam Sodium as sold may result in damage to the skin, skin irritation, excessive salivation, sweating, fatigue, weakness, nausea, headache, dizziness, eye, nose, throat and respiratory tract irritation. In addition, dilution to use levels results in the release of methyl isothiocyanate (MITC) and/or hydrogen sulfide. Overexposure to MITC may result in strong skin and eye irritation, running nose, dizziness, cramps, nausea, vomiting, and mild to severe disturbances of the nervous system. Overexposure to hydrogen sulfide may result in severe irritation to the eyes and mucous membranes. In addition, exposure may result in headache, dizziness, excitement, staggering gait, diarrhea, difficult or painful urination, difficult breathing, chronic pulmonary edema, coma and death.

Chronic exposure may also cause conjunctivitis, photophobia, digestive disturbances, weight loss, general bodily weakness, and blurred vision. In addition, laboratory studies have shown that exposure to the active ingredient, followed by ingestion of alcohol, may cause an adverse reaction, including low blood pressure, rapid heartbeat, and flushing of the skin. Consumption of alcohol during and after exposure to this product should be avoided.

**Indication of immediate medical attention and special treatment needed**

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed. Contact your local or State Poison control Center for further information.

**General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

**5. Fire-fighting measures**

**Suitable extinguishing media**

Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media**

Material reacts with water. Dilution with water may cause generation of flammable and toxic fumes of MITC and Hydrogen sulfide. See Chemical Stability information in SECTION 10.

**Specific hazards arising from the chemical**

Material reacts with water. This product can release toxic fumes of methyl isothiocyanate (MITC) and hydrogen sulfide, as well as nitrogen oxides, when heated to decomposition or diluted with water. Fire may produce irritating, corrosive and/or toxic gases.

**Special protective equipment and precautions for firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions**

Evacuate the area promptly. Move containers from fire area if you can do so without risk.

**Specific methods**

Use standard firefighting procedures and consider the hazards of other involved materials.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Siphon the majority of the liquid into drums for use or disposal, depending on the circumstances. Clean the area as described for a small spill.

Small Spills: Absorb spillage with non-combustible, absorbent material. Scoop up used absorbent into drums or other appropriate container. Scrub the area with detergent and water. Rinse with water. Pick up wash liquid with additional absorbent and place in a disposable container.

Never return spills to original containers for re-use.

**Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

**7. Handling and storage**

**Precautions for safe handling**

Read label before use. Keep out of the reach of children. Keep away from food, drink and animal feedstuffs. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse.

**Conditions for safe storage, including any incompatibilities**

Keep away from food, drink and animal feedstuffs. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-2 (29 CFR 1910.1000)

Decomposition	Type	Value
Hydrogen sulfide (CAS 7783-06-4)	Ceiling	20 ppm

#### US. ACGIH Threshold Limit Values

Decomposition	Type	Value
Hydrogen sulfide (CAS 7783-06-4)	STEL	5 ppm
	TWA	1 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Decomposition	Type	Value
Hydrogen sulfide (CAS 7783-06-4)	Ceiling	15 mg/m <sup>3</sup>
		10 ppm

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Mechanical ventilation or local exhaust ventilation may be required. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses with side shields or tight fitting chemical goggles should be used whenever hazardous chemicals are being handled. A full face respirator should be worn whenever there is a chance of splashing or misting.

#### Skin protection

##### Hand protection

Wear chemical resistant gloves (preferably nitrile).

##### Other

Wear appropriate chemical resistant clothing (see label).

#### Respiratory protection

For exposures that may exceed the TLV, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) is required. A full-face respirator or a SCBA may be required if misting or splashing are possible.

#### Thermal hazards

Not applicable.

### General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

#### Physical state

Liquid.

#### Form

Liquid.

#### Color

Light yellow-green

### Odor

Essentially odorless to fairly strong odor of amine or sulfur.

### Odor threshold

Not available.

### pH

9.5 - 11

### Melting point/freezing point

32 °F (0 °C)

### Initial boiling point and boiling range

233.6 °F (112 °C)

### Flash point

> 200 °F (> 93 °C) Closed Cup

### Evaporation rate

1 (compared to water)

### Flammability (solid, gas)

Not applicable.

### Upper/lower flammability or explosive limits

#### Flammability limit - lower (%)

Not available.

<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	2.40E+01 mm Hg (77 °F (25 °C))
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Miscible.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Bulk density</b>	10.07 lb/gal
<b>Molecular formula</b>	C2-H4-N-S2.Na
<b>Molecular weight</b>	129.18 g/mol
<b>Specific gravity</b>	1.21 at 20°C/4°C (68°F/39°F)

## 10. Stability and reactivity

<b>Reactivity</b>	May be corrosive to metals.
<b>Chemical stability</b>	Material is stable under normal conditions.
	Metam Sodium decomposes, when diluted with water, to methyl isothiocyanate (MITC, a lachrymator and moderate poison) and/or to hydrogen sulfide (a highly poisonous gas). Use the solution promptly after mixing. Do not allow the solution to stand. Metam Sodium can also decompose to carbon disulfide and monomethylamine (both highly flammable) if contacted with a strong acid.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Contact with incompatible materials. Contact with water liberates flammable gas.
<b>Incompatible materials</b>	This product is incompatible with additional water and strong aqueous acids. In addition, it is corrosive to copper, brass, and zinc, and may soften and/or discolor iron.
<b>Hazardous decomposition products</b>	When treated with water or heated to decomposition, this product will give off toxic fumes of methyl isothiocyanate (MITC), hydrogen sulfide, and nitrogen oxides. If treated with strong acids, fumes of carbon disulfide and monomethylamine will be given off.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Harmful if inhaled.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction.
<b>Eye contact</b>	Causes eye irritation.
<b>Ingestion</b>	Harmful if swallowed.

**Symptoms related to the physical, chemical and toxicological characteristics**

Overexposure to Metam Sodium as sold may result in damage to the skin, skin irritation, excessive salivation, sweating, fatigue, weakness, nausea, headache, dizziness, eye, nose, throat and respiratory tract irritation. In addition, dilution to use levels results in the release of methyl isothiocyanate (MITC) and/or hydrogen sulfide. Overexposure to MITC may result in strong skin and eye irritation, running nose, dizziness, cramps, nausea, vomiting, and mild to severe disturbances of the nervous system. Overexposure to hydrogen sulfide may result in severe irritation to the eyes and mucous membranes. In addition, exposure may result in headache, dizziness, excitement, staggering gait, diarrhea, difficult or painful urination, difficult breathing, chronic pulmonary edema, coma and death.

Chronic exposure may also cause conjunctivitis, photophobia, digestive disturbances, weight loss, general bodily weakness, and blurred vision. In addition, laboratory studies have shown that exposure to the active ingredient, followed by ingestion of alcohol, may cause an adverse reaction, including low blood pressure, rapid heart beat, and flushing of the skin. Consumption of alcohol during and after exposure to this product should be avoided. Impaired pulmonary function and preexisting eye problems may be aggravated. Preexisting skin diseases may also be aggravated by exposure to the decomposition products.

**Information on toxicological effects**

**Acute toxicity** Harmful if swallowed. Harmful if inhaled. Causes skin irritation. Causes mild eye irritation. May cause an allergic skin reaction.

Product	Species	Test Results
---------	---------	--------------

VAPAM® HL Soil Fumigant

**Acute**

**Dermal**

LD50	Rabbit	> 2020 mg/kg
------	--------	--------------

**Inhalation**

LC50	Rat	2.28 mg/l
------	-----	-----------

**Oral**

LD50	Rat	812 mg/kg
------	-----	-----------

Decomposition	Species	Test Results
---------------	---------	--------------

Methyl isothiocyanate (MITC) (CAS 556-61-6)

**Acute**

**Dermal**

LD50	Rabbit	33 mg/kg
------	--------	----------

**Inhalation**

LC50	Rat	1.9 mg/l, 1 Hours
------	-----	-------------------

**Oral**

LD50	Rat	175 mg/kg
------	-----	-----------

**Skin corrosion/irritation** Causes skin irritation.

**Irritation Corrosion - Skin**

VAPAM® HL Soil Fumigant	Result: Moderate Irritant Species: Rabbit
-------------------------	--

**Serious eye damage/eye irritation** Causes eye irritation.

**Irritation Corrosion - Eye**

VAPAM® HL Soil Fumigant	Result: Mild Irritant Species: Rabbit
-------------------------	--

**Respiratory or skin sensitization**

**Respiratory sensitization** Not available.

**Skin sensitization** May cause an allergic skin reaction.

**Skin sensitization**

VAPAM® HL Soil Fumigant	Result: Sensitizer Species: Guinea pig
-------------------------	---

**Germ cell mutagenicity** No evidence of mutagenicity "in vivo", but some evidence has been observed "in vitro", in mutagenicity animal testing.

**Carcinogenicity** Limited evidence of a carcinogenic effect.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

## US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

<b>Reproductive toxicity</b>	This product has shown some developmental effects but has not shown any reproductive effects in laboratory animals.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not available.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects. This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Decomposition	Species	Test Results	
Hydrogen sulfide (CAS 7783-06-4)			
<b>Aquatic</b>			
<i>Acute</i>			
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )	0.009 mg/l, 96 hours
Methyl isothiocyanate (MITC) (CAS 556-61-6)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	LC50	Water flea ( <i>Daphnia magna</i> )	0.18 - 0.56 mg/l, 48 hours 0.032 - 0.1 mg/l, 14 days

<b>Persistence and degradability</b>	Product decomposes rapidly in wet environments.
<b>Bioaccumulative potential</b>	Decomposes rapidly - will not bioaccumulate.
<b>Mobility in soil</b>	This product decomposes when diluted with water and the decomposition products will leach from the soil.
<b>Other adverse effects</b>	None known.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site according to all applicable regulations. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with all applicable local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal methods/information). Avoid discharge into water courses or onto the ground.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal according to all applicable regulations. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

<b>DOT</b>	
<b>UN number</b>	UN3266
<b>UN proper shipping name</b>	Corrosive liquid, basic, inorganic, n.o.s. (Metam Sodium 42%), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary risk</b>	-

<b>Label(s)</b>	8
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	IB3, T7, TP1, TP28
<b>Packaging exceptions</b>	154
<b>Packaging non bulk</b>	203
<b>Packaging bulk</b>	241

**IATA**

<b>UN number</b>	UN3266
<b>UN proper shipping name</b>	Corrosive liquid, basic, inorganic, n.o.s. (Metam Sodium 42%)
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>ERG Code</b>	8L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.
<b>Read safety instructions, SDS</b>	and emergency procedures before handling.

**IMDG**

<b>UN number</b>	UN3266
<b>UN proper shipping name</b>	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Metam Sodium 42%), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	8
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-B
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not established.

**DOT**





IATA; IMDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

## 15. Regulatory information

### US federal regulations

Do not breathe mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Do not get in eyes, on skin, or on clothing. DANGER -- POISON

May be fatal if inhaled or swallowed. CORROSIVE. May cause an allergic skin reaction. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

KEEP OUT OF REACH OF CHILDREN!

Fatal if absorbed through skin. This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

### Toxic Substances Control Act (TSCA)

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Hydrogen sulfide	7783-06-4	100	500		
Methyl isothiocyanate (MITC)	556-61-6	500	500		

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories**  
Corrosive to metal  
Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitization

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Sodium methyldithiocarbamate	137-42-8	42

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Contains component(s) regulated under the Safe Drinking Water Act.

## US state regulations

### California Proposition 65



**WARNING:** WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to Sodium methyldithiocarbamate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Sodium methyldithiocarbamate (CAS 137-42-8) Listed: November 6, 1998

### California Proposition 65 - CRT: Listed date/Developmental toxin

Sodium methyldithiocarbamate (CAS 137-42-8) Listed: May 15, 1998

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** Apr-07-2015

**Revision date** Mar-26-2021

**References**  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act  
EPA: Environmental Protection Agency  
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act  
OSHA: Occupational Safety and Health Agency  
TSCA: Toxic Substances Control Act  
DOT: Department of Transportation

**Version #** 5.2

**HMIS® ratings**

Health: 2\*  
Flammability: 1  
Physical hazard: 1

**NFPA ratings**

Health: 2  
Flammability: 1  
Instability: 1

**Disclaimer**

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2019 AMVAC Chemical Corporation. All Rights Reserved. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation.

VAPAM is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

**Revision information**

Exposure controls/personal protection: Hand protection

Physical & Chemical Properties: Multiple Properties

Regulatory information: Canadian regulations

Other information, including date of preparation or last revision: Disclaimer