

Revision Date: 01/16/2019

Print Date: 01/18/2019

VELPAR® L VU

Version 1.0 / USA 102000035716

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name VELPAR® L VU

Product code (UVP) 85767755

SDS Number 102000035716

EPA Registration No. 432-1573

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Serious eye damage: Category 1 Flammable liquids: Category 3

Labelling in accordance with regulation HCS 29CFR §1910.1200





Signal word: Danger

Hazard statements

Causes serious eye damage. Flammable liquid and vapour.

Precautionary statements

Wear protective gloves/ eye protection/ face protection.



VELPAR® L VU

 Version 1.0 / USA
 Revision Date: 01/16/2019

 102000035716
 Print Date: 01/18/2019

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor/ physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component NameCAS-No.Concentration % by weightHexazinone51235-04-225.0Ethanol64-17-542.5

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.



VELPAR® L VU

Version 1.0 / USA 102000035716

Revision Date: 01/16/2019 Print Date: 01/18/2019

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Keep out of smoke. Fight fire from upwind position. Cool closed **Further information**

containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains

or water courses.

Flash point

Lower explosion limit

Auto-ignition temperature

23 - 25 °C No data available

No data available

Upper explosion limit

No data available

Explosivity

Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces. Remove all sources of

ignition.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid Methods for cleaning up

binder, universal binder, sawdust). Keep in suitable, closed containers

for disposal. Clean contaminated floors and objects thoroughly,

observing environmental regulations.



VELPAR® L VU

Version 1.0 / USA 102000035716

Revision Date: 01/16/2019 Print Date: 01/18/2019

Additional advice Use personal protective equipment. Do not allow product to contact

non-target plants. If the product is accidentally spilled, do not allow to

enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only

in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition. The product is extremely

flammable.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after

handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|------------|---------|------------------------------------|---------|-----------|
| Ethanol | 64-17-5 | 1,000 ppm (STEL) | 02 2012 | ACGIH |
| Ethanol | 64-17-5 | 1,900 mg/m3/1,000 ppm (REL) | 2010 | NIOSH |
| Ethanol | 64-17-5 | 1,900 mg/m3/1,000 ppm (PEL) | 02 2006 | OSHA Z1 |
| Ethanol | 64-17-5 | 1,900 mg/m3/1,000 ppm (TWA) | 06 2008 | TN OEL |
| Ethanol | 64-17-5 | 1,900 mg/m3/1,000 ppm (TWA PEL) | 08 2010 | US CA OEL |
| Ethanol | 64-17-5 | 500 ppm (TWA) | | OES BCS* |



VELPAR® L VU

Version 1.0 / USA 102000035716

Revision Date: 01/16/2019 Print Date: 01/18/2019

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance light yellow

Physical State liquid, clear

Odor alcohol-like

Odour Threshold No data available pH No data available

Vapor Pressure 33 hPa / 24.8 mm Hg (25 °C)

Vapor Density (Air = 1)No data availableDensity0.97 g/cm³ (20 °C)Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available

Water solubility dispersible

Minimum Ignition Energy Not applicable

Decomposition Not applicable

Partition coefficient: n-

octanol/water

temperature

Not applicable

Viscosity No data available

Flash point 23 - 25 °C



VELPAR® L VU

 Version 1.0 / USA
 Revision Date: 01/16/2019

 102000035716
 Print Date: 01/18/2019

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Not applicable

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong acids, Strong bases

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Ingestion, Skin contact

Immediate Effects

Eye Corrosive to eyes.

Skin May cause skin irritation. Prolonged skin contact may cause skin

irritation and/or dermatitis.

Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 4,120 mg/kg

Acute inhalation toxicity LC50 (Rat) > 5 mg/l

Exposure time: 4 h

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation slight irritation (Rabbit)

Serious eye damage/eye

irritation

corrosive (Rabbit)

Respiratory or skin

sensitisation

Non-sensitizing. (Guinea pig)



VELPAR® L VU

 Version 1.0 / USA
 Revision Date: 01/16/2019

 102000035716
 Print Date: 01/18/2019

Assessment STOT Specific target organ toxicity - repeated exposure

Ethanol did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Ethanol was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Ethanol: This information is not available.

ACGIH

Ethanol 64-17-5 Group A3

NTP

None.

OSHA

None.

Assessment toxicity to reproduction

Ethanol caused reproduction toxicity in generation studies in rats only at dose levels also toxic to the parent animals.

Assessment developmental toxicity

Ethanol caused developmental toxicity only at dose levels toxic to the dams.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 320 mg/l

Exposure time: 96 h

Toxicity to aquatic EC50 (Daphnia magna (Water flea)) 152 mg/l

invertebrates Exposure time: 48 h

The value mentioned relates to the active ingredient hexazinone.

Toxicity to aquatic plants ErC50 (Skeletonema costatum) 0.022 mg/l

Exposure time: 120 h

The value mentioned relates to the active ingredient hexazinone.

Biodegradability Ethanol:

rapidly biodegradable

Koc Ethanol:No data available

Bioaccumulation Ethanol:



Revision Date: 01/16/2019

Print Date: 01/18/2019

VELPAR® L VU

Version 1.0 / USA 102000035716

Does not bioaccumulate.

Mobility in soil Ethanol: soluble in water

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift.

Drift or runoff from treated areas may adversely affect non-target plants.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Never place unused product down any indoor or outdoor drain.

Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number 1170 Class 3 Packaging group III

Proper shipping name ETHANOL SOLUTION

IMDG

UN number 1170
Class 3
Packaging group III
Marine pollutant NO

Proper shipping name ETHANOL SOLUTION

IATA

UN number 1170 Class 3



VELPAR® L VU

 Version 1.0 / USA
 Revision Date: 01/16/2019

 102000035716
 Print Date: 01/18/2019

Packaging group III Environm. Hazardous Mark NO

Proper shipping name ETHANOL SOLUTION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1573

US Federal Regulations

TSCA list

Hexazinone 51235-04-2 Ethanol 64-17-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not applicable.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Hexazinone 51235-04-2

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Hexazinone 51235-04-2 NJ

Ethanol 64-17-5 CA, CT, MN, RI

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:



VELPAR® L VU

 Version 1.0 / USA
 Revision Date: 01/16/2019

 102000035716
 Print Date: 01/18/2019

Signal word: Danger!

Hazard statements: Corrosive - causes irreversible eye damage.

Harmful if swallowed.

Do not get in eyes or on clothing.

Wash thoroughly with soap and water after handling.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49
ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 3 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 3 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: New Safety Data Sheet due to change in numbering scheme.

Revision Date: 01/16/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.