

---

## SUPPLEMENTAL LABELING

---

**Syngenta Crop Protection, LLC**  
P. O. Box 18300  
Greensboro, North Carolina 27419-8300  
**SCP 1374-S7 0623**

SEDAXANE	GROUP	<b>7</b>	FUNGICIDE
----------	-------	----------	-----------

**Vibrance®**

### Fungicide

**This supplemental label expires on 06/30/2026 and must not be used or distributed after this date.**

Active Ingredient:

Sedaxane* .....	43.7%
-----------------	-------

Other Ingredients:	56.3%
--------------------	-------

Total:	100.0%
--------	--------

\*CAS No. 874967-67-6

Vibrance is a flowable concentrate for seed treatment containing 4.3 lb sedaxane per gallon.

**KEEP OUT OF REACH OF CHILDREN.**

## CAUTION

EPA Reg. No. 100-1374

**All applicable directions, restrictions and precautions on the EPA registered label are to be followed. Before using Vibrance as permitted according to this Supplemental Labeling, read and follow all applicable directions, restrictions, and precautions on the EPA registered label, on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and/or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of federal law to use this product in a manner inconsistent with its labeling.**

**syngenta**

## ROTATIONAL CROPS RESTRICTIONS

In the event of a crop failure or harvest of a crop grown from seed treated with Vibrance, crops may be replanted according to the following schedule:

ROTATIONAL CROP PLANT BACK INTERVALS				
Crop Planted	Immediate Plant Back	Minimum 30-Day Plant Back	Minimum 60-Day Plant Back	Minimum 12-Month Plant Back
Bulb Onion Crop Subgroup 3-07A Cereal Grains Crop Group 15 Corn (field, pop, sweet) Cotton Cucurbit Vegetables Crop Group 9 Legume Vegetables (Succulent or Dried) Crop Group 6 Peanut Rapeseed (including canola) Crop Subgroup 20A Sorghum Soybean Sugar Beet	Bulb Onion Crop Subgroup 3-07A Cereal Grains Crop Group 15 Corn (field, pop, sweet) Cotton Cucurbit Vegetables Crop Group 9 Legume Vegetables (Succulent or Dried) Crop Group 6 Peanut Potato Rapeseed (including canola) Crop Subgroup 20A Sorghum Soybean Sugar Beet	All other crops		
Potato	Bulb Onion Crop Subgroup 3-07A Cereal Grains Crop Group 15 Corn (field, pop, sweet) Cotton Cucurbit Vegetables Crop Group 9 Legume Vegetables (Succulent or Dried) Crop Group 6 Peanut Rapeseed (including canola) Crop Subgroup 20A Sorghum Soybean Sugar Beet		All other crops except potato	Potato

## SEED TREATMENT DIRECTIONS

### Bulb Onion Crop Subgroup 3-07A

Crop	Disease Controlled	Use Rate	
		fl oz/100 lb of seed	grams ai/100 kg of seed
<b>Bulb Onion Crop Subgroup 3-07A</b> Daylily, bulb Fritillaria, bulb Garlic, bulb Garlic, great-headed, bulb Garlic, serpent, bulb Lily, bulb Onion, bulb Onion, Chinese, bulb Onion, pearl Onion, potato, bulb Shallot, bulb Cultivars, varieties, and/or hybrids of these	Seed Decay, Seedling Blight and Damping-off caused by <i>Rhizoctonia solani</i>	0.15 – 0.30	5 – 10
<b>Resistance Management:</b> <ul style="list-style-type: none"> <li>Refer to Section 3.1.</li> </ul>			
<b>USE RESTRICTIONS</b>			
<ul style="list-style-type: none"> <li><b>DO NOT</b> apply more than 0.011 lb ai/A (5 g ai/A) per application of sedaxane-containing products as a seed treatment on Bulb Onion Crop Subgroup 3-07A.</li> <li><b>DO NOT</b> apply more than 0.023 lb ai/A (10.4 g ai/A) per calendar year of sedaxane-containing products as a seed treatment on Bulb Onion Crop Subgroup 3-07A.</li> <li>Vibrance-treated seed may be planted on the same acres up to 2 times per year.</li> </ul>			

## Cucurbit Vegetables Crop Group 9

Crop	Disease Controlled	Use Rate	
		fl oz/100 lb of seed	grams ai/100 kg of seed
<b>Cucurbit Vegetables Crop Group 9</b> Chayote (fruit) Chinese waxgourd (Chinese preserving melon) Citron melon Cucumber Gherkin Gourd, edible (includes hyotan, cucuzza, hechia, and Chinese okra) <i>Momordica</i> spp. (includes balsam apple, balsam pear, bitter melon, and Chinese cucumber) Muskmelon (includes true cantaloupe, cantaloupe, casaba, crenshaw melon, golden pershaw melon, honeydew melon, honey balls, mango melon, Persian melon, pineapple melon, Santa Clause melon, and snake melon) Pumpkin Squash, summer (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, and zucchini) Squash, winter (includes butternut squash, calabaza, Hubbard squash, acorn squash, and spaghetti squash) Watermelon	Seed Decay, Seedling Blight and Damping-off caused by <i>Rhizoctonia solani</i>	0.15 – 0.30	5 – 10
<b>Resistance Management:</b> <ul style="list-style-type: none"> <li>Refer to Section 3.1.</li> </ul>			
<b>USE RESTRICTIONS</b>			
<ul style="list-style-type: none"> <li><b>DO NOT</b> apply more than 0.0012 lb ai/A (0.5 g ai/A) per application of sedaxane-containing products as a seed treatment on Cucurbit Vegetables Crop Group 9.</li> <li><b>DO NOT</b> apply more than 0.0024 lb ai/A (1.1 g ai/A) per calendar year of sedaxane-containing products as a seed treatment on Cucurbit Vegetables Crop Group 9.</li> <li>Vibrance-treated seed may be planted on the same acres up to 2 times per year.</li> </ul>			

---

Vibrance® and the Syngenta logo are trademarks of a Syngenta Group Company

©2023 Syngenta

SCP 1374-S7 0623