# WAPC 60:40 HSOC

#### High Surfactant Oil Concentrate

#### PRINCIPAL FUNCTIONING AGENTS

Paraffin Oil	60%
Surfactant Blend	40%
TOTAL	

Unsulfonated Oil Residue (UR) Value is a minimum of 92% All ingredients are approved for use under 40 CFR 180



### KEEP OUT OF REACH OF CHILDREN WARNING

#### PRECAUTIONARY STATEMENTS

Causes skin irritation and eye irritation. Harmful if swallowed or inhaled. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or on the SDS.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators or other handlers of this product should wear; long- sleeved shirt, long pants, socks, shoes, protective eyewear and chemically impervious gloves.

#### FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person rinse

mouth and sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue risping. If one irritation persists for medical edition as attentions, il present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice or attention.

If On Skin: Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation

occurs: Get medical advice or attention. Treat symptomatically. Take off contaminated clothing and

wash it before reuse.

If Inhaled: Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give

artificial respiration.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

#### Manufactured For:

WestLink Ag Products Company, LLC 100 W. Overland Road, Suite 201, Meridian, ID 83642

NET CONTENTS: 2.5 U.S. GALLONS (9.46 L)



PROOF APPROVED BY:

Signature: Wille Vary

Date: Nov 4 2020

#### **WAPC 60:40 HSOC**

**High Surfactant Oil Concentrate** 

#### GENERAL INFORMATION

WAPC 60:40 HSOC is a low-use-rate adjuvant that can replace ordinary crop oil concentrates. WAPC 60:40 HSOC combines the properties of a premium quality crop oil concentrate with a nonionic surfactant. The result is excellent spreading/wetting characteristics and crop safety at half the use rate of a traditional crop oil concentrate.

#### **DIRECTIONS FOR USE**

The addition of adjuvants to some pesticides and/or fertilizers and their tank mixes may cause phytotoxicity to the foliage and/or fruit of desirable crops. Before using WAPC 60:40 HSOC, the applicator or crops advisor must have experience with the pesticide combination, including WAPC 60:40 HSOC, or must have conducted a phytotoxicity test. Do not use this product in a manner inconsistent with labeling. **WAPC 60:40 HSOC** increases the activity of many pesticides; therefore, care must be taken when treating sensitive crops during periods of drought stress, high temperatures or high humidity.

FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, RIGHTS-OF-WAY AND OTHER APPROPRIATE USES. NOT FOR AQUATIC USE.

#### **USE RATES**

Apply at one-half the recommended rate of crop oil concentrate.

Use 0.375% - 0.5% v/v (3-4 pints of WAPC 60:40 HSOC per 100 gallons of spray solution) or a minimum of 10-12 fluid ounces per acre unless otherwise directed on the pesticide manufacturer's label.

#### STORAGE AND DISPOSAL

Protect product from freezing. If product freezes, warm to room temperature and shake or recirculate before use. Keep containers sealed when not in use. Store in original container only. Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

#### MIXING

In the absence of specific mixing instructions found on In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

- Compatibility agent and/or antifoam, if needed
- AMS, dry formulations (WP, DF, WDG, SP), and dry drift retardants
- Dry soluble and suspension fertilizers / micronutrients
- Liquid drift retardants and flowable formulations
- Liquid concentrates, suspension concentrates, microencapsulated and capsule suspension (LC, SC, ME, CS)
- Emulsifiable concentrates (E, EL or EC)
- Solutions and soluble liquids (S or SL)
- Liquid micronutrients and fertilizers
- Water conditioners and other adjuvants (WAPC 60:40 HSOC) (COC, HSÓC, MSO, NIS)
- Finish filling to desired spray volume level and continue agitation

#### NOTICE OF WARRANTY

WestLink Ag warrants that this product, when used as directed and in accordance with sound agricultural practices, is a reasonable fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. WestLink Ag will not be liable for indirect or consequential damages. WestLink Ag makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized office of WestLink Ag. In no event shall WestLink Ag liability for any breach of warranty exceed the purchase price of the product to which a claim is



WestLink Ag Products Company, LLC 100 W. Overland Road, Suite 201, Meridian, ID 83642 Customer Service, Call: (208) 884-0566

WAPC 60:40 HSOC is a trademark of WestLink Ag
For 24-hour emergency service when using this product in the USA and Canada, call CHEMTREC: 1-800-424-9300

10/20

PROOF APPROVED BY:

Signature: Mcharleton

Date: NO.1 (12020

## **PROOF** APPROVED BY:

Signature:

Juniphi

Date:

aron

### VAPC 60:40 HSOC

High Surfactant Oil Concentrate

PRINCIPAL FUNCTIONING AGENTS Paraffin Oil. 60% Surfactant Blend 40% 100% TOTAL Unsulfonated Oil Residue (UR) Value is a minimum of 92%



#### KEEP OUT OF REACH OF CHILDREN WARNING

#### PRECAUTIONARY STATEMENTS

Causes skin irritation and eye irritation. Harmful if swallowed or inhaled. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators or other handlers of this product should wear; long-sleeved shirt, long pants, socks, shoes, protective eyewear and chemically impervious gloves.

#### FIRST AID

if Swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person rinse mouth and sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

If In Eyes:

Continue rinsing. If eye irritation persists: Get medical advice or attention.

If On Skin:

Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention. Treat symptomatically. Take off contaminated clothing and wash it before reuse.

If Inhaled:

Move person to fresh air, if person is having difficulty breathing, give oxygen, if not breathing, give artificial respiration.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Manufactured For:

WestLink Ag Products Company, LLC 100 W. Overland Road, Suite 201, Meridian, ID 83642



### APC 60:40 HS0

High Surfactant Oil Concentrate

PRINCIPAL FUNCTIONING AGENTS Paraffin Oil. 60% Surfactant Blend 40% 100% TOTAL Unsulfonated Oil Residue (UR) Value is a minimum of 92%





#### **KEEP OUT OF REACH OF CHILDREN** WARNING

#### PRECAUTIONARY STATEMENTS

Causes skin irritation and eye irritation. Harmful if swallowed or inhaled. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators or other handlers of this product should wear; long-sleeved shirt, long pants, socks, shoes, protective evewear and chemically impervious gloves.

#### FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person rinse

mouth and sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice or attention. If On Skin: Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention. Treat symptomatically. Take off contaminated clothing and

wash it before reuse. If Inhaled: Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give

artificial respiration.

Note to Physician: Contains petroleum distillate, Vomiting may cause aspiration pneumonia.

#### Manufactured For:

WestLink Ag Products Company, LLC 100 W. Overland Road, Suite 201, Meridian, ID 83642



## WAPE 60:40 HSOE

#### High Surfactant Oil Concentrate

#### PRINCIPAL FUNCTIONING AGENTS

Paraffin Oil	60%
Surfactant Blend	40%
TOTAL1	00%
Unsulfonated Oil Residue (UR) Value is a minimum of 92% A	1

ingredients are approved for use under 40 CFR 180



#### **KEEP OUT OF REACH OF CHILDREN** WARNING

#### PRECAUTIONARY STATEMENTS

Causes skin irritation and serious eye irritation. Harmful if swallowed or inhaled. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Wear personal protective equipment. Specific treatment is given in the First Aid section on this label or on the SDS.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators or other handlers of this product should wear; long-sleeved shirt, long pants, socks, shoes, protective eyewear and chemically impervious gloves.

#### FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have the person rinse mouth and sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by

mouth to an unconscious person. If In Eyes:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice or attention.

If On Skin:

Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention. Treat symptomatically. Take off contaminated clothing and wash it before reuse.

If Inhaled:

Move person to fresh air. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

#### GENERAL INFORMATION

WAPC 60:40 HSOC is a low-use-rate adjuvant that can replace ordinary crop oil concentrates. WAPC 60:40 HSOC combines the properties of a premium quality crop oil concentrate with a nonionic surfactant. The result is excellent spreading/wetting characteristics and crop safety at half the use rate of a traditional crop oil concentrate.

#### **DIRECTIONS FOR USE**

Manufactured For:

The addition of adjuvants to some pesticides and/or fertilizers and their tank mixes may cause phytotoxicity to the foliage and/or fertilizers and their tank mixes may cause phytotoxicity to the foliage and/or fruit of desirable crops. Before using WAPC 60:40 HSOC, the applicator or crops advisor must have experience with the pesticide combination, including WAPC 60:40 HSOC, or must have conducted a phytotoxicity test. Do not use this product in a manner inconsistent with labeling. WAPC 60:40 HSOC increases the activity of many pesticides; therefore, care must be taken when treating sensitive crops during periods of drought stress, high temperatures or high humidity.

FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL. FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, RIGHTS-OF-WAY AND OTHER APPROPRIATE USES. NOT FOR

#### **USE RATES**

Apply at one-half the recommended rate of crop oil concentrate. Use 0.375% – 0.5% v/v (3-4 pints of WAPC 60:40 HSOC per 100 gallons of spray solution) or a minimum of 10-12 ounces per acre unless otherwise directed on the pesticide manufacturer's label.

In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

1. Compatibility agent and/or antifoam, if needed

2. AMS, dry formulations (WP, DF, WDG, SP), and dry drift

- retardants
  Dry soluble and suspension fertilizers / micronutrients
- Liquid drift retardants and flowable formulations (F & FL)
- Liquid concentrates, suspension concentrates, microencapsulated and capsule suspension (LC, SC, ME, CS)
  Emulsifiable concentrates (E, EL or EC)
- Solutions and soluble liquids (S or SL) Liquid micronutrients and fertilizers

- 9. Water conditioners and other adjuvants (WAPC 60:40 HSOC) (COC, HSOC, MSO, NIS)
  10. Finish filling to desired spray volume level and continue agitation

#### STORAGE AND DISPOSAL

Protect product from freezing. If product freezes, warm to room rotect product from freezing. If product freezes, warm to room temperature and shake or recirculate before use. Keep containers sealed when not in use. Store in original container only. Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local state. materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

#### NOTICE OF WARRANTY

NOTICE OF WARRANTY
WestLink Ag warrants that this product, when used as directed and in accordance with sound agricultural practices, is a reasonable fit for the purposes stated on the label. Buyer assumes the risk of any use contrary to the directions so stated. WestLink Ag will not be liable for indirect or consequential damages. WestLink Ag makes no other expressed or implied warranty of Fitness or Merchantability. This warranty shall not be changed by oral or written agreement unless signed by a duly authorized office of WestLink Ag. In no event shall WestLink Ag liability for any breach of warranty exceed the purchase price of the product to which a claim is made.

WAPC 60:40 HSOC is a trademark of WestLink Ag
For 24-hour emergency service when using this product in the USA and Canada, call
CHEMTREC: 1-800-424-9300



WestLink Ag Products Company, LLC 100 W. Overland Road, Suite 201, Meridian, ID 83642 Customer Service, Call: (208) 884-0566

#### PROOF APPROVED BY:

Signature: Mchellackh

Date: Nov 12 2020