# An American Vanguard Company

# **SAFETY DATA SHEET**

## 1. Identification

Product identifier Wisdom 2EC

Other means of identification

SDS number 584

**Product registration** 

number

5481-592

**Recommended use** Pyrethroid type insecticide/miticide.

**Recommended restrictions** For use by authorized individuals and/or firms licensed or registered to apply termiticide products.

Keep out of the Reach of Children!

**EPA Registration number** EPA: 5481-592

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name AMVAC Chemical Corporation

Address 4695 MacArthur Court

Suite 1200

Newport Beach, CA 92660

**United States** 

**Telephone** AMVAC Chemical Corp 949-260-1200

AMVAC Chemical Corp 949-260-6270(FAX)

Website www.amvac.com
E-mail CustServ@amvac.com

Emergency phone number Medical 888-681-4261

CHEMTREC® 800-424-9300

(USA+Canada)

Product Use 888-462-6822 CHEMTREC® (Outside +1-703-527-3887

USA)

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsAcute toxicity, oralCategory 3

Acute toxicity, inhalation Category 4
Sensitization, skin Category 1B
Germ cell mutagenicity Category 1B
Carcinogenicity Category 2

Specific target organ toxicity, repeated Category 1 (nervous system)

Category 1

exposure

Aspiration hazard Category 1
Hazardous to the aquatic environment, acute Category 1

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Material name: Wisdom 2EC SDS US

1754 Version #: 2.1 Revision date: Jul-12-2021 Issue date: Sep-20-2017

Hazard statement Toxic if swallowed.

Harmful if inhaled.

May cause genetic defects.
Suspected of causing cancer.
May cause an allergic skin reaction.

May be harmful if swallowed and enters airways.

Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

## **Precautionary statement**

**Prevention** Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing mist.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/eye protection/face protection.

Avoid release to the environment.

Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention.

Rinse mouth.

Wash contaminated clothing before reuse.

Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

This is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced in section 15. The pesticide label also includes other important information, including directions for use.

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name                     | Common name and synonyms   | CAS number | %         |
|-----------------------------------|--|------------|-----------|
| Bifenthrin                        | Cyclopropanecarboxylic acid,<br>3-[(1Z)-2-chloro-3,3,3-trifluoro-1-propenyl]<br>-2,2-dimethyl-,<br>(2-methyl[1,1'-biphenyl]-3-yl)methyl ester,<br>(1R,3R)-rel- | 82657-04-3 | 25.1 %    |
| Solvent naphtha (petroleum), heav | у  | 64742-94-5 | 50 - 70 % |

#### Additional components

| Chemical name   | Common name and synonyms | CAS number | %        |
|-----------------|--------------------------|------------|----------|
| Other compounds |                          |            | 5 - 20 % |

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

Material name: Wisdom 2EC

1754 Version #: 2.1 Revision date: Jul-12-2021 Issue date: Sep-20-2017

#### Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give anything by mouth to a victim who is unconscious or is having convulsions.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Bifenthrin is moderately toxic if swallowed and has a low dermal toxicity. Gastric lavage using an endotracheal tube may be preferred to vomiting. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. This product contains aromatic hydrocarbons. Because of the risk of hydrocarbon pneumonic if even tiny amounts are aspirated into the lung during emesis, consideration should be given to gastric lavage with endotracheal tube in place. Provide general supportive measures and treat symptomatically.

#### **General information**

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas. Siphon the majority of the liquid into drums for use or disposal, depending on the circumstances. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

#### 7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

| US. OSHA Table Z-1 Limits for Air Contaminants (29 | CFR 1910.1000) |  |
|--|----------------|--|
|--|----------------|--|

| US. ACGIH Threshold Limit Values Components  Type Value Form  Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)  Additional components Type Value  1,2,4-Trimethylbenzene (CAS 95-63-6)  2-Methylnaphthalene (CAS 91-20-3) TWA 0.5 ppm  US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value  Value  Value  10 ppm  Value  10 ppm  Value  10 ppm  Value  Value  10 ppm  Value  Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)  Additional components Type Value  1,2,4-Trimethylbenzene (CAS 95-63-6)  TWA 125 mg/m3 (CAS 95-63-6)   | Additional components   | Туре       | Value     |              |  |  |
|--|---|------------|-----------|--------------|--|--|
| Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)  Additional components  Type  Value  TWA  200 mg/m3  Non-aerosol.  Value  Type  Value  1,2,4-Trimethylbenzene (CAS 91-20-3)  Naphthalene (CAS 95-63-6)  TWA  100 mg/m3  TWA  TWA  100 mg/m3  TWA  TWA  TWA  TWA  TWA  TWA  TWA  TW   | Naphthalene (CAS 91-20-3)                                       | PEL        | 50 mg/m3  |              |  |  |
| Components         Type         Value         Form           Solvent naphtha<br>(petroleum), heavy arom.<br>(CAS 64742-94-5)         TWA         200 mg/m3         Non-aerosol.           Additional components         Type         Value           1,2,4-Trimethylbenzene<br>(CAS 95-63-6)         TWA         25 ppm           2-Methylnaphthalene (CAS 91-20-3)         TWA         10 ppm           US. NIOSH: Pocket Guide to Chemical Hazards<br>Components         Type         Value           Solvent naphtha<br>(petroleum), heavy arom.<br>(CAS 64742-94-5)         TWA         100 mg/m3           Additional components         Type         Value           1,2,4-Trimethylbenzene<br>(CAS 95-63-6)         TWA         125 mg/m3           (CAS 95-63-6)         25 ppm           Naphthalene (CAS 91-20-3)         STEL         75 mg/m3           T5 ppm         TWA         15 ppm           TWA         50 mg/m3 |   |            | 10 ppm    |              |  |  |
| TWA   200 mg/m3   Non-aerosol.   | US. ACGIH Threshold Limit Values                                |            |           |              |  |  |
| (petroleum), heavy arom.         (CAS 64742-94-5)           Additional components         Type         Value           1,2,4-Trimethylbenzene         TWA         25 ppm           (CAS 95-63-6)         0.5 ppm           2-Methylnaphthalene (CAS         TWA         0.5 ppm           91-57-6)         Naphthalene (CAS 91-20-3)         TWA         10 ppm           US. NIOSH: Pocket Guide to Chemical Hazards         Components         Value           Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)         TWA         100 mg/m3           Additional components         Type         Value           1,2,4-Trimethylbenzene (CAS 95-63-6)         TWA         125 mg/m3           (CAS 95-63-6)         25 ppm           Naphthalene (CAS 91-20-3)         STEL         75 mg/m3           15 ppm         TWA         50 mg/m3  | Components  | Туре       | Value     | Form         |  |  |
| 1,2,4-Trimethylbenzene (CAS 95-63-6)       TWA       25 ppm         2-Methylnaphthalene (CAS 91-57-6)       TWA       0.5 ppm         Naphthalene (CAS 91-20-3)       TWA       10 ppm         US. NIOSH: Pocket Guide to Chemical Hazards       Components       Type       Value         Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)       Additional components       Type       Value         1,2,4-Trimethylbenzene (CAS 95-63-6)       TWA       125 mg/m3         (CAS 95-63-6)       25 ppm         Naphthalene (CAS 91-20-3)       STEL       75 mg/m3         15 ppm       TWA       50 mg/m3  | (petroleum), heavy arom.  | TWA        | 200 mg/m3 | Non-aerosol. |  |  |
| CAS 95-63-6)       2-Methylnaphthalene (CAS 91-20-3)       TWA 0.5 ppm         91-57-6)       Naphthalene (CAS 91-20-3)       TWA 10 ppm         US. NIOSH: Pocket Guide to Chemical Hazards Components       Type Value         Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)       TWA 100 mg/m3         Additional components       Type Value         1,2,4-Trimethylbenzene (CAS 95-63-6)       TWA 125 mg/m3         (CAS 95-63-6)       25 ppm         Naphthalene (CAS 91-20-3)       STEL 75 mg/m3         TWA 50 mg/m3   | Additional components   | Туре       | Value     |              |  |  |
| 91-57-6) Naphthalene (CAS 91-20-3)  WS. NIOSH: Pocket Guide to Chemical Hazards Components  Type  Value  Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)  Additional components  TWA  100 mg/m3  Value  100 mg/m3  Value  1,2,4-Trimethylbenzene (CAS 95-63-6)  TWA  125 mg/m3  25 ppm  Naphthalene (CAS 91-20-3)  STEL  75 mg/m3  15 ppm  TWA  50 mg/m3   |   | TWA        | 25 ppm    |              |  |  |
| US. NIOSH: Pocket Guide to Chemical Hazards Components Type Value  Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5) Additional components Type Value  1,2,4-Trimethylbenzene (CAS 95-63-6)  Naphthalene (CAS 91-20-3) STEL TWA TWA 50 mg/m3   |   | TWA        | 0.5 ppm   | 0.5 ppm      |  |  |
| Components         Type         Value           Solvent naphtha<br>(petroleum), heavy arom.<br>(CAS 64742-94-5)         TWA         100 mg/m3           Additional components         Type         Value           1,2,4-Trimethylbenzene<br>(CAS 95-63-6)         TWA         125 mg/m3<br>25 ppm           Naphthalene (CAS 91-20-3)         STEL         75 mg/m3<br>15 ppm           TWA         50 mg/m3  | Naphthalene (CAS 91-20-3)                                       | TWA        | 10 ppm    |              |  |  |
| Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)   Type   Value   | US. NIOSH: Pocket Guide to Chemic                               | al Hazards |           |              |  |  |
| (petroleum), heavy arom.       (CAS 64742-94-5)         Additional components       Type       Value         1,2,4-Trimethylbenzene       TWA       125 mg/m3         (CAS 95-63-6)       25 ppm         Naphthalene (CAS 91-20-3)       STEL       75 mg/m3         15 ppm       TWA       50 mg/m3   | Components  | Туре       | Value     |              |  |  |
| 1,2,4-Trimethylbenzene (CAS 95-63-6)  TWA  125 mg/m3  25 ppm  Naphthalene (CAS 91-20-3)  STEL  75 mg/m3  15 ppm  TWA  50 mg/m3   | Solvent naphtha<br>(petroleum), heavy arom.<br>(CAS 64742-94-5) | TWA        | 100 mg/m3 |              |  |  |
| (CAS 95-63-6)  25 ppm  Naphthalene (CAS 91-20-3)  STEL  75 mg/m3  15 ppm  TWA  50 mg/m3  | Additional components   | Туре       | Value     |              |  |  |
| Naphthalene (CAS 91-20-3)  STEL  75 mg/m3  15 ppm  TWA  50 mg/m3   |   | TWA        | 125 mg/m3 |              |  |  |
| 15 ppm  TWA 50 mg/m3   |   |            | 25 ppm    |              |  |  |
| TWA 50 mg/m3   | Naphthalene (CAS 91-20-3)                                       | STEL       | 75 mg/m3  |              |  |  |
| G  |   |            | 15 ppm    |              |  |  |
| 10 ppm   |   | TWA        | 50 mg/m3  |              |  |  |
|  |   |            | 10 ppm    |              |  |  |

## **Biological limit values**

| ACGIH Biological Exposu Additional components | Value    | Determinant                                       | Specimen | Sampling Time |
|---|----------|---|----------|---------------|
| 2-Methylnaphthalene (CAS 91-57-6)             | 2.5 μg/l | 1-Hydroxypyre<br>ne, with<br>hydrolysis<br>(1-HP) | Urine    | *             |

<sup>\* -</sup> For sampling details, please see the source document.

## **Exposure guidelines**

US - California OELs: Skin designation

Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

2-Methylnaphthalene (CAS 91-57-6) Danger of cutaneous absorption Naphthalene (CAS 91-20-3) Danger of cutaneous absorption Solvent naphtha (petroleum), heavy arom. Danger of cutaneous absorption

(CAS 64742-94-5)

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). If there is a potential for splashing Goggles or

a full face shield should be used.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other The following clothing is required: overalls or pants and long-sleeved shirt, chemical resistant

gloves (preferably nitrile), chemical resistant boots. For added protection a chemical resistant apron and a full face shield are recommended. It there is a risk of splashing, misting or release the following additional PPE is required: two piece hooded chemical resistant suit with either a full face respirator or a SCBA. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions are available, use detergent and hot water. Keep and wash PPE separately.

**Respiratory protection** Avoid breathing dust/fume/gas/mist/vapors/spray. For exposures that may exceed the TLV, a

respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides

(MSHA/NIOSH approval number prefix TC-23C), or canister approved for pesticides

(MSHA/NIOSH approval number prefix TC-14G) is required. A full-face respirator or a SCBA may be required if misting or splashing are possible. The label should be consulted for more specific

information with regards to respiratatory protection.

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Appearance Amber to dark liquid

Physical state Liquid.
Form Liquid.

Color Amber to dark
Odor Solvent odor
Odor threshold None established

pH 7 (5% emulsion)

Melting point/freezing point < 32 °F (< 0 °C)

Initial boiling point and boiling > 354 °F (> 178.9 °C)

range

> 354 T (> 176.9 C)

Flash point 159 °F (71 °C) Pensky-Martens Closed Cup

**Evaporation rate** 0.1 as compared to n-Butyl acetate

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

0.7 % estimated

Flammability limit - upper

(%)

5 % estimated

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 2.08E+00 mm Hg approx. @ 68°F

Vapor density Heavier than air Relative density Not available.

Solubility(ies)

Solubility (water) Emulsifiable

Solubility (solvents) This product is soluble in aromatic solvents

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Specific gravity 0.99 @ 20°C

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Hazardous polymerization does not occur. Possibility of hazardous

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

This product may emit hazardous fumes of hydrogen chloride, carbon oxides, and unidentified

organic compounds when it is heated excessively or burned. WEAR SELF-CONTAINED

BREATHING APPARATUS when these conditions are present.

## 11. Toxicological information

## Information on likely routes of exposure

Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by Inhalation

inhalation.

Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Toxic if swallowed. May be harmful if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics Contact with pyrethroid type compounds may occasionally produce skin sensitization such as

rashes, numbing, burning or tingling.

It should also be noted that because of the presence of petroleum distillates, prolonged or repeated liquid contact can result in defatting and drying of the skin, which may result in skin irritation and dermatitis. Vapors of petroleum distillates may produce CNS (Central Nervous System) depression. Continued exposure of skin and eyes to vapors or liquids may result in burns

and/or irreversible damage.

May cause an allergic skin reaction.

## Information on toxicological effects

**Acute toxicity** Toxic if swallowed. Harmful if inhaled. May cause an allergic skin reaction. May be harmful if

swallowed and enters airways.

**Product Species Test Results** 

Wisdom 2EC

<u>acute</u>

dermal

LD50 Rabbit > 2000 mg/kg

inhalation

LC50 Rat 1.86 mg/L, 4 hr aerosol

oral

LD50 Rat 262 mg/kg

Skin corrosion/irritation Not irritating to skin.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

## Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not expected to be carcinogenic based on GHS classification criteria.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Naphthalene (CAS 91-20-3) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

2-Methylnaphthalene (CAS 91-57-6) Known To Be Human Carcinogen. Naphthalene (CAS 91-20-3) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Material name: Wisdom 2EC

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be harmful if swallowed and enters airways.

**Chronic effects** Causes damage to organs through prolonged or repeated exposure.

# 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Components **Test Results** Species

Bifenthrin (CAS 82657-04-3)

Aquatic Acute

LC50 Crustacea Water flea (Ceriodaphnia dubia) 0 - 0.0002 mg/l, 48 hours

> Water flea (Daphnia magna) 0.0001 - 0.0009 mg/l, 48 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal methods/information).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

UN3352 **UN number** 

**UN proper shipping name** Transport hazard class(es) Pyrethroid pesticide, liquid toxic (Bifenthrin)

Class 6.1 Subsidiary risk 6.1

Label(s) Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB3, T7, TP2, TP28 Special provisions

Packaging exceptions 153 Packaging non bulk 213 Packaging bulk 240

**IATA** 

UN3352 **UN number** 

Pyrethroid pesticide, liquid toxic (Bifenthrin) **UN** proper shipping name

Transport hazard class(es)

Class 6.1 Subsidiary risk 6.1 Label(s)

Packing group

Environmental hazards Yes, when shipped over large bodies of water

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN3352

UN proper shipping name Transport hazard class(es)

name Pyrethroid pesticide, liquid toxic (Bifenthrin), MARINE POLLUTANT

Not established.

Class 6.1
Subsidiary risk Label(s) 6.1
Packing group III

**Environmental hazards** 

Marine pollutant Yes

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

# DOT



IATA; IMDG



## Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

## 15. Regulatory information

#### **US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This product is registered under EPA/FIFRA Regulations as a RESTRICTED USE PESTICIDE. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS.

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish, aquatic invertebrates, birds and mammals. Use with care when applying in areas adjacent to any body of water. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Keep out of lakes, ponds, and streams. Do not contaminate water when disposing of equipment washwater or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. See the label for more complete information.

The use of bifenthrin is prohibited in areas that may result in exposure of endangered species to bifenthrin. Prior to use in a particular county contact the local extension service for procedures and precautions to use to protect endangered species.

#### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Naphthalene (CAS 91-20-3)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure) Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

#### SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|---------------|------------|----------|
| Bifenthrin    | 82657-04-3 | 25.1 %   |

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

2-Methylnaphthalene (CAS 91-57-6) Naphthalene (CAS 91-20-3)

Material name: Wisdom 2EC

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US state regulations**

## **California Proposition 65**



**WARNING:** This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# California Proposition 65 - CRT: Listed date/Carcinogenic substance

Naphthalene (CAS 91-20-3) Listed: April 19, 2002

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

1,2,4-Trimethylbenzene (CAS 95-63-6) 2-Methylnaphthalene (CAS 91-57-6)

Naphthalene (CAS 91-20-3)

Solvent naphtha (petroleum), heavy arom. (CAS 64742-94-5)

#### **International Inventories**

Country(s) or region Inventory name

On inventory (yes/no)\*

No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue dateSep-20-2017Revision dateJul-12-2021

References ACGIH®: American Conference of Governmental Industrial Hygienists

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

EPA: Environmental Protection Agency

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Agency

SARA: Superfund Amendments and Reauthorization Act

TSCA: Toxic Substances Control Act DOT: Department of Transportation

IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association

Version # 2.1

HMIS® ratings Health: 2 Flammability: 1

Physical hazard: 0

NFPA ratings Health: 2

Flammability: 1 Instability: 0

#### **Disclaimer**

This information is provided for the limited guidance to the user. While AMVAC believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

AMVAC Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

©2021 AMVAC Chemical Corporation. AMVAC and the AMVAC Logo are trademarks owned by AMVAC Chemical Corporation. All Rights Reserved.

WISDOM is a trademark owned by AMVAC Chemical Corporation.

ACGIH is a trademark of the American Conference of Governmental Industrial Hygienists.

CHEMTREC is a trademark of the American Chemistry Council, Inc.

HMIS is a trademark of the American Coatings Association.

NFPA is a trademark of the National Fire Protection Association, Inc.

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

Other information, including date of preparation or last revision: Disclaimer

Revision information

Material name: Wisdom 2EC SDS US

1754 Version #: 2.1 Revision date: Jul-12-2021 Issue date: Sep-20-2017